

Liang-Yin Chu · Rui Xie
Xiao-Jie Ju · Wei Wang

Smart Hydrogel Functional Materials



Chemical Industry Press



Springer

Liang-Yin Chu
School of Chemical Engineering
Sichuan University
Chengdu, China
People's Republic

Rui Xie
School of Chemical Engineering
Sichuan University
Chengdu, China
People's Republic

Xiao-Jie Ju
School of Chemical Engineering
Sichuan University
Chengdu, China
People's Republic

Wei Wang
School of Chemical Engineering
Sichuan University
Chengdu, China
People's Republic

ISBN 978-3-642-39537-6

ISBN 978-3-642-39538-3 (eBook)

DOI 10.1007/978-3-642-39538-3

Springer Heidelberg New York Dordrecht London

Jointly published with Chemical Industry Press, Beijing

ISBN: 978-7-122-17630-1, Chemical Industry Press, Beijing

Library of Congress Control Number: 2013950166

© Chemical Industry Press, Beijing and Springer Berlin Heidelberg 2013

This work is subject to copyright. All rights are reserved by the Publishers, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publishers' locations, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publishers can accept any legal responsibility for any errors or omissions that may be made. The publishers make no warranty, express or implied, with respect to the material contained herein.

Contents

Part I Thermo-responsive Hydrogel Functional Materials

| | | |
|----------|--|-----------|
| 1 | Structure-Function Relationship of Thermo-responsive Hydrogels .. | 3 |
| 1.1 | Introduction..... | 3 |
| 1.2 | Effect of Internal Microstructure on the Equilibrium Thermo-responsive Phase Transition | 4 |
| 1.3 | Effect of Internal Microstructure on the Dynamic Thermo-responsive Phase Transition | 7 |
| 1.4 | Effect of Internal Microstructure on the Thermo-responsive Controlled-Release Characteristics | 15 |
| 1.5 | Effect of Internal Microstructure on the Mechanical Strength of Thermo-responsive Hydrogels..... | 15 |
| 1.6 | Summary..... | 22 |
| | References..... | 23 |
| 2 | Preparation and Properties of Monodisperse Thermo-responsive Microgels | 25 |
| 2.1 | Introduction..... | 25 |
| 2.2 | Submicron-Sized Monodisperse Thermo-responsive Core-Shell Hydrogel Microspheres Fabricated via Surfactant-Free Emulsion Polymerization | 26 |
| 2.2.1 | Preparation of P(NIPAM-co-St) Seeds | 26 |
| 2.2.2 | Preparation of Core-Shell Microspheres with PNIPAM Shell Layers | 27 |
| 2.2.3 | Monodispersity of Core-Shell Microspheres with P(NIPAM-co-St) Cores and PNIPAM Shell Layers..... | 28 |
| 2.2.4 | Thermo-responsive Characteristics of the Core-Shell Microspheres with PNIPAM Shell Layers..... | 28 |

| | | |
|----------|--|-----------|
| 2.3 | Positively Thermo-responsive Submicron-Sized Monodisperse Core-Shell Hydrogel Microspheres | 29 |
| 2.3.1 | Preparation of Positively Thermo-responsive Submicron-Sized Monodisperse Core-Shell Hydrogel Microspheres | 30 |
| 2.3.2 | Morphological Analyses of the Microspheres..... | 31 |
| 2.3.3 | Positively Thermosensitive Swelling Characteristics | 32 |
| 2.4 | Monodisperse Thermo-responsive Hydrogel Microspheres and Microcapsules Prepared via Membrane Emulsification | 34 |
| 2.4.1 | Strategies for Preparation of Monodisperse PNIPAM Microspheres and Microcapsules via Membrane Emulsification | 35 |
| 2.4.2 | Morphology of Prepared Monodisperse PNIPAM Microspheres..... | 35 |
| 2.4.3 | Morphology of Prepared Monodisperse PNIPAM Microcapsules..... | 37 |
| 2.4.4 | Effect of Freeze-Drying and Rehydrating Treatment on the Thermo-responsive Characteristics of PNIPAM Microspheres..... | 38 |
| 2.5 | Monodisperse Thermo-responsive Hydrogel Microspheres and Microcapsules Fabricated with Microfluidics .. | 42 |
| 2.5.1 | Microfluidic Fabrication of Monodisperse Thermo-responsive Microgels with Tunable Volume-Phase Transition Kinetics | 42 |
| 2.5.2 | Fabrication of Monodisperse Thermo-responsive Microgels in a Microfluidic Chip | 48 |
| 2.5.3 | Fabrication of Monodisperse Microspheres with PNIPAM Core and Poly(2-Hydroxyethyl Methacrylate) (PHEMA) Shell..... | 50 |
| 2.6 | Summary..... | 56 |
| | References..... | 56 |
| 3 | Flow and Aggregation Characteristics of Thermo-responsive Microgels During Phase Transition | 59 |
| 3.1 | Introduction..... | 59 |
| 3.2 | Flow and Aggregation Characteristics of Thermo-responsive Spheres During the Phase Transition..... | 60 |
| 3.2.1 | Preparation of Monodisperse PNIPAM Hydrogel Spheres | 60 |
| 3.2.2 | Thermo-responsive Volume-Phase Transition Characteristics of PNIPAM Hydrogel Spheres | 61 |

| | | |
|----------|--|-----------|
| 3.2.3 | Flow Characteristics of PNIPAM Hydrogel Spheres During the Phase Transition in a Transparent Glass Pipe | 61 |
| 3.3 | Flow Characteristics of Thermo-responsive Microspheres in Microchannel During the Phase Transition..... | 68 |
| 3.3.1 | Synthesis of Microspheres in a Simple Microfluidic Device | 68 |
| 3.3.2 | Flow Characteristics of PNIPAM Microspheres in Horizontal Microchannel at Low Reynolds Number of Fluid..... | 69 |
| 3.3.3 | Effect of the Diameter Ratio of PNIPAM Microsphere to Microchannel on the Flow Characteristics | 74 |
| 3.4 | Effects of Microchannel Surface Property on Flow Behaviors of Thermo-responsive Microspheres During the Phase Transition | 77 |
| 3.4.1 | Modification of Inner Surface of Glass Microchannel.... | 77 |
| 3.4.2 | Characterization of Wettability and Roughness of Modified Glass Microchannels..... | 78 |
| 3.4.3 | Effects of Surface Wettability and Roughness of Microchannel on the Average Velocity of Fluid in Microchannel | 80 |
| 3.4.4 | Effect of Surface Wettability and Roughness of Microchannel on Aggregation Behaviors of PNIPAM Microspheres During the Phase Transition .. | 81 |
| 3.4.5 | Effect of Surface Wettability of Microchannel on Flow Characteristics of PNIPAM Microspheres | 82 |
| 3.4.6 | Effect of Surface Roughness of Microchannel on Flow Characteristics of PNIPAM Microspheres | 84 |
| 3.4.7 | Flow Behaviors of PNIPAM Microspheres in Microchannel with Hydrophobic and Rough Surface During the Phase Transition..... | 85 |
| 3.5 | Summary..... | 88 |
| | References | 89 |
| 4 | Polyphenol-Induced Phase Transition of Thermo-responsive Hydrogels | 91 |
| 4.1 | Introduction..... | 91 |
| 4.2 | Phase Transition Behaviors of PNIPAM Microgels Induced by Tannic Acid..... | 93 |
| 4.2.1 | Preparation of Monodisperse PNIPAM Microgels..... | 93 |
| 4.2.2 | Dynamic Isothermal Volume-Phase Transition of PNIPAM Microgels Induced by TA | 93 |
| 4.2.3 | Equilibrium Isothermal Volume-Phase Transition of PNIPAM Microgels Induced by TA | 95 |

| | | |
|----------|--|------------|
| 4.2.4 | Thermosensitive Phase Transition of PNIPAM Microgels in TA Solutions | 98 |
| 4.3 | Phase Transition Behaviors of PNIPAM Microgels Induced by Ethyl Gallate | 101 |
| 4.3.1 | Preparation of PNIPAM Microspheres and Core-Shell PNIPAM Microcapsules | 101 |
| 4.3.2 | Thermo-responsive Phase Transition Behaviors of PNIPAM Microspheres in EG Solution..... | 102 |
| 4.3.3 | The Intact-to-Broken Transformation Behaviors of Core-Shell PNIPAM Microcapsules in Aqueous Solution with Varying EG Concentration..... | 104 |
| 4.4 | Summary | 108 |
| | References | 108 |
| 5 | Functional Membranes with Thermo-responsive Hydrogel Gates | 111 |
| 5.1 | Introduction | 111 |
| 5.2 | Functional Membranes with Thermo-responsive Hydrogel Gates Fabricated by Plasma-Induced Pore-Filling Graft Polymerization | 112 |
| 5.2.1 | Regulation of Response Temperature of Thermo-responsive Membranes | 112 |
| 5.2.2 | Effect of Grafting Degree on the Thermo-responsive Gating Characteristics | 113 |
| 5.2.3 | Gating Characteristics of Thermo-responsive Membranes with Grafted Linear and Cross-linked Hydrogel Gates | 120 |
| 5.2.4 | Membranes with Negatively Thermo-responsive Hydrogel Gates | 123 |
| 5.2.5 | Composite Thermo-responsive Membrane System | 125 |
| 5.2.6 | Thermo-responsive Affinity Membrane | 126 |
| 5.3 | Functional Membranes with Thermo-responsive Hydrogel Gates Fabricated by Atom-Transfer Radical Polymerization | 128 |
| 5.4 | Functional Membranes with Thermo-responsive Hydrogel Gates Fabricated by Free-Radical Polymerization | 130 |
| 5.5 | Summary | 131 |
| | References | 132 |
| 6 | Functional Microcapsules with Thermo-responsive Hydrogel Shells | 135 |
| 6.1 | Introduction | 135 |
| 6.2 | Functional Microcapsules with Grafted Thermo-responsive Hydrogel Chains in the Porous Membranes as Gates | 136 |

| | | |
|-----|--|-----|
| 6.3 | Functional Microcapsules with Thermo-responsive Microgels in the Membranes as Gates | 140 |
| 6.4 | Functional Microcapsules with Thermo-responsive Cross-linked Hydrogels as Membranes | 142 |
| 6.5 | Summary | 150 |
| | References | 151 |

Part II pH-Responsive Hydrogel Functional Materials

| | | |
|----------|---|------------|
| 7 | Preparation and Properties of Monodisperse pH-Responsive Microgels | 155 |
| 7.1 | Introduction | 155 |
| 7.2 | Monodisperse pH-Responsive Chitosan Microgels | 156 |
| 7.3 | Monodisperse Cationic pH-Responsive Microgels | 160 |
| 7.4 | Monodisperse Cationic pH-Responsive Hydrogel Capsules | 163 |
| 7.5 | Summary | 169 |
| | References | 169 |
| 8 | pH-Responsive Membranes and Microcapsules for Controlled Release | 171 |
| 8.1 | Introduction | 171 |
| 8.2 | pH-Responsive Gating Membrane System with Pumping Effect for Improved Controlled Release | 172 |
| 8.3 | pH-Responsive Microcapsules for Burst Release of Hydrophobic Drugs | 180 |
| 8.4 | Monodisperse Core/Shell Microcapsules for pH-Responsive Controlled Release | 184 |
| 8.5 | Summary | 188 |
| | References | 188 |

Part III Thermo-/pH-Dual-Responsive Hydrogel Functional Materials

| | | |
|----------|---|------------|
| 9 | Thermo-/pH-Dual-Responsive Hydrogels with Rapid Response Properties | 193 |
| 9.1 | Introduction | 193 |
| 9.2 | Thermo-/pH-Dual-Responsive Hydrogels with Rapid Response .. | 194 |
| 9.2.1 | Fabrication of Comb-Type Grafted P(NIPAM-co-AAc) Hydrogels | 194 |
| 9.2.2 | Deswelling Kinetics of Hydrogels in Various Conditions | 197 |
| 9.3 | Graft-Type Microgels with Rapid Thermo-responsive and pH-Responsive Properties | 205 |
| 9.3.1 | Fabrication of Graft-Type Microgels | 205 |
| 9.3.2 | Temperature Dependence of Swelling/Deswelling Degree of Microgels in Water ... | 208 |

| | | |
|-------|--|-----|
| 9.3.3 | Equilibrium Swelling/Deswelling Degree of Microgels in pH Buffers | 209 |
| 9.3.4 | Deswelling Kinetics of Microgels in Ultrapure Water | 210 |
| 9.3.5 | Deswelling Kinetics of Microgels in pH Buffers | 213 |
| 9.4 | Rapid pH-/Temperature-Responsive Cationic Hydrogels with Grafted Side Chains | 216 |
| 9.4.1 | Fabrication of Cationic Hydrogels with Grafted Side Chains | 216 |
| 9.4.2 | Effects of pH and Temperature on the Equilibrium Swelling Ratio (SR) | 219 |
| 9.4.3 | Dynamic Swelling/Deswelling Behaviors of Hydrogels in pH Buffer Solutions at Fixed Temperature | 221 |
| 9.4.4 | Dynamic Deswelling Behaviors of Hydrogels in Fixed pH Buffer Solutions with Temperature Stimuli | 223 |
| 9.4.5 | Dynamic Deswelling Behaviors of Hydrogels in Buffer Solutions with Both pH and Temperature Stimuli | 225 |
| 9.4.6 | Drug Release from the Hydrogels | 228 |
| 9.5 | Summary | 229 |
| | References | 230 |

Part IV Alcohol-Responsive Hydrogel Functional Materials

| | | |
|-----------|--|------------|
| 10 | Smart Functional Membranes with Alcohol-Responsive Characteristics | 235 |
| 10.1 | Introduction | 235 |
| 10.2 | Ethanol-Responsive Hydrogels with Controllable Ethanol Response Concentration | 236 |
| 10.2.1 | Preparation of PNIPAM-Based Linear Polymers | 237 |
| 10.2.2 | Adjustment of the LCST of PNIPAM-Based Copolymers in Water | 237 |
| 10.2.3 | Adjustment of the Critical Ethanol Response Concentrations of PNIPAM-Based Copolymers | 240 |
| 10.2.4 | The Dynamic Ethanol-Responsive Characteristics of Cross-Linked Hydrogels | 241 |
| 10.3 | Ethanol-Responsive Smart Gating Membranes | 243 |
| 10.3.1 | Preparation of Ethanol-Responsive Smart Gating Membranes | 245 |
| 10.3.2 | Adjustment of the Response Temperature of Grafted Membranes | 246 |
| 10.3.3 | Adjustment of the Critical Ethanol Response Concentrations of Grafted Membranes | 247 |

| | | |
|--------|---|-----|
| 10.3.4 | Effects of Operation Temperatures on the Critical Ethanol Response Concentrations | 248 |
| 10.3.5 | Relationship Between the LCST in Water and the Critical Ethanol Response Concentrations..... | 250 |
| 10.4 | Alcohol-Responsive Microcapsule Membranes | 252 |
| 10.4.1 | Effect of Alcohol Concentration on the Thermo-responsive Characteristics of Microcapsules..... | 253 |
| 10.4.2 | Effect of Environmental Temperature on Alcohol-Responsive Characteristics of Microcapsules..... | 253 |
| 10.5 | Summary..... | 258 |
| | References..... | 258 |

Part V Glucose-Responsive Hydrogel Functional Materials

11 Hydrogels with Rapid Response to Glucose Concentration

| | |
|--|------------|
| Change at Physiological Temperature..... | 263 |
| 11.1 Introduction..... | 263 |
| 11.2 Preparation of Glucose-Responsive Comb-Type Hydrogels | 266 |
| 11.2.1 Preparation of Comb-Type and Normal-Type Hydrogels Containing PBA Moieties | 266 |
| 11.2.2 Preparation of PNAHA Macromonomer Containing PBA Moieties | 266 |
| 11.2.3 Preparation of Comb-Type Poly(NIPAM-co-AAPBA) Hydrogels and Normal-Type Reference Hydrogels | 268 |
| 11.3 Equilibrium Glucose-Responsive Swelling/Deswelling Behaviors of Comb-Type Hydrogels | 269 |
| 11.4 Dynamic Glucose-Responsive Behaviors of Comb-Type Hydrogels | 271 |
| 11.5 Summary..... | 273 |
| References..... | 273 |

12 Glucose-Responsive Membranes and Microcapsules for Controlled Release

| | |
|---|-----|
| 12.1 Introduction..... | 275 |
| 12.2 Control of Pore Size and Permeability of a Glucose-Responsive Gating Membrane for Insulin Delivery | 276 |
| 12.2.1 Preparation of Glucose-Responsive Flat Gating Membranes | 276 |
| 12.2.2 Morphological Characterization of the PAAC-Grafted Membranes | 278 |

| | | |
|--------|---|-----|
| 12.2.3 | pH-Responsive Hydraulic Permeability of the PAAC-Grafted Membranes | 278 |
| 12.2.4 | Glucose-Responsive Controlled Release of Insulin | 280 |
| 12.3 | Glucose-Sensitive Microcapsules with a Porous Membrane and Functional Gates | 282 |
| 12.3.1 | Concept of Glucose-Sensitive Microcapsules with a Porous Membrane and Functional Gates..... | 282 |
| 12.3.2 | Fabrication of the Glucose-Sensitive Microcapsules | 283 |
| 12.3.3 | Morphological Characterization of the Glucose-Sensitive Microcapsules | 284 |
| 12.3.4 | Glucose-Sensitive Controlled-Release Behavior of the Microcapsules | 284 |
| 12.4 | Glucose-Responsive Microcapsules with a Hydrogel Membrane | 286 |
| 12.4.1 | Concept of Glucose-Responsive Microcapsules with a Hydrogel Membrane | 287 |
| 12.4.2 | Template Synthesis of the Glucose-Responsive Microcapsules | 288 |
| 12.4.3 | Glucose-Responsive Swelling/Shrinking Behaviors of PNAA Microcapsules with Different AAc Contents | 290 |
| 12.4.4 | Reversible Glucose-Response Behavior of the Microcapsules at Physiological Temperature | 291 |
| 12.5 | Summary | 293 |
| | References | 293 |

Part VI Ion-Recognizable Hydrogel Functional Materials

| | | |
|-----------|--|------------|
| 13 | Preparation and Properties of Ion-Recognizable Smart Hydrogels .. | 299 |
| 13.1 | Introduction | 299 |
| 13.2 | Smart Responsive Hydrogels Capable of Recognizing Heavy Metal Ions | 300 |
| 13.3 | Smart Responsive Hydrogels Capable of Recognizing Potassium Ions | 308 |
| 13.4 | Ion-Recognizable Monodisperse Hydrogel Microspheres | 316 |
| 13.5 | Summary | 319 |
| | References | 320 |
| 14 | Functional Microcapsules with Ion-Recognizable Properties | 323 |
| 14.1 | Introduction | 323 |
| 14.2 | Ion-Recognizable Microcapsules for Environmental Stimuli-Responsive Controlled Release | 324 |
| 14.3 | Monodisperse Ion-Recognizable Hydrogel Microcapsules for Burst Release of Hydrophobic Substance | 328 |

| | | |
|--|---|-----|
| 14.4 | Responsive Microcapsules Capable of Recognizing Heavy Metal Ions..... | 333 |
| 14.5 | Summary..... | 338 |
| | References..... | 339 |
| | | |
| Part VII Molecular-Recognizable Hydrogel Functional Materials | | |
| | | |
| 15 | Preparation and Properties of Molecular-Recognizable Smart Hydrogels | 343 |
| 15.1 | Introduction..... | 343 |
| 15.2 | Molecular-Recognition-Induced Phase Transition of Thermo-responsive Polymers with Pendent β -Cyclodextrin Groups..... | 344 |
| 15.2.1 | The LCST of Thermo-responsive Polymers with Pendent β -Cyclodextrin Groups..... | 345 |
| 15.2.2 | Dynamic Thermo-responsive Characteristics of PNG-ECD and PNG-HCD in ANS Solutions..... | 348 |
| 15.3 | Thermo-responsive Affinity Behavior of Poly(<i>N</i> -isopropylacrylamide) Hydrogels with β -Cyclodextrin Moieties..... | 349 |
| 15.3.1 | Chemical and Morphological Analysis of Hydrogels..... | 350 |
| 15.3.2 | Volume-Phase Transition Temperature (VPTT) Shift of Hydrogels Induced by Molecular Recognition..... | 350 |
| 15.3.3 | Temperature Dependence of Affinity Behavior and Temperature-Induced Shift of Association Sites..... | 352 |
| 15.4 | Summary..... | 356 |
| | References..... | 356 |
| 16 | Functional Membranes with Molecular-Recognizable Properties | 359 |
| 16.1 | Introduction..... | 359 |
| 16.2 | Molecular-Recognizable and Thermo-responsive Membranes for Chiral Resolution..... | 360 |
| 16.2.1 | Effects of Grafting Yield and Operation Temperature on Chiral Resolution of <i>D,L</i> -Tryptophan Through Grafted Membranes..... | 363 |
| 16.2.2 | Chiral Resolution Performance of <i>D,L</i> -Tryptophan Through Grafted Membranes..... | 365 |
| 16.2.3 | Decomplexation of Tryptophan Enantiomers from Grafted Membranes..... | 365 |
| 16.3 | Molecular-Recognizable and Thermo-responsive Membranes for Affinity Separation..... | 367 |

| | | |
|--------------|--|------------|
| 16.4 | Gating Characteristics of Thermo-responsive and Molecular-Recognizable Membranes..... | 369 |
| 16.4.1 | Thermo-responsive Diffusional Permeability and Gating Characteristics | 370 |
| 16.4.2 | Molecular-Recognizable Diffusional Permeability and Gating Characteristics | 371 |
| 16.4.3 | Adjustment of Thermo-responsive and Molecular-Recognizable Gating Characteristics | 372 |
| 16.5 | Summary | 373 |
| | References | 374 |
| Index | | 375 |