

CAMBRIDGE INTERNATIONAL
SCIENCE PUBLISHING

Andrej Šalak
Marcela Selecká

Manganese in Powder Metallurgy Steels

 Springer

Andrej Šalák
Institute of Materials Research
Slovak Academy of Sciences
Kosice
Slovakia

Marcela Selecká
Institute of Materials Research
Slovak Academy of Sciences
Kosice
Slovakia

ISBN 978-1-907343-74-2 ISBN 978-1-907343-75-9 (eBook)
DOI 10.1007/978-1-907343-75-9
Cambridge International Science Publishing Ltd

Library of Congress Control Number: 2012941282

© Cambridge International Science Publishing 2012

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

Contents

1	Introduction	1
Part I		
2	Thermodynamic conditions for the Mn–O system in sintering of manganese steels	5
2.1.	Manganese in steelmaking	5
2.2.	Basic thermodynamic characteristics of protective atmospheres for sintering steels alloyed with manganese and other elements	8
2.3.	Influence of protective atmospheres on proper sintering of carbon containing steels	19
3	Alloying and sintering of manganese steels in terms of high manganese vapour pressure	22
3.1.	Vapour pressure of elements	22
3.1.1.	Basic formulas characterising the sublimation of manganese from solid manganese	23
3.1.2.	Effect of manganese vapour in laboratory sintering of Fe–Mn–C samples	26
3.1.3.	Manganese sublimation and condensation in free space	31
3.2.	Reaction of manganese vapour with porcelain	36
3.3.	Summary	37
4	Alloying and sintering of manganese steels by manganese vapour	39
4.1.	Microstructure formation	39
4.1.1.	Conventional radiation sintering	39
4.1.2.	Induction sintering	49
4.2.	Nucleation of new grains in base iron powders in Fe–Mn materials	50
4.3.	Sintering and alloying of manganese steels analysed by the dilatometric tests	53
4.3.1.	Effect of base materials and processing variables	54

4.3.2.	Effect of manganese on isothermal sintering and cooling process according to the dilatometric graphs	67
4.3.2.1.	<i>Enhancing effect of manganese in solid-state sintering</i>	67
4.3.2.3.	<i>Effect of cooling rate on the transformation of austenite in sintered steels as indicated by dilatometric graphs</i>	70
5	Effect of base materials and of various processing methods on mechanical and some special properties of manganese steels	72
5.1.	Electrolytic manganese and ferromanganese grades - physical-metallurgical and technical characteristics	72
5.1.2.	Ferromanganese grades	74
5.1.3.	As milled characteristics of manganese carriers	79
5.2	Low-carbon low-alloy sintered steel	83
5.2.1	Mechanical properties	85
5.2.2.	Microstructure and fracture	86
5.3.	Properties of induction sintered and upset-forged manganese steels	88
5.3.1.	Mechanical properties of induction sintered Fe-4.5Mn-0.33C steel	89
5.3.2	Microstructure	90
5.3.3.	<i>Mechanical properties of induction sintered and upset-forged Fe-4.5Mn-0.33C steel prepared on the basis of both iron powder grades</i>	92
5.4.	Effect of various material and processing conditions on mechanical and some specific properties of manganese steels	93
5.4.1.	Effect of iron powder grades of markedly different structural activity and manganese addition on properties of sintered manganese steel	94
5.4.2.	Effect of various hot forming processes on mechanical properties of manganese steels	99
5.4.4.	Effect of manganese addition and of iron powder grade on friction properties	118
5.4.4.1	<i>Friction and mechanical properties of sintered steels of various composition</i>	118
5.4.5.	Industrially sintered prototype structural parts prepared from manganese steel	126
6	Effect of additional elements on the properties of manganese steels	130
6.1.	Effect of molybdenum	130
6.1.1.	Properties of Fe-Mn-C steels with molybdenum addition	131

6.1.2.	Manganizing of powder steels combined with sintering	135
6.1.3.	Sintering of Fe–Mn–C and Fe–Mn–Mo–C steels in α -region and at 1120°C	136
6.1.4.	Effect of sintering temperature on properties of Fe–Mn–C, Fe–Cr–C and Fe–Mo–C steels	140
6.2.	Effect of liquid phase forming elements on properties of Fe–Mn–C steels	141
6.2.1.	Effect of copper	141
6.2.2.	Effect of tin	145
6.2.3.	Effect of phosphorus	146
6.3.	Effect of boron	150
6.3.1.	Effect of boron addition on properties of Fe–Mn–C steel	151
6.3.2.	Effect of boron addition on tribological properties of Fe–Mn–C steels	154
6.3.3.	Effect of boron addition on mixed low-alloyed Fe–Mn–Cr–Mo–C steels	158
6.3.4.	Effect of boron addition on properties of Fe–Cr–Mo–V–(Mn) sintered steels	160
6.3.5.	Manganese-assisted pack boriding of sintered steels	163
6.3.6.	Sintering and pack boriding – two-stage process	163
7	Properties of sintered and powder forged steels based on prealloyed powders	176
7.1.	Properties of sintered and powder forged steels based on prealloyed Fe–Cr–Mn–Mo–(V) powders with high oxygen content	176
7.1.1.	Mechanical properties	178
7.1.2.	Properties of powder forged steels based on industrially produced chromium- and manganese-prealloyed powders of high oxygen content	180
7.2.	Properties of powder forged steels based on commercial prealloyed Fe–Cr–Mn–Mo–V powders	182
7.2.1.	Density and mechanical properties	182
7.2.1.1.	<i>Density</i>	182
7.3.	Development and manufacturing of rolling bearing rings by powder forging of steels based on prealloyed Fe–Ni–Mo and Fe–Cr–Mn–Mo powders	185
7.3.1.	Mechanical properties of powder forged steels based on prealloyed powders	187
7.3.1.1.	<i>Mechanical properties of PF steel based on Astaloy A powder</i>	187
7.3.2.	Contact fatigue endurance of powder forged steels based on prealloyed powders	195
7.3.3.	Processing conditions and base characteristics of powder	

	forged rolling bearing rings and their properties	198
7.3.4.	Examination of powder forged bearing rings properties	200
7.3.5.	Experimental equipment for atomisation of prealloyed Fe–Cr–Mn–Mo powders with low oxygen content	205
8	Processing and properties of hybrid Fe–(Cr)–xMn–(Mo)–(V) steels	209
8.1.	Properties of hybrid steels based on prealloyed Fe–Cr–Mo–V powders	209
8.1.1.	Mechanical and toughness properties and microstructure	210
8.1.2.1.	<i>Fractures of Fe–Cr–Mo–V–Mn–V steels</i>	214
8.2.	Processing and properties of hybrid Fe–Cr–Mo–xMn–C steels	219
8.2.1	Properties of Fe–3Cr–0.5Mo steel with manganese addition	219
8.3.	Effect of manganese carrier on properties of hybrid Fe–Cr–Mo–xMn steels	224
8.3.1.	Mechanical properties	225
8.3.1.1.	<i>Sintering at 1180°C</i>	225
8.4.	Sintered and sinter hardened hybrid steels	228
8.4.1.	As sintered properties	230
8.4.1.1.	<i>Basic characteristics</i>	230
8.4.2.	As sinter hardened properties	234
8.5.	Properties of hybrid Fe–Cr–0.5Mo–xMn–C steels sintered under industrial conditions	237
8.5.1.	Basic characteristics	237
8.5.2.	Mechanical properties	238
8.5.3.	Microstructure and fracture	239
8.5.3.1.	<i>Microstructure</i>	239
8.5.4.	Effect of industrial sintering conditions on properties and microstructures of hybrid Fe–3Cr–0.5Mo–Mn–C steels	242
8.6.	Properties of hybrid Fe–(0.85, 1.5)Mo–Mn–C steels	249
8.6.1.	Properties of Fe–0.85Mo–xMn–0.3C steels	249
8.6.2.	Properties of Fe–0.85Mo–Mn–0.5C steel	252
8.6.2.2.	<i>Mechanical properties after sintering at 1150°C</i>	253
8.6.3.	Properties of Fe–0.85Mo–xMn–0.6C steel	256
8.6.4.	Properties of industrially sintered mixed and hybrid Fe–0.85Mo–xMn–C steels	257
8.6.5.	Properties of sintered hybrid Fe–(1.5, 0.85)Mo–Mn–0.5C steels	259

Part II

9	Basic characteristics of manganese steels from the year 1948	264
9.1.	Thermodynamic and physical characteristics of chromium	

	and manganese as alloying elements in powder metallurgy	264
9.2.	Properties of sintered manganese steels studied in the initial stage	267
9.2.1.	Starting knowledge about sintered manganese steels with high manganese and carbon contents	267
9.3.	Processing conditions and properties of sintered austenitic manganese steels	270
9.3.1.	High-alloyed sintered manganese steels	274
9.4.	Alloying of manganese steels with master alloys	276
9.4.1.	Alloying of manganese steels by master alloys in carbide form composed from elements with high oxygen affinity	276
9.4.2.	Alloying of manganese steels by Fe–Mn–Si–C master alloy	281
9.4.3.	Alloying of manganese steels by master alloys containing Cr and Mn	283
9.5.	Liquid phase sintering of Fe–Mn steels	294
9.5.1.	Liquid phase sintering of Fe–Mn steels through low-melting alloys	294
9.5.2.	Alloying of manganese steels with atomised Mn–Cu and Mn–Ni master alloys	296
10	Effect of variable processing conditions and materials on properties of sintered Mn–C steels	297
10.1.	Alloying with low-melting elements and sintering in high-purity atmospheres	297
10.1.1.	Alloying with low-melting elements	297
10.2.	Sintering of Fe–Mn–C steels in high-purity atmospheres	303
10.3.	Effect of processing conditions on properties of manganese steels	305
10.3.1.	Effect of iron powder and ferromanganese grades	305
10.3.2.	Effect of sintering conditions	309
10.3.3.	Effect of base powder grades	310
10.3.4.	Effect of some processing conditions and of different materials	314
10.3.5.	Effect of cooling rate	320
10.3.6.	Effect of sintering conditions	323
10.4.	Hardenability study	326
10.4.1.	Effect of manganese on hardenability of prealloyed powders	326
10.4.2.	Effect of tempering temperature	330
10.5.	Sintering in semi-closed containers	332
10.5.1.	Effect of manganese on microstructure formation	336
10.5.2.	Dimensional changes of Fe–Mn–C steels	339
10.6.	Effect of different processing variables on properties of Fe–Mn–C steels	340

10.7.	Processing conditions and properties of sintered manganese steel for structural parts	348
10.7.1.	Preparation of gear steel	348
10.7.2.	Innovative processing of manganese steel gears	349
10.7.3.	Mechanical properties of sintered manganese steel gears	351
10.8.	Effect of Mn addition on strain micromechanism in as sintered 316L steel	354

11 Effect of processing conditions and materials on properties of sintered Fe, Cr, Mo, C steels containing manganese 358

11.1.1.	Effect of different addition mode of molybdenum on properties of manganese steel	358
11.1.2.	Effect of cooling rates on properties of Fe–Mn–Mo–C steels	366
11.1.3.	Dimensional changes of the compacts based on plain iron powders with addition of prealloyed molybdenum powders and of manganese tested by dilatometry	369
11.1.4.	Properties of diffusion-alloyed steels affected by manganese	373
11.1.5.	Properties of industrially sintered Fe–Mn–Mo–C steels	379
11.2.	Processing and properties of sintered Mn–Cr–Mo–C steels	382
11.2.1.	Sinterability and hardenability of Mn–Cr–Mo steels	382
11.3.	Processing and properties of hybrid sintered Mn–Cr–Mo–C steels	391
11.3.1.	Properties of sintered 3Cr–0.5Mo steel promoted by manganese in form of liquid phase	391
11.4.2.	Properties of hybrid Mn–Cr–Mo steels coated with hydrocarbons	393
11.5.	Properties of sintered steels based on prealloyed Cr–Mo–Mn powders	402
11.5.1.	Properties of high temperature sintered steels based on prealloyed Cr–Mo–Mn powders	402
11.5.2.	Influence of sintering temperature on the properties of prealloyed PM steel containing Cr, Mo and Mn	411
11.5.3.	Properties of manganese steels based on CrL and CrM prealloyed powders	414
11.5.4.	Properties of sintered steels based on Cr and Cr–Mn prealloyed powders with various Cr and Mn content	419

Part III

12	Sintering of manganese steels in low- and high-purity atmospheres: Results and evaluation	425
12.1.	Basic thermodynamic and physical characteristics of	

Contents	xi
manganese in term of its use for alloying of sintered steels	426
12.2. Chemistry and mechanical properties of manganese containing steels sintered in H/N atmospheres with different dew points	432
12.2.3. Sintering of manganese steels in atmospheres with different ratios of H and N with dew points up to -60°C	437
12.2.2. Industrially sintered prototype structural parts prepared from manganese steel	441
12.3. Explanation of the sintering processes of manganese steels occurring in atmospheres with different partial pressure of oxygen	445
12.4. Crucial results	451
12.5. Overview of materials and processes for preparation of manganese-alloyed steels with the highest strength properties	452
12.5.1. Materials and processing conditions	452
12.5.2. Highest tensile (UTS) and transverse rupture strength (TRS) values of manganese-containing steels attained under corresponding conditions	453
References	458
Index	475