


*Chemical Analysis: A Series of Monographs on Analytical Chemistry and Its Applications*  
Mark F. Vitha, Series Editor

# Hydrophilic Interaction Chromatography

*A Guide for Practitioners*



**BERNARD A. OLSEN**  
**BRIAN W. PACK**

 **WILEY**

# Hydrophilic Interaction Chromatography

A Guide for Practitioners

Edited by

**BERNARD A. OLSEN**

**BRIAN W. PACK**

 **WILEY**

A JOHN WILEY & SONS, INC., PUBLICATION

Cover design: John Wiley & Sons, Inc.  
Cover illustration: Copyright Brian W. Pack

Copyright © 2013 by John Wiley & Sons, Inc. All rights reserved

Published by John Wiley & Sons, Inc., Hoboken, New Jersey  
Published simultaneously in Canada

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning, or otherwise, except as permitted under Section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the Publisher, or authorization through payment of the appropriate per-copy fee to the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, (978) 750-8400, fax (978) 750-4470, or on the web at [www.copyright.com](http://www.copyright.com). Requests to the Publisher for permission should be addressed to the Permissions Department, John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030, (201) 748-6011, fax (201) 748-6008, or online at <http://www.wiley.com/go/permissions>.

**Limit of Liability/Disclaimer of Warranty:** While the publisher and author have used their best efforts in preparing this book, they make no representations or warranties with respect to the accuracy or completeness of the contents of this book and specifically disclaim any implied warranties of merchantability or fitness for a particular purpose. No warranty may be created or extended by sales representatives or written sales materials. The advice and strategies contained herein may not be suitable for your situation. You should consult with a professional where appropriate. Neither the publisher nor author shall be liable for any loss of profit or any other commercial damages, including but not limited to special, incidental, consequential, or other damages.

For general information on our other products and services or for technical support, please contact our Customer Care Department within the United States at (800) 762-2974, outside the United States at (317) 572-3993 or fax (317) 572-4002.

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print may not be available in electronic formats. For more information about Wiley products, visit our web site at [www.wiley.com](http://www.wiley.com).

***Library of Congress Cataloging-in-Publication Data:***

Olsen, Bernard A., 1953– author.

Hydrophilic interaction chromatography : a guide for practitioners / Bernard A. Olsen,  
Brian W. Pack.

pages cm

Includes bibliographical references and index.

ISBN 978-1-118-05417-8 (hardback)

1. Hydrophilic interaction liquid chromatography. I. Pack, Brian W., 1970– author.

II. Title.

QD79.C454047 2013

543'.84–dc23

2012027157

Printed in the United States of America

10 9 8 7 6 5 4 3 2 1

# CONTENTS

|   |             |
|---|-------------|
| <b>PREFACE</b>  | <b>xiii</b> |
| <b>CONTRIBUTORS</b>   | <b>xv</b>   |
| <b>CHAPTER 1 SEPARATION MECHANISMS IN<br/>HYDROPHILIC INTERACTION<br/>CHROMATOGRAPHY</b>  | <b>1</b>    |
| <i>David V. McCalley</i>  |             |
| 1.1 Introduction  | 1           |
| 1.2 Historical Background: Recognition of the<br>Contribution of Partition, Ion Exchange, and<br>RP Interactions to the Retention Process | 3           |
| 1.3 Recent Studies on the Contributory Mechanisms<br>to HILIC Retention   | 7           |
| 1.3.1 Overview  | 7           |
| 1.3.2 Contribution of Adsorption and Partition<br>to HILIC Separations  | 14          |
| 1.3.3 Further Studies on the Contribution of<br>Ionic Retention in HILIC  | 20          |
| 1.3.3.1 <i>Introduction</i>   | 20          |
| 1.3.3.2 <i>Mobile Phase Considerations for<br/>the Separation of Ionogenic<br/>Compounds</i>  | 21          |
| 1.3.3.3 <i>Ionization State of the Column as<br/>a Function of pH</i>   | 23          |
| 1.3.3.4 <i>Quantitation of Ionic Retention<br/>Effects on Different Columns</i>   | 26          |
| 1.3.4 RP Retention on Bare Silica   | 33          |
| 1.3.5 Electrostatic Repulsion Hydrophilic<br>Interaction Chromatography (ERLIC):<br>A New Separation Mode in HILIC                        | 35          |
| 1.4 Conclusions   | 38          |
| References  | 38          |

|                  |   |           |
|------------------|---|-----------|
| <b>CHAPTER 2</b> | <b>STATIONARY PHASES FOR HILIC</b>                        | <b>43</b> |
|                  | <i>Mohammed E.A. Ibrahim and Charles A. Lucy</i>          |           |
| 2.1              | Introduction  | 43        |
| 2.2              | HILIC Stationary Phases                                   | 44        |
| 2.2.1            | Underivatized Silica                                      | 44        |
| 2.2.1.1          | <i>Totally Porous Silica Particles</i>                    | 45        |
| 2.2.1.2          | <i>Superficially Porous (Core Shell) Silica Particles</i> | 50        |
| 2.2.1.3          | <i>Monolithic Silica</i>                                  | 50        |
| 2.2.1.4          | <i>Ethylene Bridged Hybrids (BEH)</i>                     | 51        |
| 2.2.2            | Derivatized Silica  | 52        |
| 2.2.2.1          | <i>Neutral Derivatized Silica</i>                         | 52        |
| 2.2.2.2          | <i>Zwitterionic Derivatized Silica</i>                    | 56        |
| 2.2.2.3          | <i>Positively Charged Derivatized Silica</i>              | 58        |
| 2.2.2.4          | <i>Negatively Charged Derivatized Silica</i>              | 59        |
| 2.2.3            | Nonsilica Phases  | 61        |
| 2.2.3.1          | <i>Amino Phases</i>                                       | 61        |
| 2.2.3.2          | <i>Sulfonated S-DVB Phases</i>                            | 61        |
| 2.3              | Commercial HILIC Phases                                   | 61        |
| 2.3.1            | Efficiency Comparison                                     | 62        |
| 2.3.2            | Retention and Selectivity Comparisons                     | 71        |
| 2.4              | Conclusions   | 77        |
|                  | Acknowledgments   | 77        |
|                  | References  | 77        |
| <b>CHAPTER 3</b> | <b>HILIC METHOD DEVELOPMENT</b>                           | <b>87</b> |
|                  | <i>Yong Guo and Xiande Wang</i>                           |           |
| 3.1              | Introduction  | 87        |
| 3.2              | General Method Development Considerations                 | 88        |
| 3.2.1            | Method Objectives   | 88        |
| 3.2.2            | Target Compounds Consideration                            | 90        |
| 3.2.3            | Systematic Method Development                             | 91        |
| 3.3              | HILIC Method Development                                  | 93        |
| 3.3.1            | Systematic Approach to Column Screening                   | 93        |
| 3.3.2            | Optimization of Method Parameters                         | 97        |
| 3.3.2.1          | <i>Final Column Selection</i>                             | 97        |
| 3.3.2.2          | <i>Organic Solvents</i>                                   | 99        |
| 3.3.2.3          | <i>Mobile Phase pH</i>                                    | 99        |

|         |                                       |     |
|---------|---------------------------------------|-----|
| 3.3.2.4 | <i>Buffer Types and Concentration</i> | 101 |
| 3.3.2.5 | <i>Column Temperature</i>             | 103 |
| 3.3.2.6 | <i>Sample Solvents</i>                | 103 |
| 3.4     | Detection for HILIC Methods           | 104 |
| 3.4.1   | MS Detector                           | 104 |
| 3.4.2   | CAD                                   | 107 |
| 3.5     | Conclusions                           | 107 |
|         | References                            | 108 |

## **CHAPTER 4 PHARMACEUTICAL APPLICATIONS OF HYDROPHILIC INTERACTION CHROMATOGRAPHY 111**

*Bernard A. Olsen, Donald S. Risley, V. Scott Sharp,  
Brian W. Pack, and Michelle L. Lytle*

|         |  |     |
|---------|--|-----|
| 4.1     | Introduction   | 112 |
| 4.1.1   | Definition of the Problem                                  | 114 |
| 4.1.2   | Selection of Conditions                                    | 115 |
| 4.1.3   | Validation of the Method                                   | 117 |
| 4.1.4   | General References   | 117 |
| 4.2     | Determination of Counterions                               | 117 |
| 4.2.1   | Salt Selection and Options for<br>Counterion Determination | 117 |
| 4.2.2   | Specific Counterion Analysis                               | 120 |
| 4.2.3   | Counterion Screening with<br>Gradient Elution              | 125 |
| 4.2.4   | Suitable Reference Standards for<br>Counterion Analysis    | 128 |
| 4.3     | Main Component Methods                                     | 129 |
| 4.3.1   | Potency/Assay Methods                                      | 129 |
| 4.3.2   | Equipment Cleaning Verification Assays                     | 131 |
| 4.3.3   | Dissolution Methods  | 133 |
| 4.4     | Determination of Impurities                                | 135 |
| 4.4.1   | Impurity Screening and Orthogonal<br>Separations           | 135 |
| 4.4.2   | Impurity Identification                                    | 138 |
| 4.4.3   | Specific Impurity Determination                            | 138 |
| 4.4.3.1 | <i>Pyrimidines, Purines, and<br/>Nucleosides</i>           | 138 |
| 4.4.3.2 | <i>Hydrazines with Ethanol as<br/>Weak Solvent</i>         | 140 |

|         |   |     |
|---------|---|-----|
| 4.4.3.3 | <i>Neutral and Charged Polar Impurities in a Drug Substance</i> | 141 |
| 4.4.3.4 | <i>Polar Basic Compounds and Impurities</i>                     | 143 |
| 4.4.4   | Statistical DOE for Optimization                                | 144 |
| 4.5     | Excipients  | 146 |
| 4.5.1   | Parenteral and Solution Formulations                            | 146 |
| 4.5.2   | Tablets, Capsules, and Inhalation Products                      | 148 |
| 4.5.3   | Sugars  | 150 |
| 4.5.4   | Stabilizers and Antioxidants                                    | 150 |
| 4.6     | Chiral Applications   | 152 |
| 4.6.1   | Chiral Selectors and HILIC                                      | 153 |
| 4.6.1.1 | <i>Cyclodextrins</i>  | 153 |
| 4.6.1.2 | <i>Macrocyclic Antibiotics</i>                                  | 154 |
| 4.6.1.3 | <i>Chiral Crown Ethers</i>                                      | 156 |
| 4.6.1.4 | <i>Cyclofructans</i>  | 158 |
| 4.6.2   | Conclusions for Chiral Separations                              | 160 |
| 4.7     | Conclusions   | 161 |
|         | References  | 161 |

## **CHAPTER 5 HYDROPHILIC INTERACTION CHROMATOGRAPHY (HILIC) FOR DRUG DISCOVERY 169**

*Alfonso Espada and Mark Strege*

|         |  |     |
|---------|--|-----|
| 5.1     | Drug Discovery Model                           | 169 |
| 5.2     | HILIC Applications for <i>In Vitro</i> Biology | 170 |
| 5.2.1   | Biological Screening and Hit Finding           | 170 |
| 5.2.1.1 | <i>Target Selection and Assay Validation</i>   | 171 |
| 5.2.1.2 | <i>High-Throughput Screening (HTS)</i>         | 173 |
| 5.2.2   | New Drug Discovery Strategies                  | 174 |
| 5.3     | HILIC Applications for Discovery Chemistry     | 176 |
| 5.3.1   | Lead Identification                            | 176 |
| 5.3.2   | Lead Optimization                              | 180 |
| 5.3.2.1 | <i>ADME Profile</i>                            | 181 |
| 5.3.2.2 | <i>Biopharmaceutics</i>                        | 181 |
| 5.3.2.3 | <i>Chiral Purity</i>                           | 183 |
| 5.3.3   | Candidate Selection                            | 183 |
| 5.4     | Practical Considerations                       | 186 |
| 5.5     | Conclusions                                    | 187 |
|         | References                                     | 188 |



|                  |  |            |
|------------------|--|------------|
| <b>CHAPTER 6</b> | <b>ADVANCES IN HYDROPHILIC INTERACTION CHROMATOGRAPHY (HILIC) FOR BIOCHEMICAL APPLICATIONS</b>                   | <b>195</b> |
|                  | <i>Fred Rabel and Bernard A. Olsen</i>   |            |
| 6.1              | Introduction   | 195        |
| 6.2              | Carbohydrates  | 196        |
| 6.2.1            | Mono- and Disaccharides  | 196        |
| 6.2.2            | Oligosaccharides and Polysaccharides   | 197        |
| 6.2.3            | Glycans  | 197        |
| 6.2.3.1          | <i>Glycan and Glycopeptide Analysis</i>  | 199        |
| 6.2.3.2          | <i>HILIC for Sample Enrichment</i>   | 202        |
| 6.3              | Nucleobases and Nucleosides  | 203        |
| 6.4              | Oligonucleotides   | 205        |
| 6.5              | Amino Acids and Peptides   | 206        |
| 6.6              | Proteins   | 209        |
| 6.7              | Phospholipids  | 209        |
| 6.8              | Conclusions  | 211        |
|                  | References   | 212        |
| <b>CHAPTER 7</b> | <b>HILIC-MS FOR TARGETED METABOLOMICS AND SMALL MOLECULE BIOANALYSIS</b>   | <b>219</b> |
|                  | <i>Hien P. Nguyen, Heather D. Tippens, and Kevin A. Schug</i>  |            |
| 7.1              | Introduction   | 219        |
| 7.2              | The Role of HILIC-MS in Targeted Metabolomics versus Other LC Modes  | 221        |
| 7.3              | Strategies for Method Development Based on Retention Behavior of Targeted Metabolites on HILIC Stationary Phases | 223        |
| 7.3.1            | Retention Behavior of Metabolites on HILIC Stationary Phases   | 225        |
| 7.3.2            | Robustness, Mobile Phase Compositions, and Matrix Effects  | 227        |
| 7.4              | Summary  | 231        |
|                  | Acknowledgments  | 232        |
|                  | References   | 232        |
| <b>CHAPTER 8</b> | <b>HILIC FOR FOOD, ENVIRONMENTAL, AND OTHER APPLICATIONS</b>   | <b>239</b> |
|                  | <i>Michael A. Koupparis, Nikolaos C. Megoulas, and Aikaterini M. Gremilogianni</i>                               |            |
| 8.1              | Introduction   | 239        |
| 8.2              | Food Applications for HILIC  | 240        |



|         |   |     |
|---------|---|-----|
| 8.2.1   | Review of HILIC Analytical Methods for Food Analysis                                    | 240 |
| 8.2.1.1 | <i>Sample Preparation in HILIC Methods Applied to Food Matrices</i>                     | 240 |
| 8.2.1.2 | <i>HILIC Methods Applied to Food Matrices: Chromatographic Parameters and Detection</i> | 242 |
| 8.2.2   | Selected Detailed Examples of HILIC Applications in Food Analysis                       | 243 |
| 8.2.2.1 | <i>Melamine (MEL) and Cyanuric Acid (CYA)</i>   | 243 |
| 8.2.2.2 | <i>Water-Soluble Vitamins</i>   | 250 |
| 8.2.2.3 | <i>Seafood and Other Toxins</i>   | 253 |
| 8.3     | Environmental and Other Applications of HILIC   | 254 |
| 8.3.1   | Review of Environmental Applications Based on the Stages of Method Development          | 254 |
| 8.3.2   | Selected Detailed Examples of Environmental and Other HILIC Applications                | 256 |
| 8.3.2.1 | <i>Metals and Their Related Organic Compounds</i>                                       | 256 |
| 8.3.2.2 | <i>Pharmaceutical Compounds in Aqueous Environmental Samples</i>                        | 256 |
| 8.3.2.3 | <i>Other Applications</i>   | 257 |
| 8.4     | Conclusions   | 257 |
|         | References  | 259 |

**CHAPTER 9 THEORY AND PRACTICE OF TWO-DIMENSIONAL LIQUID CHROMATOGRAPHY SEPARATIONS INVOLVING THE HILIC MODE OF SEPARATION 265**

*Stephen R. Groskreutz and Dwight R. Stoll*

|         |  |     |
|---------|--|-----|
| 9.1     | Fundamentals of Multidimensional Liquid Chromatography               | 265 |
| 9.1.1   | Scope  | 265 |
| 9.1.2   | Potential Advantages of 2D Separations over Conventional Separations | 266 |
| 9.1.3   | Modes of 2D Separation   | 269 |
| 9.1.3.1 | <i>Offline Fraction Transfer</i>                                     | 270 |
| 9.1.3.2 | <i>Online Fraction Transfer</i>                                      | 271 |

|         |  |     |
|---------|--|-----|
| 9.1.3.3 | <i>Conceptual Comparison of<br/>Different 2D Separation Modes</i>                      | 271 |
| 9.1.4   | Undersampling  | 274 |
| 9.1.5   | Orthogonality  | 276 |
| 9.2     | Complementarity of HILIC Selectivity<br>to Other Separation Modes                      | 278 |
| 9.3     | Instrumentation and Experimental Considerations  | 278 |
| 9.3.1   | Online versus Offline 2DLC   | 280 |
| 9.3.1.1 | <i>Offline 2DLC</i>  | 280 |
| 9.3.1.2 | <i>Online 2DLC</i>   | 282 |
| 9.3.2   | Solvent Incompatibility  | 287 |
| 9.3.2.1 | <i>Partial Mobile Phase Evaporation</i>  | 287 |
| 9.3.2.2 | <i>Fraction Transfer Volume Relative<br/>to the Second Dimension Column<br/>Volume</i> | 288 |
| 9.3.2.3 | <i>On-Column Focusing</i>  | 288 |
| 9.3.3   | Fast Separations   | 289 |
| 9.3.3.1 | <i>General Considerations for Fast<br/>LC Separations</i>                              | 290 |
| 9.3.3.2 | <i>Fast HILIC Separations</i>  | 290 |
| 9.4     | Applications   | 291 |
| 9.4.1   | TCM  | 291 |
| 9.4.2   | Polymers   | 296 |
| 9.4.3   | Oligonucleotides   | 296 |
| 9.5     | The Future of HILIC Separations in 2DLC  | 298 |
|         | References   | 298 |