



# Melt-Quenched Nanocrystals

A. M. Glezer and I. E. Permyakova



CRC Press  
Taylor & Francis Group

# Melt-Quenched Nanocrystals

A. M. Glezer and I. E. Permyakova



---

CISP



**CRC Press**

Taylor & Francis Group

Boca Raton London New York

---

CRC Press is an imprint of the  
Taylor & Francis Group, an **informa** business

CRC Press  
Taylor & Francis Group  
6000 Broken Sound Parkway NW, Suite 300  
Boca Raton, FL 33487-2742

© 2013 by CISP  
CRC Press is an imprint of Taylor & Francis Group, an Informa business

No claim to original U.S. Government works

Printed on acid-free paper  
Version Date: 20130514

International Standard Book Number-13: 978-1-4665-9414-2 (Hardback)

This book contains information obtained from authentic and highly regarded sources. Reasonable efforts have been made to publish reliable data and information, but the author and publisher cannot assume responsibility for the validity of all materials or the consequences of their use. The authors and publishers have attempted to trace the copyright holders of all material reproduced in this publication and apologize to copyright holders if permission to publish in this form has not been obtained. If any copyright material has not been acknowledged please write and let us know so we may rectify in any future reprint.

Except as permitted under U.S. Copyright Law, no part of this book may be reprinted, reproduced, transmitted, or utilized in any form by any electronic, mechanical, or other means, now known or hereafter invented, including photocopying, microfilming, and recording, or in any information storage or retrieval system, without written permission from the publishers.

For permission to photocopy or use material electronically from this work, please access [www.copyright.com](http://www.copyright.com) (<http://www.copyright.com/>) or contact the Copyright Clearance Center, Inc. (CCC), 222 Rosewood Drive, Danvers, MA 01923, 978-750-8400. CCC is a not-for-profit organization that provides licenses and registration for a variety of users. For organizations that have been granted a photocopy license by the CCC, a separate system of payment has been arranged.

**Trademark Notice:** Product or corporate names may be trademarks or registered trademarks, and are used only for identification and explanation without intent to infringe.

**Visit the Taylor & Francis Web site at**  
**<http://www.taylorandfrancis.com>**

**and the CRC Press Web site at**  
**<http://www.crcpress.com>**

# Contents

<b>Preface</b>	<b>vii</b>
<b>Introduction</b>	<b>1</b>
1. General classification of nanostructured states	1
1.2. Melt quenching	13
1.3. Classification of melt-quenched nanocrystals	16
References	18
<b>1. Melt-quenched nanocrystals (type I nanocrystals)</b>	<b>20</b>
1.1. Main special features of the structure and properties	20
1.2. Sendast alloy (Fe–Si–Al)	28
1.3. Fe–Si alloys	53
1.4. Fe–Al alloys	67
1.5. Fe–Ni alloys	77
1.6. Fe–Co alloys	86
1.7. Ni–Fe–Nb alloys	93
1.8. Fe–Cr–Al alloys	102
1.9. Ni <sub>3</sub> (Mn, V) alloys	111
1.10. Fe–C–Si alloys	114
References	115
<b>2. Nanocrystals produced by melt quenching at rates close to critical (type II nanocrystals)</b>	<b>128</b>
References	128
<b>3. Nanocrystals produced by controlled annealing of the amorphous state (type III nanocrystals)</b>	<b>129</b>
3.1. The amorphous state of the solid and its genetic relationship with nanocrystals	130
3.1.1. Amorphous metallic alloys	130
3.1.2. Criteria of transition from the amorphous to nanocrystalline state	137
3.2. Main relationships of crystallisation	140
3.2.1. Crystallisation thermodynamics	140
3.2.2. Crystallisation mechanisms	142
3.2.3. Crystallisation kinetics	145
3.2.4. Crystallisation stages	148
3.2.5. The size of crystallisation products	150
3.2.6. Surface crystallisation	154
3.2.7. Structure of nanocrystals	154
3.2.8. Special features of nanocrystallisation in Finemet alloys	158

3.2.9. Special features of nanocrystallisation in Ni–Ti–Cu alloys	165
3.3. Martensitic transformation in nanocrystals	171
3.3.1. The dimensional effect for martensitic transformations	171
3.3.2. Martensitic transformation in nanocrystals, separated by the amorphous phase	174
3.3.3. Martensitic transformation in single-phase nanocrystals	183
3.4. Mechanical properties	185
3.4.1. Variation of the mechanical properties in transition from the amorphous to nanocrystalline state	186
3.4.2. Dependence of microhardness and yield strength on nanograin size	197
3.4.4. Structural mechanism and kinetics of grain boundary microsliding (GBMS)	216
3.4.5. Structural classification of nanocrystals from the position of their deformation behaviour	221
3.4.6. Features of the mechanical behaviour of amorphous–nanocrystalline alloys (ANA)	224
3.5. The magnetic properties	258
3.5.1. Theory of magnetism in nanocrystals with strong intergrain interaction	261
3.5.2. Magnetic properties of ‘Finemet’ alloys	267
3.5.3. Magnetic properties of Nanoperm and Thermoperm alloys	275
3.6. The shape memory effect	278
References	288
<b>4. Nanocrystals produced by megaplastic deformation of the amorphous state (type IV nanocrystals)</b>	<b>300</b>
4.1. The nature of large (megaplastic) strains	300
4.1.1. Terminology	300
4.1.2. What is known about megaplastic deformation	302
4.1.3. Energy principles of the mechanical effect on solids	306
4.1.4. Low-temperature dynamic recrystallisation	308
4.1.5. The principle of cyclicity in megaplastic deformation	312
4.2. The phenomenon of nanocrystallisation in amorphous alloys, subjected to megaplastic deformation	317
4.2.1. Amorphous alloys of the metal–metalloid type	317
4.2.2. Ti–Ni–Cu amorphous alloys	334
References	345
<b>5. Application of melt-quenched nanomaterials</b>	<b>348</b>
References	356
<b>Index</b>	<b>358</b>