




Volume 61, Issue 5, March 2013

ISSN 1359-6454

Acta MATERIALIA





I. Salehinia, S. K. Lawrence and D. F. Bahr

1421 The effect of crystal orientation on the stochastic behavior of dislocation nucleation and multiplication during nanoindentation

D. S. Gianola, Z. Lee, C. Ophus, E. J. Luber,
D. Mitlin, U. Dahmen, K. J. Hemker and
V. R. Radmilović1432 Tensile behavior of $\text{Al}_{1-x}\text{Mo}_x$ crystalline and amorphous thin films

D. Terentyev, F. Bergner and Y. Osetsky

1444 Cr segregation on dislocation loops enhances hardening in ferritic Fe–Cr alloys

R. Harb, E. Taciroglu and N. Ghoniem

1454 Partitioning of elastic energy in open-cell foams under finite deformations

B. A. Szajewski, S. S. Chakravarthy and W. A. Curtin

1469 Operation of a 3D Frank–Read source in a stress gradient and implications for size-dependent plasticity

S. Pierret, T. Etter, A. Evans and
H. Van Swygenhoven

1478 Origin of localized rafting in Ni-based single crystal turbine blades before service and its influence on the mechanical properties

M.-P. Zheng, Y.-D. Hou, F.-Y. Xie, J. Chen,
M.-K. Zhu and H. Yan

1489 Effect of valence state and incorporation site of cobalt dopants on the microstructure and electrical properties of 0.2PZN–0.8PZT ceramics

Y. Gelbstein

1499 Phase morphology effects on the thermoelectric properties of $\text{Pb}_{0.25}\text{Sn}_{0.25}\text{Ge}_{0.5}\text{Te}$ J. Chen, X. Zhou, C. Uher, X. Shi, J. Jun, H. Dong,
Y. Li, Y. Zhou, Z. Wen and L. Chen1508 Structural modifications and non-monotonic carrier concentration in $\text{Bi}_2\text{Se}_{0.3}\text{Te}_{2.7}$ by reversible electrochemical lithium reactionsB. Fraygola, N. Frizon, M. H. Lente, A. A. Coelho,
D. Garcia and J. A. Eiras1518 Phase transitions and magnetoelectroelastic instabilities in $\text{Pb}(\text{Fe}_{1/2}\text{Nb}_{1/2})\text{O}_3$ multiferroic ceramics

Y. Yao, J. Fry, M. E. Fine and L. M. Keer

1525 The Wiedemann–Franz–Lorenz relation for lead-free solder and intermetallic materials

Y. Miyajima, H. Abe, T. Fujii, S. Onaka and M. Kato

1537 Effects of Si on mechanical properties and microstructure evolution in ultrafine-grained Cu–Si alloys processed by accumulative roll bonding

O. N. Senkov, S. V. Senkova, C. Woodward and
D. B. Miracle

1545 Low-density, refractory multi-principal element alloys of the Cr–Nb–Ti–V–Zr system: Microstructure and phase analysis

[continued on inside back cover]

Available online at www.sciencedirect.com

SciVerse ScienceDirect



1359-6454(201303)61:5;1-X

Acta mater. is Indexed/Abstracted in: Appl. Mech. Rev.; Res. Alert; Chem. Abstr. Serv.; Curr. Cont./Phys. Chem. Earth Sci.; Curr. Cont./Engng Tech. Appl. Sci.; Ed. Metals Abstr.; Engng Ind.; IBZ & IBR; INSPEC Data.; Metals Abstr.; PASCAL-CNRS Data.; Curr. Cont. Sci. Cit. Ind.; Curr. Cont. SCISEARCH Data.; SSSA/CISA/ECA/ISMEC; MSCI; Also covered in the abstract and citation database SciVerse Scopus®. Full text available on SciVerse ScienceDirect®.

ISSN 1359-6454

[CONTENTS—continued from outside back cover]

- P. Tandaiya, R. Narasimhan and U. Ramamurty
- D. W. Heard, J. Boselli, R. Rioja, E. A. Marquis, R. Gauvin and M. Brochu
- K. Hackl, F. D. Fischer, K. Klevakina, J. Renner and J. Svoboda
- R. K. Dutta, R. H. Petrov, R. Delhez, M. J. M. Hermans, I. M. Richardson and A. J. Böttger
- J. L. W. Warwick, N. G. Jones, I. Bantounas, M. Preuss and D. Dye
- E. M. Schulson and A. L. Fortt
- Y. L. Zhao, Z. Q. Yang, Z. Zhang, G. Y. Su and X. L. Ma
- H. Huang, M. Y. Sherif and P. E. J. Rivera-Díaz-del-Castillo
- Y. Koizumi, S. Suzuki, K. Yamanaka, B.-S. Lee, K. Sato, Y. Li, S. Kurosu, H. Matsumoto and A. Chiba
- J. T. Xiong, J. L. Li, Y. N. Wei, F. S. Zhang and W. D. Huang
- B. A. Chen, G. Liu, R. H. Wang, J. Y. Zhang, L. Jiang, J. J. Song and J. Sun
- S. Ma, P. R. Cantwell, T. J. Pennycook, N. Zhou, M. P. Oxley, D. N. Leonard, S. J. Pennycook, J. Luo and M. P. Harmer
- V. G. Gavriljuk, W. Theisen, V. V. Sirosh, E. V. Polshin, A. Kortmann, G. S. Mogilny, Yu. N. Petrov and Ye. V. Tarusin
- T. Edahiro, K. Kouzai and H. Y. Yasuda
- L. Wang, J.-X. Shang, F.-H. Wang, Y. Chen and Y. Zhang
- X. Tang, X. Zhu, J. Dai and Y. Sun
- X. Guo
- H. W. Ho, K. Bai, W. D. Song, T. L. Tan, R. Zhao, C. M. Ng and L. Wang
- V. A. L'vov, E. Cesari, V. Recarte and J. I. Pérez-Landazábal
- Gh. A. Nematollahi, J. von Pezold, J. Neugebauer and D. Raabe
- 1558 On the mechanism and the length scales involved in the ductile fracture of a bulk metallic glass
- 1571 Interfacial morphology development and solute trapping behavior during rapid solidification of an Al–Li–Cu alloy
- 1581 A variational approach to grooving and wetting
- 1592 The effect of tensile deformation by in situ ultrasonic treatment on the microstructure of low-carbon steel
- 1603 In situ observation of texture and microstructure evolution during rolling and globularization of Ti–6Al–4V
- 1616 Static strengthening of frictional surfaces of ice
- 1624 Double-peak age strengthening of cold-worked 2024 aluminum alloy
- 1639 Combinatorial optimization of carbide-free bainitic nanostructures
- 1648 Strain-induced martensitic transformation near twin boundaries in a biomedical Co–Cr–Mo alloy with negative stacking fault energy
- 1662 An analytical model of steady-state continuous drive friction welding
- 1676 Effect of interfacial solute segregation on ductile fracture of Al–Cu–Sc alloys
- 1691 Grain boundary complexion transitions in WO_3 - and CuO-doped TiO_2 bicrystals
- 1705 Low-temperature martensitic transformation in tool steels in relation to their deep cryogenic treatment
- 1716 Mechanical properties and hardening mechanism of Fe–Al–Ni single crystals containing NiAl precipitates
- 1726 Oxygen adsorption on $\gamma\text{-TiAl}$ surfaces and the related surface phase diagrams: A density-functional theory study
- 1739 Self-limited grain growth, dielectric, leakage and ferroelectric properties of nanocrystalline BiFeO_3 thin films by chemical solution deposition
- 1748 Peculiar size effect in nanocrystalline BaTiO_3
- 1757 Optical response characteristics arising from delocalized electrons in phase change materials
- 1764 Entropy change of martensitic transformation in ferromagnetic shape memory alloys
- 1773 Thermodynamics of carbon solubility in ferrite and vacancy formation in cementite in strained pearlite

[CONTENTS—continued from inside back cover]

- D. A. Pineda and M. A. Martorano 1785 Columnar to equiaxed transition in directional solidification of inoculated melts
- R. Schwab and V. Ruff 1798 On the nature of the yield point phenomenon
- L. Thijs, K. Kempen, J.-P. Kruth and J. Van Humbeeck 1809 Fine-structured aluminium products with controllable texture by selective laser melting of pre-alloyed AlSi10Mg powder
- T. Osada, Y. Gu, N. Nagashima, Y. Yuan, T. Yokokawa and H. Harada 1820 Optimum microstructure combination for maximizing tensile strength in a polycrystalline superalloy with a two-phase structure
- K. Kang, G. Bae, J. Won and C. Lee 1830 Corrigendum to “Mechanical property enhancement of kinetic sprayed Al coatings reinforced by multi-walled carbon nanotubes”
[Acta Mater. 60 (2012) 5031–5039]