




PH  
A47/jp1  
AMERICAN JOURNAL OF  
**PHYSIOLOGY**

**volume 304**

**no. 1**

**january 2013**



**1 of 2**

**PUBLISHED BY THE AMERICAN PHYSIOLOGICAL SOCIETY**

# American Journal of Physiology

January 2013/Volume 304, Issues 1  
Issues are published online twice monthly;  
complete contents are listed below.

## American Journal of Physiology- Cell Physiology

January 1, 2013

---

### EDITORIAL

The past, present, and future of *AJP-Cell*  
*P. A. Insel*

C1

---

### REVIEW

Physiology of the orexinergic/hypocretinerigic system: a revisit in 2012  
*J. P. Kukkonen*

C2

---

### EDITORIAL FOCUS

*Caring about the other 47% of the water channels.* Focus on “Basolateral targeting and microtubule-dependent transcytosis of the aquaporin-2 water channel”

*C. T. Okamoto*

C33

*Mapped! A machinery of degranulation in mast cells.* Focus on “Serum- and glucocorticoid-inducible kinase SGK1 regulates reorganization of actin cytoskeleton in mast cells upon degranulation”

*S. Z. Hua*

C36

---

Basolateral targeting and microtubule-dependent transcytosis of the aquaporin-2 water channel  
*N. Yui, H. A. J. Lu, Y. Chen, N. Nomura, R. Bouley, and D. Brown*

C38

Serum- and glucocorticoid-inducible kinase SGK1 regulates reorganization of actin cytoskeleton in mast cells upon degranulation

*E. Schmid, S. Gu, W. Yang, P. Münzer, M. Schaller, F. Lang, C. Stournaras, and E. Shumilina*

C49

Arachidonic acid supplementation enhances in vitro skeletal muscle cell growth via a COX-2-dependent pathway

*J. F. Markworth and D. Cameron-Smith*

C56

Homer 2 antagonizes protein degradation in slow-twitch skeletal muscles

*E. Bortoloso, A. Megighian, S. Furlan, L. Gorza, and P. Volpe*

C68

Hypoxia-augmented constriction of deep femoral artery mediated by inhibition of eNOS in smooth muscle

*J.-A. Han, E. Y. Seo, H. J. Kim, S. J. Park, H. Y. Yoo, J. Y. Kim, D. M. Shin, J. K. Kim, Y. H. Zhang, and S. J. Kim*

C78

Acid-sensing ion channels (ASICs) are differentially modulated by anions dependent on their subunit composition

*N. Kusama, M. Gautam, A. M. S. Harding, P. M. Snyder, and C. J. Benson*

C89

ROS production as a common mechanism of ENaC regulation by EGF, insulin, and IGF-1

*D. V. Ilatovskaya, T. S. Pavlov, V. Levchenko, and A. Staruschenko*

C102

---

**EDITORIAL FOCUS**

- Salt, skeletons, and suicide.* Focus on “Hyperosmotic stress regulates the distribution and stability of myocardin-related transcription factor, a key modulator of the cytoskeleton”  
*M. B. Burg and J. D. Ferraris* C113
- 
- Hyperosmotic stress regulates the distribution and stability of myocardin-related transcription factor, a key modulator of the cytoskeleton  
*D. L. Ly, F. Waheed, M. Lodyga, P. Speight, A. Masszi, H. Nakano, M. Hersom, S. F. Pedersen, K. Szász, and A. Kapus* C115
- Interleukin-6 promotes myogenic differentiation of mouse skeletal muscle cells: role of the STAT3 pathway  
*M. Hoene, H. Runge, H. U. Häring, E. D. Schleicher, and C. Weigert* C128
- Hemodynamic shear stress characteristic of atherosclerosis-resistant regions promotes glycocalyx formation in cultured endothelial cells  
*A. Koo, C. F. Dewey, Jr., and G. García-Cardeña* C137
- Effects of ACE inhibition and ANG II stimulation on renal Na-Cl cotransporter distribution, phosphorylation, and membrane complex properties  
*D. H. Lee, A. B. Maunsbach, A. D. Riquier-Brison, M. T. X. Nguyen, R. A. Fenton, S. Bachmann, A. S. Yu, and A. A. McDonough* C147
- Determination of the membrane topology of lemur tyrosine kinase 2 (LMTK2) by fluorescence protease protection  
*A. Nixon, Y. Jia, C. White, and N. A. Bradbury* C164
- Heme modulates intestinal epithelial cell activation: involvement of NADPHox-derived ROS signaling  
*P. Barcellos-de-Souza, J. A. Moraes, J. C. M. de-Freitas-Junior, J. A. Morgado-Díaz, C. Barja-Fidalgo, and M. A. Arruda* C170
- Combined in vivo and in silico investigations of activation of glycolysis in contracting skeletal muscle  
*J. P. J. Schmitz, W. Groenendaal, B. Wessels, R. W. Wiseman, P. A. J. Hilbers, K. Nicolay, J. J. Prompers, J. A. L. Jeneson, and N. A. W. van Riel* C180
- SMB myosin heavy chain knockout enhances tonic contraction and reduces the rate of force generation in ileum and stomach antrum  
*Q. Huang, G. J. Babu, M. Periasamy, and T. J. Eddinger* C194
- Methane biogenesis during sodium azide-induced chemical hypoxia in rats  
*E. Tuboly, A. Szabó, D. Garab, G. Bartha, Á. Janovszky, G. Erős, A. Szabó, Á. Mohácsi, G. Szabó, J. Kaszaki, M. Ghyczy, and M. Boros* C207

**American Journal of Physiology-  
Endocrinology and Metabolism**

January 1, 2013

- 
- Glucose-dependent insulinotropic polypeptide induces cytokine expression, lipolysis, and insulin resistance in human adipocytes  
*K. Timper, J. Grisouard, N. S. Sauter, T. Herzog-Radimerski, K. Dembinski, R. Peterli, D. M. Frey, H. Zulewski, U. Keller, B. Müller, and M. Christ-Crain* E1
- Maternal calorie restriction modulates placental mitochondrial biogenesis and bioenergetic efficiency: putative involvement in fetoplacental growth defects in rats  
*S. Mayeur, S. Lancel, N. Theys, M.-A. Lukaszewski, S. Duban-Deweert, B. Bastide, J. Hachani, R. Cecchelli, C. Breton, A. Gabory, L. Storme, B. Reusens, C. Junien, D. Vieau, and J. Lesage* E14
- Delayed development of specific thyroid hormone-regulated events in transthyretin null mice  
*J. A. Monk, N. A. Sims, K. M. Dziegielewska, R. E. Weiss, R. G. Ramsay, and S. J. Richardson* E23
- CXCL17, an orphan chemokine, acts as a novel angiogenic and anti-inflammatory factor  
*W.-Y. Lee, C.-J. Wang, T.-Y. Lin, C.-L. Hsiao, and C.-W. Luo* E32
- Muscle protein synthesis, mTORC1/MAPK/Hippo signaling, and capillary density are altered by blocking of myostatin and activins  
*J. J. Hulmi, B. M. Oliveira, M. Silvennoinen, W. M. H. Hoogaars, H. Ma, P. Pierre, A. Pasternack, H. Kainulainen, and O. Ritvo* E41

The opposite roles of glucocorticoid and $\alpha_1$ -adrenergic receptors in stress triggered apoptosis of rat Leydig cells	S. A. Andric, Z. Kojic, M. M. Bjelic, A. I. Mihajlovic, A. Z. Baburski, S. J. Sokanovic, M. M. Janjic, N. J. Stojkov, S. S. Stojilkovic, and T. S. Kostic	E51
Glucose metabolism is altered after loss of L cells and $\alpha$ -cells but not influenced by loss of K cells	J. Pedersen, R. K. Ugleholdt, S. M. Jørgensen, J. A. Windeløv, K. V. Grunddal, T. W. Schwartz, E. M. Füchtbauer, S. S. Poulsen, P. J. Holst, and J. J. Holst	E60
Heavy metal scavenger metallothionein mitigates deep hypothermia-induced myocardial contractile anomalies: role of autophagy	S. Jiang, R. Guo, Y. Zhang, Y. Zou, and J. Ren	E74
Potential role for Nrf2 activation in the therapeutic effect of MG132 on diabetic nephropathy in OVE26 diabetic mice	W. Cui, B. Li, Y. Bai, X. Miao, Q. Chen, W. Sun, Y. Tan, P. Luo, C. Zhang, S. Zheng, P. N. Epstein, L. Miao, and L. Cai	E87
Nitrogen in dietary glutamate is utilized exclusively for the synthesis of amino acids in the rat intestine	H. Nakamura, Y. Kawamata, T. Kuwahara, K. Torii, and R. Sakai	E100
Decreased luteinizing hormone pulse frequency is associated with elevated 24-hour ghrelin after calorie restriction and exercise in premenopausal women	J. L. Scheid, M. J. De Souza, B. R. Hill, H. J. Leidy, and N. I. Williams	E109

---

## January 15, 2013

---

Improved glycemic control in mice lacking Sglt1 and Sglt2	D. R. Powell, C. M. DaCosta, J. Gay, Z.-M. Ding, M. Smith, J. Greer, D. Doree, S. Jeter-Jones, F. Mseeh, L. A. Rodriguez, A. Harris, L. Buhning, K. A. Platt, P. Vogel, R. Brommage, M. K. Shadoan, A. T. Sands, and B. Zambrowicz	E117
Long-term, intermittent, insulin-induced hypoglycemia produces marked obesity without hyperphagia or insulin resistance: A model for weight gain with intensive insulin therapy	E. C. McNay, J. A. Teske, C. M. Kotz, A. Dunn-Meynell, B. E. Levin, R. J. McCrimmon, and R. S. Sherwin	E131
Constitutive expression of pregnancy-associated plasma protein-A in arterial smooth muscle reduces the vascular response to injury in vivo	L. K. Bale, Z. T. Resch, S. L. Harstad, M. T. Overgaard, and C. A. Conover	E139
c-Yes regulates cell adhesion at the apical ectoplasmic specialization-blood-testis barrier axis via its effects on protein recruitment and distribution	X. Xiao, D. D. Mruk, and C. Y. Cheng	E145
Comparison of brown and white adipose tissue fat fractions in <i>ob</i> , <i>seipin</i> , and <i>Fsp27</i> gene knockout mice by chemical shift-selective imaging and $^1\text{H-MR}$ spectroscopy	X.-G. Peng, S. Ju, F. Fang, Y. Wang, K. Fang, X. Cui, G. Liu, P. Li, H. Mao, and G.-J. Teng	E160
Delivery of adiponectin gene to skeletal muscle using ultrasound targeted microbubbles improves insulin sensitivity and whole body glucose homeostasis	V. Vu, Y. Liu, S. Sen, A. Xu, and G. Sweeney	E168
Signal transduction mechanisms for autocrine/paracrine regulation of somatolactin- $\alpha$ secretion and synthesis in carp pituitary cells by somatolactin- $\alpha$ and - $\beta$	Q. Jiang and A. O. L. Wong	E176
Pex11 $\alpha$ deficiency impairs peroxisome elongation and division and contributes to nonalcoholic fatty liver in mice	H. Weng, X. Ji, Y. Naito, K. Endo, X. Ma, R. Takahashi, C. Shen, G. Hirokawa, Y. Fukushima, and N. Iwai	E187
Angiotensin II type 2 receptor promotes adipocyte differentiation and restores adipocyte size in high-fat/high-fructose diet-induced insulin resistance in rats	M. Shum, S. Pinard, M.-O. Guimond, S. M. Labbé, C. Roberge, J.-P. Baillargeon, M.-F. Langlois, M. Alterman, C. Wallinder, A. Hallberg, A. C. Carpentier, and N. Gallo-Payet	E197
Neuropeptide Y and somatostatin inhibit insulin secretion through different mechanisms	T. A. Schwetz, A. Ustione, and D. W. Piston	E211
Protein kinase A mediates glucagon-like peptide 1-induced nitric oxide production and muscle microvascular recruitment	Z. Dong, W. Chai, W. Wang, L. Zhao, Z. Fu, W. Cao, and Z. Liu	E222
The mTORC1 signaling repressors REDD1/2 are rapidly induced and activation of p70S6K1 by leucine is defective in skeletal muscle of an immobilized rat hindlimb	A. R. Kelleher, S. R. Kimball, M. D. Dennis, R. J. Schilder, and L. S. Jefferson	E229

**January 1, 2013**

---

**CALL FOR PAPERS  
Innovative and Emerging Technologies in GI Physiology and Disease**

- 3-D imaging and illustration of mouse intestinal neurovascular complex (**Innovative Methodology**)  
*Y.-Y. Fu, S.-J. Peng, H.-Y. Lin, P. J. Pasricha, and S.-C. Tang* G1
- 

**MUCOSAL BIOLOGY**

- Oxidative modification of the intestinal mucus layer is a critical but unrecognized component of trauma hemorrhagic shock-induced gut barrier failure  
*J. E. Fishman, G. Levy, V. Alli, S. Sheth, Q. Lu, and E. A. Deitch* G57
- Conditional knockout of the *Slc5a6* gene in mouse intestine impairs biotin absorption  
*A. Ghosal, N. Lambrecht, S. B. Subramanya, R. Kapadia, and H. M. Said* G64

**INFLAMMATION/IMMUNITY/MEDIATORS**

- Critical role of interleukin-17A in murine intestinal ischemia-reperfusion injury  
*H. T. Lee, M. Kim, J. Y. Kim, K. M. Brown, A. Ham, V. D. D'Agati, and Y. Mori-Akiyama* G12

**LIVER AND BILIARY TRACT**

- Hepatocyte-specific deletion of hepatocyte nuclear factor-4 $\alpha$  in adult mice results in increased hepatocyte proliferation  
*C. Walesky, S. Gunewardena, E. F. Terwilliger, G. Edwards, P. Borude, and U. Apte* G26
- Ethanol administration exacerbates the abnormalities in hepatic lipid oxidation in genetically obese mice  
*H. Everitt, M. Hu, J. M. Ajmo, C. Q. Rogers, X. Liang, R. Zhang, H. Yin, A. Choi, E. S. Bennett, and M. You* G38
- The hepatic bile acid transporters Ntcp and Mrp2 are downregulated in experimental necrotizing enterocolitis  
*N. J. Cherrington, T. E. Estrada, H. A. Frisk, M. J. Canet, R. N. Hardwick, B. Dvorak, K. Lux, and M. D. Halpern* G48
- Nordihydroguaiaretic acid improves metabolic dysregulation and aberrant hepatic lipid metabolism in mice by both PPAR $\alpha$ -dependent and -independent pathways  
*H. Zhang, W.-J. Shen, Y. Cortez, F. B. Kraemer, and S. Azhar* G72
- Mechanosensitive Cl<sup>-</sup> secretion in biliary epithelium mediated through TMEM16A  
*A. K. Dutta, K. Woo, A. Khimji, C. Kresge, and A. P. Feranchak* G87
- Angiotensin-(1-7) reduces the perfusion pressure response to angiotensin II and methoxamine via an endothelial nitric oxide-mediated pathway in cirrhotic rat liver  
*C. B. Herath, K. Mak, L. M. Burrell, and P. W. Angus* G99
- 

**January 15, 2013**

---

**REVIEW**

- Gastrokinins: stomach-specific proteins with putative homeostatic and tumor suppressor roles  
*T. R. Menhenniott, B. Kurklu, and A. S. Giraud* G109
- 

**MUCOSAL BIOLOGY**

- Capsaicin induces NKCC1 internalization and inhibits chloride secretion in colonic epithelial cells independently of TRPV1  
*P. G. Bouyer, X. Tang, C. R. Weber, L. Shen, J. R. Turner, and J. B. Matthews* G142
- Independent trafficking of the KCNQ1 K<sup>+</sup> channel and H<sup>+</sup>-K<sup>+</sup>-ATPase in gastric parietal cells from mice  
*N. Nguyen, N. Kozar-Gorevich, B. L. Gliddon, A. J. Smolka, A. H. Clayton, P. A. Gleeson, and I. R. van Driel* G157
- D-Glucose modulates intestinal Niemann-Pick C1-like 1 (NPC1L1) gene expression via transcriptional regulation  
*P. Malhotra, C. S. Boddy, V. Soni, S. Saksena, P. K. Dudeja, R. K. Gill, and W. A. Alrefai* G203



## INFLAMMATION/IMMUNITY/MEDIATORS

- Probiotics prevent necrotizing enterocolitis by modulating enterocyte genes that regulate innate immune-mediated inflammation  
*K. Ganguli, D. Meng, S. Rautava, L. Lu, W. A. Walker, and N. Nanthakumar* G132
- Smad7 inhibits autocrine expression of TGF- $\beta_2$  in intestinal epithelial cells in baboon necrotizing enterocolitis  
*K. Namachivayam, C. L. Blanco, K. MohanKumar, R. Jagadeeswaran, M. Vasquez, L. McGill-Vargas, S. A. Garzon, S. K. Jain, R. K. Gill, N. E. Freitag, J.-H. Weitkamp, S. R. Seidner, and A. Maheshwari* G167
- The guggulsterone derivative GG-52 inhibits NF- $\kappa$ B signaling in gastric epithelial cells and ameliorates ethanol-induced gastric mucosal lesions in mice  
*J. M. Kim, S. H. Kim, S. H. Ko, J. Jung, J. Chun, N. Kim, H. C. Jung, and J. S. Kim* G193

## HORMONES AND SIGNALING

- Heterogeneous nuclear ribonucleoprotein A2/B1 is a tissue-specific aldosterone target gene with prominent induction in the rat distal colon  
*I. Hernández-Díaz, T. Giraldez, S. Morales, G. Hernandez, E. Salido, C. M. Canessa, and D. Alvarez de la Rosa* G122

## NEUROREGULATION AND MOTILITY

- Psychoactive bacteria *Lactobacillus rhamnosus* (JB-1) elicits rapid frequency facilitation in vagal afferents  
*A. Perez-Burgos, B. Wang, Y.-K. Mao, B. Mistry, K.-A. M. Neufeld, J. Bienenstock, and W. Kunze* G211

## LIVER AND BILIARY TRACT

- Hepatic overexpression of *Abcb11* in mice promotes the conservation of bile acids within the enterohepatic circulation  
*A. S. Henkel, K. E. R. Gooijert, R. Havinga, R. Boverhof, R. M. Green, and H. J. Verkade* G221

## PANCREAS

- Activation of cannabinoid receptor 2 reduces inflammation in acute experimental pancreatitis via intra-acinar activation of p38 and MK2-dependent mechanisms  
*T. Michler, M. Storr, J. Kramer, S. Ochs, A. Malo, S. Reu, B. Göke, and C. Schäfer* G181

# American Journal of Physiology- Lung Cellular and Molecular Physiology

January 1, 2013

---

## EDITORIAL

### CALL FOR PAPERS

- “Real-time visualization of lung function: from micro to macro”  
*R. E. Morty and S. Matalon* L1
- 

### CALL FOR PAPERS

#### Bioengineering the Lung: Molecules, Materials, Matrix, Morphology, and Mechanics

- Development and characterization of a 3D multicell microtissue culture model of airway smooth muscle  
*A. R. West, N. Zaman, D. J. Cole, M. J. Walker, W. R. Legant, T. Boudou, C. S. Chen, J. T. Favreau, G. R. Gaudette, E. A. Cowley, and G. N. Maksym* L4
- 
- Chronic effects of pulmonary artery stenosis on hemodynamic and structural development of the lungs  
*H. Razavi, S. E. Stewart, C. Xu, H. Sawada, S. Y. Zarafshar, C. A. Taylor, M. Rabinovitch, and J. A. Feinstein* L17
- AMP kinase activation improves angiogenesis in pulmonary artery endothelial cells with in utero pulmonary hypertension  
*R.-J. Teng, J. Du, A. J. Afolayan, A. Eis, Y. Shi, and G. G. Konduri* L29

A mutation in the $\beta$ -subunit of ENaC identified in a patient with cystic fibrosis-like symptoms has a gain-of-function effect <i>R. Rauh, D. Soell, S. Haerteis, A. Diakov, V. Nesterov, B. Krueger, H. Sticht, and C. Korbmacher</i>	L43
Insufficient autophagy in idiopathic pulmonary fibrosis <i>J. Araya, J. Kojima, N. Takasaka, S. Ito, S. Fujii, H. Hara, H. Yanagisawa, K. Kobayashi, C. Tsurushige, M. Kawaishi, N. Kamiya, J. Hirano, M. Odaka, T. Morikawa, S. L. Nishimura, Y. Kawabata, H. Hano, K. Nakayama, and K. Kuwano</i>	L56
High pulsatility flow stimulates smooth muscle cell hypertrophy and contractile protein expression <i>D. Scott, Y. Tan, R. Shandas, K. R. Stenmark, and W. Tan</i>	L70

---

**January 15, 2013**

---

**REVIEW**

TGF- $\beta$ -Smad3 signaling in emphysema and pulmonary fibrosis: an epigenetic aberration of normal development? <i>D. Warburton, W. Shi, and B. Xu</i>	L83
--	-----

---

**INNOVATIVE METHODOLOGY**

Automated measurement of blood flow velocity and direction and hemoglobin oxygen saturation in the rat lung using intravital microscopy <i>G. Hanna, A. Fontanella, G. Palmer, S. Shan, D. R. Radloff, Y. Zhao, D. Irwin, K. Hamilton, A. Boico, C. A. Piantadosi, G. Blueschke, M. Dewhirst, T. McMahon, and T. Schroeder</i>	L86
---	-----

---

Differential susceptibility of inbred mouse strains to chlorine-induced airway fibrosis <i>Y. Mo, J. Chen, C. F. Schlueter, and G. W. Hoyle</i>	L92
Wnt5a inhibits hypoxia-induced pulmonary arterial smooth muscle cell proliferation by downregulation of $\beta$ -catenin <i>X.-M. Yu, L. Wang, J.-F. Li, J. Liu, J. Li, W. Wang, J. Wang, and C. Wang</i>	L103
IL-13 receptor $\alpha_2$ -arginase 2 pathway mediates IL-13-induced pulmonary hypertension <i>W.-K. Cho, C.-M. Lee, M.-J. Kang, Y. Huang, F. J. Giordano, P. J. Lee, T. K. Trow, R. J. Homer, W. C. Sessa, J. A. Elias, and C. G. Lee</i>	L112
Accelerated structural decrements in the aging female rhesus macaque lung compared with males <i>M. J. Herring, M. V. Avdalovic, C. L. Quesenberry, L. F. Putney, N. K. Tyler, F. F. Ventimiglia, J. A. St. George, and D. M. Hyde</i>	L125