




AMERICAN JOURNAL OF
PH,
A47/jp1
PHYSIOLOGY

volume 306

no. 5

May 2014



2 of 2

PUBLISHED BY THE AMERICAN PHYSIOLOGICAL SOCIETY

American Journal of Physiology- Heart and Circulatory Physiology

May 1, 2014

CALL FOR PAPERS

Sex and Gender Differences in Cardiovascular Physiology—Back to the Basics

- Sex differences in the pulmonary circulation: implications for pulmonary hypertension (**Review**)
Y. N. Martin and C. M. Pabelick H1253
- Aromatase transgenic upregulation modulates basal cardiac performance and the response to ischemic stress in male mice
J. R. Bell, G. B. Bernasochi, U. Varma, W. C. Boon, S. J. Ellem, G. P. Risbridger, and L. M. D. Delbridge H1265
-

CALL FOR PAPERS

Pathophysiology of Hypertension

- ZIPK is critical for the motility and contractility of VSMCs through the regulation of nonmuscle myosin II isoforms
S. Komatsu and M. Ikebe H1275
-

VASCULAR BIOLOGY AND MICROCIRCULATION

- Downregulation of L-type Ca²⁺ channel in rat mesenteric arteries leads to loss of smooth muscle contractile phenotype and inward hypertrophic remodeling
O. Kudryavtseva, K. M. Herum, V. S. Dam, M. S. Straarup, D. Kamaev, D. M. Briggs Boedtkjer, V. V. Matchkov, and C. Aalkjær H1287
- Aortic valve sclerosis in mice deficient in endothelial nitric oxide synthase
R. N. El Accaoui, S. T. Gould, G. P. Hajj, Y. Chu, M. K. Davis, D. C. Kraft, D. D. Lund, R. M. Brooks, H. Doshi, K. A. Zimmerman, W. Kutschke, K. S. Anseth, D. D. Heistad, and R. M. Weiss H1302
-

SIGNALING AND STRESS RESPONSE

- Reduction of endoplasmic reticulum stress by 4-phenylbutyric acid prevents the development of hypoxia-induced pulmonary arterial hypertension
M. Koyama, M. Furuhashi, S. Ishimura, T. Mita, T. Fuseya, Y. Okazaki, H. Yoshida, K. Tsuchihashi, and T. Miura H1314
- Rapid electrical stimulation causes alterations in cardiac intercellular junction proteins of cardiomyocytes
T. Nakashima, T. Ohkusa, Y. Okamoto, M. Yoshida, J.-K. Lee, Y. Mizukami, and M. Yano H1324
-

CARDIAC EXCITATION AND CONTRACTION

- Adverse perinatal environment contributes to altered cardiac development and function
M. Velten, M. W. Gorr, D. J. Youtz, C. Velten, L. K. Rogers, and L. E. Wold H1334
- A microstructural model of reentry arising from focal breakthrough at sites of source-load mismatch in a central region of slow conduction
M. L. Hubbard and C. S. Henriquez H1341
- Automated analysis of contractile force and Ca²⁺ transients in engineered heart tissue (**Innovative Methodology**)
A. Stoehr, C. Neuber, C. Baldauf, I. Vollert, F. W. Friedrich, F. Flenner, L. Carrier, A. Eder, S. Schaaf, M. N. Hirt, B. Aksehirlioglu, C. W. Tong, A. Moretti, T. Eschenhagen, and A. Hansen H1353

INTEGRATIVE CARDIOVASCULAR PHYSIOLOGY AND PATHOPHYSIOLOGY

Skeletal muscle abnormalities and exercise intolerance in older patients with heart failure and preserved ejection fraction

D. W. Kitzman, B. Nicklas, W. E. Kraus, M. F. Lyles, J. Eggebeen, T. M. Morgan, and M. Haykowsky

H1364

High-frequency speckle tracking echocardiography in the assessment of left ventricular function and remodeling after murine myocardial infarction (**Innovative Methodology**)

A. Bhan, A. Sirker, J. Zhang, A. Protti, N. Catibog, W. Driver, R. Botnar, M. J. Monaghan, and A. M. Shah

H1371

May 15, 2014

CALL FOR PAPERS

Cardiovascular and Cerebrovascular Aging—New Mechanisms and Insights

Age-associated abnormalities of intrinsic automaticity of sinoatrial nodal cells are linked to deficient cAMP-PKA-Ca²⁺ signaling

J. Liu, S. Sirenko, M. Juhaszova, S. J. Sollott, S. Shukla, Y. Yaniv, and E. G. Lakatta

H1385

Cardiac aging is initiated by matrix metalloproteinase-9-mediated endothelial dysfunction

A. Yabluchanskiy, Y. Ma, Y. A. Chiao, E. F. Lopez, A. P. Voorhees, H. Toba, M. E. Hall, H.-C. Han, M. L. Lindsey, and Y.-F. Jin

H1398

Geometry is a major determinant of flow reversal in proximal aorta

M. Z. Bensalah, E. Bollache, N. Kachenoura, A. Giron, A. De Cesare, L. Macron, M. Lefort, A. Redheuil, and E. Mousseaux

H1408

CALL FOR PAPERS

Sex and Gender Differences in Cardiovascular Physiology—Back to the Basics

Effect of aging on carotid baroreflex control of blood pressure and leg vascular conductance in women

D. P. Credeur, S. W. Holwerda, L. J. Boyle, L. C. Vianna, A. K. Jensen, and P. J. Fadel

H1417

VASCULAR BIOLOGY AND MICROCIRCULATION

IL-6 regulates adipose deposition and homeostasis in lymphedema

D. A. Cuzzone, E. S. Weitman, N. J. Albano, S. Ghanta, I. L. Savetsky, J. C. Gardener, W. J. Joseph, J. S. Torrisi, J. F. Bromberg, W. L. Olszewski, S. G. Rockson, and B. J. Mehrara

H1426

Nox2 and p47^{phox} modulate compensatory growth of primary collateral arteries

M. R. DiStasi, J. L. Unthank, and S. J. Miller

H1435

ENERGETICS AND METABOLISM

Paternal low protein diet affects adult offspring cardiovascular and metabolic function in mice

A. J. Watkins and K. D. Sinclair

H1444

SIGNALING AND STRESS RESPONSE

Cytosolic H₂O₂ mediates hypertrophy, apoptosis, and decreased SERCA activity in mice with chronic hemodynamic overload (**Translational Physiology**)

F. Qin, D. A. Siwik, D. R. Pimentel, R. J. Morgan, A. Biolo, V. H. Tu, Y. J. Kang, R. A. Cohen, and W. S. Colucci

H1453

CARDIOVASCULAR NEUROHORMONAL REGULATION

Electroacupuncture improves cardiac function and remodeling by inhibition of sympathoexcitation in chronic heart failure rats

L. Ma, B. Cui, Y. Shao, B. Ni, W. Zhang, Y. Luo, and S. Zhang

H1464

INTEGRATIVE CARDIOVASCULAR PHYSIOLOGY AND PATHOPHYSIOLOGY

Decreased endothelial nitric oxide, systemic oxidative stress, and increased sympathetic modulation contribute to hypertension in obese rats (**Translational Physiology**)

N. V. da Cunha, P. Pinge-Filho, C. Panis, B. R. Silva, L. Pernomian, M. D. Grandó, R. Cecchini, L. M. Bendhack, and M. C. Martins-Pinge

H1472

LETTERS TO THE EDITOR

Letter to the editor: "Targeting cerebrovascular myogenic dysfunction in stroke"

F. Jiménez-Altayó, A. M. Planas, and E. Vila

H1481

Reply to "Letter to the editor: "Targeting cerebrovascular myogenic dysfunction in stroke"

M. Coucha, W. Li, M. H. Johnson, S. C. Fagan, and A. Ergul

H1483

American Journal of Physiology- Regulatory, Integrative and Comparative Physiology

May 1, 2014

TRANSLATIONAL PHYSIOLOGY

Estradiol, but not testosterone, heightens cortisol-mediated negative feedback on pulsatile ACTH secretion and ACTH approximate entropy in unstressed older men and women

A. N. Sharma, P. Aoun, J. R. Wigham, S. M. Weist, and J. D. Veldhuis

R627

RESEARCH

NEURAL CONTROL

5-HT neurons of the area postrema become c-Fos-activated after increases in plasma sodium levels and transmit interoceptive information to the nucleus accumbens

R. L. Miller and A. D. Loewy

R663

Development of attenuated baroreflexes in obese Zucker rats coincides with impaired activation of nucleus tractus solitarius

P. S. Guimaraes, D. A. Huber, M. J. Campagnole-Santos, and A. M. Schreihof

R681

Activation of the carotid chemoreflex secondary to muscle metaboreflex stimulation in men

H. Edgell and M. K. Stickland

R693

FLUID AND ELECTROLYTE HOMEOSTASIS

A model-based approach to investigating the pathophysiological mechanisms of hypertension and response to antihypertensive therapies: extending the Guyton model

K. M. Hallow, A. Lo, J. Beh, M. Rodrigo, S. Ermakov, S. Friedman, H. de Leon, A. Sarkar, Y. Xiong, R. Sarangapani, H. Schmidt, R. Webb, and A. G. Kondic

R647

5-HT neurons of the area postrema become c-Fos-activated after increases in plasma sodium levels and transmit interoceptive information to the nucleus accumbens

R. L. Miller and A. D. Loewy

R663

Gastric inhibitory peptide, serotonin, and glucagon are unexpected chloride secretagogues in the rectal gland of the skate (*Leucoraja erinacea*)

C. A. Kelley, S. E. Decker, P. Silva, and J. N. Forrest, Jr.

R674

PHYSICAL ACTIVITY AND INACTIVITY

Cardiovascular responses to water immersion in humans: impact on cerebral perfusion

H. H. Carter, A. L. Spence, C. J. A. Pugh, P. Ainslie, L. H. Naylor, and D. J. Green

R636

Activation of the carotid chemoreflex secondary to muscle metaboreflex stimulation in men

H. Edgell and M. K. Stickland

R693

OBESITY, DIABETES AND ENERGY HOMEOSTASIS

Development of attenuated baroreflexes in obese Zucker rats coincides with impaired activation of nucleus tractus solitarius

P. S. Guimaraes, D. A. Huber, M. J. Campagnole-Santos, and A. M. Schreihof

R681

CARDIOVASCULAR AND RENAL INTEGRATION

- Cardiovascular responses to water immersion in humans: impact on cerebral perfusion
H. H. Carter, A. L. Spence, C. J. A. Pugh, P. Ainslie, L. H. Naylor, and D. J. Green R636
- Heme oxygenase-1 promotes migration and β -epithelial Na⁺ channel expression in cytotrophoblasts and ischemic placentas
J. P. Warrington, K. Coleman, C. Skaggs, P. A. Hosick, E. M. George, D. E. Stec, M. J. Ryan, J. P. Granger, and H. A. Drummond R641
- A model-based approach to investigating the pathophysiological mechanisms of hypertension and response to antihypertensive therapies: extending the Guyton model
K. M. Hallow, A. Lo, J. Beh, M. Rodrigo, S. Ermakov, S. Friedman, H. de Leon, A. Sarkar, Y. Xiong, R. Sarangapani, H. Schmidt, R. Webb, and A. G. Kondic R647

HORMONES, REPRODUCTION AND DEVELOPMENT

- Gastric inhibitory peptide, serotonin, and glucagon are unexpected chloride secretagogues in the rectal gland of the skate (*Leucoraja erinacea*)
C. A. Kelley, S. E. Decker, P. Silva, and J. N. Forrest, Jr. R674

May 15, 2014

REVIEW

- Remembering to eat: hippocampal regulation of meal onset
M. B. Parent, J. N. Darling, and Y. O. Henderson R701

INNOVATIVE METHODOLOGY

- Methodological considerations for measuring spontaneous physical activity in rodents
J. A. Teske, C. E. Perez-Leighton, C. J. Billington, and C. M. Kotz R714

RESEARCH

NEURAL CONTROL

- Neural circuitry underlying the central hypertensive action of nesfatin-1: melanocortins, corticotropin-releasing hormone, and oxytocin
G. L. C. Yosten and W. K. Samson R722
- Sweating response to passive stretch of the calf muscle during activation of forearm muscle metaboreceptors in heated humans
T. Amano, M. Ichinose, T. Nishiyasu, Y. Inoue, S. Koga, M. Miwa, and N. Kondo R728
- Signal transduction of aortic and carotid sinus baroreceptors is not modified by central command during spontaneous motor activity in decerebrate cats
K. Matsukawa, K. Ishii, A. Kadowaki, T. Ishida, M. Idesako, and N. Liang R735
- Regional redistribution of blood flow in the external and internal carotid arteries during acute hypotension
S. Ogoh, R. Lericollais, A. Hirasawa, S. Sakai, H. Normand, and D. M. Bailey R747

OBESITY, DIABETES AND ENERGY HOMEOSTASIS

- Hydrogen sulfide alleviates cardiac contractile dysfunction in an Akt2-knockout murine model of insulin resistance: role of mitochondrial injury and apoptosis
N. Hu, M. Dong, and J. Ren R761

CARDIOVASCULAR AND RENAL INTEGRATION

- Sweating response to passive stretch of the calf muscle during activation of forearm muscle metaboreceptors in heated humans
T. Amano, M. Ichinose, T. Nishiyasu, Y. Inoue, S. Koga, M. Miwa, and N. Kondo R728
- Signal transduction of aortic and carotid sinus baroreceptors is not modified by central command during spontaneous motor activity in decerebrate cats
K. Matsukawa, K. Ishii, A. Kadowaki, T. Ishida, M. Idesako, and N. Liang R735
- Regional redistribution of blood flow in the external and internal carotid arteries during acute hypotension
S. Ogoh, R. Lericollais, A. Hirasawa, S. Sakai, H. Normand, and D. M. Bailey R747
- Phlebotomy eliminates the maximal cardiac output response to six weeks of exercise training
T. C. Bonne, G. Doucende, D. Flück, R. A. Jacobs, N. B. Nordsborg, P. Robach, G. Walther, and C. Lundby R752

American Journal of Physiology- Renal Physiology

May 1, 2014

REVIEW

The physiological and pathophysiological functions of renal and extrarenal vasopressin V2 receptors

K. V. Juul, D. G. Bichet, S. Nielsen, and J. P. Nørgaard

F931

CALL FOR PAPERS

Novel Mechanisms and Roles of Glomerular Podocytes

Human podocytes perform polarized, caveolae-dependent albumin endocytosis

E. Dobrinskikh, K. Okamura, J. B. Kopp, R. B. Doctor, and J. Blaine

F941

CALL FOR PAPERS

Renal Hemodynamics: Integrating with the Nephron and Beyond

Dominant factors that govern pressure natriuresis in diuresis and antidiuresis: a mathematical model

R. Moss and A. T. Layton

F952

Novel cardiolipin therapeutic protects endothelial mitochondria during renal ischemia and mitigates microvascular rarefaction, inflammation, and fibrosis

S. Liu, Y. Soong, S. V. Seshan, and H. H. Szeto

F970

Regulation of proximal tubule vacuolar H⁺-ATPase by PKA and AMP-activated protein kinase

M. M. Al-bataineh, F. Gong, A. L. Marciszyn, M. M. Myerburg, and N. M. Pastor-Soler

F981

Increasing cGMP-dependent protein kinase activity attenuates unilateral ureteral obstruction-induced renal fibrosis

W. Cui, H. Maimaitiyiming, X. Qi, H. Norman, Q. Zhou, X. Wang, J. Fu, and S. Wang

F996

Diabetic nephropathy in a nonobese mouse model of Type 2 diabetes mellitus

S. K. Mallipattu, E. J. Gallagher, D. LeRoith, R. Liu, A. Mehrotra, S. J. Horne, P. Y. Chuang, V. W. Yang, and J. C. He

F1008

A mutation in TRPC6 channels abolishes their activation by hypoosmotic stretch but does not affect activation by diacylglycerol or G protein signaling cascades

C. Wilson and S. E. Dryer

F1018

Renal oxygenation in acute renal ischemia-reperfusion injury

A. Abdelkader, J. Ho, C. P. C. Ow, G. A. Eppel, N. W. Rajapakse, M. P. Schlaich, and R. G. Evans

F1026

Oxalate upregulates expression of IL-2R β and activates IL-2R signaling in HK-2 cells, a line of human renal epithelial cells

S. Koul, L. Khandrika, T. J. Pshak, N. Iguchi, M. Pal, J. J. Steffan, and H. K. Koul

F1039

Novel MAPK-dependent and -independent tubulogenes identified via microarray analysis of 3D-cultured Madin-Darby canine kidney cells

M. F. Chacon-Heszele, X. Zuo, N. E. Hellman, S. McKenna, S. Y. Choi, L. Huang, J. W. Tobias, K. M. Park, and J. H. Lipschutz

F1047

Increasing plasma [K⁺] by intravenous potassium infusion reduces NCC phosphorylation and drives kaliuresis and natriuresis

S. Rengarajan, D. H. Lee, Y. T. Oh, E. Delpire, J. H. Youn, and A. A. McDonough

F1059

High glucose and diabetes enhanced store-operated Ca²⁺ entry and increased expression of its signaling proteins in mesangial cells

S. Chaudhari, P. Wu, Y. Wang, Y. Ding, J. Yuan, M. Begg, and R. Ma

F1069

Persistence of 1,25D-induced hypercalciuria in alendronate-treated genetic hypercalciuric stone-forming rats fed a low-calcium diet

K. K. Frick, J. R. Asplin, C. D. Culbertson, I. Granja, N. S. Krieger, and D. A. Bushinsky

F1081

LETTERS TO THE EDITOR

Letter to the editor: "Quantifying albumin permeability with multiphoton microscopy: why the difference?"

R. M. Sandoval and B. A. Molitoris

F1098

Reply to "Letter to the editor: 'Quantifying albumin permeability with multiphoton microscopy: why the difference?'"

H. Castrop

F1101

Reply to "Letter to the editor: 'Quantifying albumin permeability with multiphoton microscopy: why the difference?'"

D. W. Piston

F1104

May 15, 2014

REVIEWS

Ammonia transport in the kidney by Rhesus glycoproteins

I. D. Weiner and J. W. Verlander

F1107

The renal circulation in normal pregnancy and preeclampsia: is there a place for relaxin?

K. P. Conrad and J. M. Davison

F1121

Female spontaneously hypertensive rats are more dependent on ANG (1-7) to mediate effects of low-dose AT₁ receptor blockade than males

M. A. Zimmerman, R. A. Harris, and J. C. Sullivan

F1136

Renal vasoconstriction by vasopressin V_{1a} receptors is modulated by nitric oxide, prostanoids, and superoxide but not the ADP ribosyl cyclase CD38

N. G. Moss, T. E. Kopple, and W. J. Arendshorst

F1143

Na⁺-K⁺-2Cl⁻ cotransporter-mediated fluid secretion increases under hypotonic osmolarity in the mouse submandibular salivary gland

M. Kidokoro, T. Nakamoto, T. Mukaibo, Y. Kondo, T. Munemasa, A. Imamura, C. Masaki, and R. Hosokawa

F1155

DW1029M, a novel botanical drug candidate, inhibits advanced glycation end-product formation, rat lens aldose reductase activity, and TGF-β₁ signaling

J. Yoon, H. Lee, H. B. Chang, H. Choi, Y. S. Kim, Y. K. Rho, S. Seong, D. H. Choi, D. Park, and B. Ku

F1161

Differences in susceptibility to develop parameters of diabetic nephropathy in four mouse strains with type 1 diabetes

S. Franzén, M. Friederich-Persson, A. Fasching, P. Hansell, M. Nangaku, and F. Palm

F1171

Deterioration of kidney function by the (pro)renin receptor blocker handle region peptide in aliskiren-treated transgenic (mRen2)27 rats

L. te Riet, M. van den Heuvel, C. J. Peutz-Kootstra, J. H. M. van Esch, R. van Veghel, I. M. Garrelds, U. Musterd-Bhaggoe, A. M. Bouhuizen, F. P. J. Leijten, A. H. J. Danser, and W. W. Batenburg

F1179

Ultrastructure of mitochondria and the endoplasmic reticulum in renal tubules of Dahl salt-sensitive rats

X. He, Y. Liu, K. Usa, Z. Tian, A. W. Cowley, Jr., and M. Liang

F1190

Cells of renin lineage take on a podocyte phenotype in aging nephropathy

J. W. Pippin, S. T. Glenn, R. D. Krofft, M. E. Rusiniak, C. E. Alpers, K. Hudkins, J. S. Duffield, K. W. Gross, and S. J. Shankland

F1198

Endogenous Tim-1 promotes severe systemic autoimmunity and renal disease MRL-Fas^{lpr} mice

Y. Nozaki, A. R. Kitching, H. Akiba, H. Yagita, K. Kinoshita, M. Funauchi, and I. Matsumura

F1210

Human mesenchymal stem cells alter macrophage phenotype and promote regeneration via homing to the kidney following ischemia-reperfusion injury

A. F. Wise, T. M. Williams, M. B. G. Kiewiet, N. L. Payne, C. Siatskas, C. S. Samuel, and S. D. Ricardo

F1222

Silencing of hypoxia-inducible factor-1α gene attenuates chronic ischemic renal injury in two-kidney, one-clip rats

Z. Wang, Q. Zhu, P.-L. Li, R. Dhaduk, F. Zhang, T. W. Gehr, and N. Li

F1236

Effects of combined administration of rapamycin, tolvaptan, and AEZ-131 on the progression of polycystic disease in PCK rats

M. Sabbatini, L. Russo, F. Cappellaio, G. Troncone, C. Bellevicine, V. De Falco, P. Buonocore, E. Riccio, V. Bisesti, S. Federico, and A. Pisani

F1243