

FLU
A 53/3



VOLUME 800 24 OCTOBER 2013 ISSN 0003-2670

ANALYTICA CHIMICA ACTA

AN INTERNATIONAL JOURNAL DEVOTED TO ALL BRANCHES OF ANALYTICAL CHEMISTRY

EDITORS:


RICHARD P. BALDWIN
NEIL W. BARNETT
WOLFGANG BUCHBERGER
LUTGARDE BUYDENS
PURNENDU K. DASGUPTA
ULRICH J. KRULL
JAMES P. LANDERS
LIANG LI
JANUSZ PAWLISZYN
PAUL J. WORSFOLD

REVIEW EDITOR:


MANUEL MIRÓ

Mercury detection using nanotechnology based-strategies

Amalgam



T-Hg-T complexes



Colorimetric test strips



Nanoparticle-electrochemical combined strategies




Review Article

Toward decentralized analysis of mercury (II) in real samples.
A critical review on nanotechnology-based methodologies

Santiago Botasini, Gonzalo Heijo and Eduardo Méndez

(Published on pp. 1–11 of this issue)

available at www.sciencedirect.com**ScienceDirect**journal homepage: www.elsevier.com/locate/aca

CONTENTS

Abstracted/indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.; Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.

Review articles

- Toward decentralized analysis of mercury (II) in real samples. A critical review on nanotechnology-based methodologies
S. Botasini, G. Heijo and E. Méndez (Montevideo, Uruguay) 1

Recent advances in the development of single cell analysis—A review

- K. Klepárník and F. Foret (Brno, Czech Republic) 12

Electrochemistry

- Simultaneous detection of four biomarkers with one sensing surface based on redox probe tagging strategy
Q. Zhu, Y. Chai, R. Yuan and Y. Zhusuo (Chongqing, China) 22

Extraction and Sample Handling

- A new method for stable lead isotope extraction from seawater
C.M. Zurbrick, C. Gallon and A.R. Flegal (Santa Cruz, CA, USA) 29

Proteomic platform for the identification of proteins in olive (*Olea europaea*) pulp

- A.L. Capriotti, C. Cavaliere, P. Foglia, S. Piovesana, R. Samperi, S. Stampachiacchieri and A. Laganà (Rome, Italy) 36

Water-compatible poly (hydroxyethyl methacrylate) polymer sorbent for miniaturized syringe assisted extraction of sulfonamides in milk

- M. Gao, H. Yan and N. Sun (Baoding, China) 43

Sensors and Bioselective Reagents

A microfluidic paper-based analytical device for rapid quantification of particulate chromium

- P. Rattanarat, W. Dungchai (Bangkok, Thailand), D.M. Cate (Fort Collins, CO, USA), W. Siangproh (Bangkok, Thailand), J. Volckens (Fort Collins, CO, USA), O. Chailapakul (Bangkok, Thailand) and C.S. Henry (Fort Collins, CO, USA) 50

Focused-ion-beam-fabricated Au nanorods coupled with Ag nanoparticles used as surface-enhanced Raman scattering-active substrate for analyzing trace melamine constituents in solution

- K. Sivashanmugan, J.-D. Liao, B.H. Liu and C.-K. Yao (Tainan, Taiwan) 56

Sulfate-reducing bacteria detection based on the photocatalytic property of microbial synthesized ZnS nanoparticles

- P. Qi (Qingdao, China and Beijing, China), D. Zhang (Qingdao, China) and Y. Wan (Qingdao, China and Beijing, China) 65

Hypochlorous acid turn-on boron dipyrromethene probe based on oxidation of methyl phenyl sulfide

- S.-R. Liu, M. Vedamalai and S.-P. Wu (Hsinchu, Republic of China) 71

Novel B,O-chelated fluorescent probe for nitric oxide imaging in Raw 264.7 macrophages and onion tissues

- J.-B. Chen, H.-X. Zhang, X.-F. Guo, H. Wang and H.-S. Zhang (Wuhan, China) 77

Fast and effective paper based sensor for self-diagnosis of bacterial vaginosis

- Y. Zhang and D. Rochefort (Montréal, Canada) 87

Separation Methods

Hydroxyethylammonium monosubstituted cyclodextrin as chiral selector for capillary electrophoresis

- J. Zhou (Nanjing, People's Republic of China and Singapore, Singapore), F. Ai (Singapore, Singapore), B. Zhou, J. Tang (Nanjing, People's Republic of China), S.-C. Ng (Singapore, Singapore) and W. Tang (Nanjing, People's Republic of China) 95

Capillary zone electrophoresis and capillary electrophoresis-mass spectrometry for analyzing qualitative and quantitative variations in therapeutic albumin

- A.-L. Marie (Châtenay-Malabry, France), C. Przybylski, F. Gonnet, R. Daniel (Evry, France), R. Urbain, G. Chevreux, S. Jorieux (Les Ulis, France) and M. Taverna (Châtenay-Malabry, France) 103