


TW  
A53/3



VOLUME 812 17 FEBRUARY 2014 ISSN 0003-2670

# ANALYTICA CHIMICA ACTA


AN INTERNATIONAL JOURNAL DEVOTED TO ALL BRANCHES OF ANALYTICAL CHEMISTRY

## EDITORS:

RICHARD P. BALDWIN  
NEIL W. BARNETT  
WOLFGANG BUCHBERGER  
LUTGARDE BUYDENS  
PURNENDU K. DASGUPTA  
ULRICH J. KRULL  
JAMES P. LANDERS  
LIANG LI  
JANUSZ PAWLISZYN  
PAUL J. WORSFOLD

## REVIEW EDITOR:

MANUEL MIRÓ



## Featured Article

Nanostructuring carbon fibre probes for use in central venous catheters

Meixian Li, Jolene Phair, Marco F. Cardosi and James Davis

*(Published on pp. 1–5 of this issue)*



ELSEVIER

available at [www.sciencedirect.com](http://www.sciencedirect.com)

ScienceDirect

journal homepage: [www.elsevier.com/locate/aca](http://www.elsevier.com/locate/aca)

## CONTENTS

Abstracted/indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.; Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.

### Featured article

- Nanostructuring carbon fibre probes for use in central venous catheters  
M. Li, J. Phair, M.F. Cardoso and J. Davis ..... 1

### Atomic Spectrometry

- Direct determination of mercury in cosmetic samples by isotope dilution inductively coupled plasma mass spectrometry after dissolution with formic acid  
Y. Gao, Z. Shi, Q. Zong, P. Wu, J. Su and R. Liu ..... 6
- Ultra-sensitive quantification of lysozyme based on element chelate labeling and capillary electrophoresis-inductively coupled plasma mass spectrometry  
M. Yang, W. Wu, Y. Ruan, L. Huang, Z. Wu, Y. Cai and F. Fu ..... 12

### Electrochemistry

- Glassy carbon electrodes sequentially modified by cysteamine-capped gold nanoparticles and poly(amidoamine) dendrimers generation 4.5 for detecting uric acid in human serum without ascorbic acid interference  
A.S. Ramírez-Segovia, J.A. Banda-Alemán, S. Gutiérrez-Granados, A. Rodríguez, F.J. Rodríguez, L.A. Godínez, E. Bustos and J. Manríquez ..... 18
- Electroanalytical quantification of total dsDNA extracted from human sample using, an ionic liquid modified, carbon nanotubes paste electrode  
C. Serpi, L. Kovatsi and S. Girousi ..... 26
- Highly sensitive electrogenerated chemiluminescence biosensor in profiling protein kinase activity and inhibition using a multifunctional nanoprobe  
R.-P. Liang, C.-Y. Xiang, H.-F. Zhao and J.-D. Qiu ..... 33
- Sulfite oxidase biosensors based on tetrathiafulvalene modified screen-printed carbon electrodes for sulfite determination in wine  
B. Molinero-Abad, M.A. Alonso-Lomillo, O. Domínguez-Renedo and M.J. Arcos-Martínez ..... 41
- Aptamer-based homogeneous protein detection using cucurbit[7]uril functionalized electrode  
Y. Cao, D. Chen, W. Chen, J. Yu, Z. Chen and G. Li ..... 45

### Extraction and Sample Handling

- Determination of UV filters in both soluble and particulate fractions of seawaters by dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry  
J.L. Benedé, A. Chisvert, A. Salvador, D. Sánchez-Quiles and A. Tovar-Sánchez ..... 50
- Development of a new green non-dispersive ionic liquid microextraction method in a narrow glass column for determination of cadmium prior to couple with graphite furnace atomic absorption spectrometry  
Naeemullah, T.G. Kazi, M. Tuzen, F. Shah, H.I. Afridi and D. Citak ..... 59
- Immobilization of trypsin onto multifunctional meso-/macroporous core-shell microspheres: A new platform for rapid enzymatic digestion  
G. Cheng, P. Chen, Z.-G. Wang, X.-J. Sui, J.-L. Zhang and J.-Z. Ni ..... 65
- Development of stir-bar sorptive extraction-thermal desorption-gas chromatography-mass spectrometry for the analysis of musks in vegetables and amended soils  
J. Aguirre, E. Bizkarguenaga, A. Iparraguirre, L.Á. Fernández, O. Zuloaga and A. Prieto ..... 74

**Mass Spectrometry**

- Analytical methodology for sampling and analysing eight siloxanes and trimethylsilanol in biogas from different wastewater treatment plants in Europe  
J. Raich-Montiu, C. Ribas-Font, N. de Arespachaga, E. Roig-Torres, F. Broto-Puig, M. Crest, L. Bouchy and J.L. Cortina . . . 83
- Investigation of endogenous corticosteroids profiles in human urine based on liquid chromatography tandem mass spectrometry  
J. Marcos, N. Renau, G. Casals, J. Segura, R. Ventura and O.J. Pozo . . . . . 92
- A novel titanium dioxide-polydimethylsiloxane plate for phosphopeptide enrichment and mass spectrometry analysis  
C.-J. Chen, C.-C. Lai, M.-C. Tseng, Y.-C. Liu, Y.-H. Liu, L.-W. Chiou and F.-J. Tsai . . . . . 105

**Molecular Spectrometry**

- Photochemical decoration of silver nanoparticles on magnetic microspheres as substrates for the detection of adenine by surface-enhanced Raman scattering  
M.T. Alula and J. Yang . . . . . 114
- Determination of dissolved organic matter based on UV-light induced reduction of ionic silver to metallic nanoparticles by humic and fulvic acids  
V.A. Gatselou, D.L. Giokas and A.G. Vlessidis . . . . . 121

**Sensors and Bioselective Reagents**

- A 3,3'-dichlorobenzidine-imprinted polymer gel surface plasmon resonance sensor based on template-responsive shrinkage  
C. Zhou, J. Gao, L. Zhang and J. Zhou . . . . . 129
- Locked nucleic acid/DNA chimeric aptamer probe for tumor diagnosis with improved serum stability and extended imaging window *in vivo*  
H. Shi, X. He, W. Cui, K. Wang, K. Deng, D. Li and F. Xu . . . . . 138
- A ratiometric fluorescent probe for iron(III) and its application for detection of iron(III) in human blood serum  
L. Long, L. Zhou, L. Wang, S. Meng, A. Gong and C. Zhang . . . . . 145
- Aptamer-functionalized silver nanoparticles for scanometric detection of platelet-derived growth factor-BB  
H. Hu, H. Li, Y. Zhao, S. Dong, W. Li, W. Qiang and D. Xu . . . . . 152
- A sensitive fluorescence anisotropy method for detection of lead (II) ion by a G-quadruplex-inducible DNA aptamer  
D. Zhang, L. Yin, Z. Meng, A. Yu, L. Guo and H. Wang . . . . . 161
- On-bead fluorescent DNA nanoprobe to analyze base excision repair activities  
G. Gines, C. Saint-Pierre and D. Gasparutto . . . . . 168
- Effect of redox label tether length and flexibility on sensor performance of displacement-based electrochemical DNA sensors  
Z.-g. Yu, A.J. Zaitouna and R.Y. Lai . . . . . 176
- Computational prediction and experimental selectivity coefficients for hydroxyzine and cetirizine molecularly imprinted polymer based potentiometric sensors  
A. Azimi and M. Javanbakht . . . . . 184
- Ligand displacement-induced fluorescence switch of quantum dots for ultrasensitive detection of cadmium ions  
X. Hu, K. Zhu, Q. Guo, Y. Liu, M. Ye and Q. Sun . . . . . 191
- Fluorescent recognition of deoxyribonucleic acids by a quantum dot/*meso*-tetrakis(*N*-methylpyridinium-4-yl)porphyrin complex based on a photo induced electron-transfer mechanism  
K. Zhu, X. Hu, Q. Ge and Q. Sun . . . . . 199
- Heterogeneous nucleation for synthesis of sub-20 nm ZnO nanopods and their application to optical humidity sensing  
R. Majithia, S. Ritter and K.E. Meissner . . . . . 206
- Photocured thiol-ene based optical fluorescence sensor for determination of gold(III)  
S. Çubuk, M.V. Kahraman, E.K. Yetimoğlu and S. Kenan . . . . . 215
- Optical "Turn off" based selective detection and concomitant degradation of 2-chloroethyl ethyl sulfide (CEES) *via* Mg-porphyrine complex immobilized on glass  
Neelam, V. Singh and T. Gupta . . . . . 222
- Fingerprint detection and using intercalated CdSe nanoparticles on non-porous surfaces  
M. Algarra, K. Radotić, A. Kalauzi, D. Mutavdžić, A. Savić, J. Jiménez-Jiménez, E. Rodríguez-Gastellón, J.C.G.E. de Silva and J.J. Guerrero-González . . . . . 228
- A competitive immunoassay for sensitive detection of small molecules chloramphenicol based on luminol functionalized silver nanoprobe  
X. Yu, Y. He, J. Jiang and H. Cui . . . . . 236

**Separation Methods**

Combination of micropreparative solution isoelectric focusing and high-performance liquid chromatography for differentiation of biofilm-positive and biofilm-negative <i>Candida parapsilosis</i> group from vascular catheter M. Vykydalová, M. Horká, F. Růžička, F. Duša, D. Moravcová, V. Kahle and K. Šlais .....	243
Direct accurate analysis of cysteinylated and glutathionylated precursors of 4-mercapto-4-methyl-2-pentanone and 3-mercaptohexan-1-ol in must by ultrahigh performance liquid chromatography coupled to mass spectrometry B. Concejero, A. Peña-Gallego, P. Fernandez-Zurbano, P. Hernández-Orte and V. Ferreira .....	250
Gas chromatography–mass spectroscopy optimization by computer simulation, application to the analysis of 93 volatile organic compounds in workplace ambient air J. Randon, L. Maret and C. Ferronato .....	258
<b>Corrigendum</b>	
Corrigendum to 'Matrix enhancement effect: A blessing or a curse for gas chromatography? – A review' [Anal. Chim. Acta 801 (2013) 14–21] Md.M. Rahman, A.M. Abd El-Aty and J.-H. Shim .....	265