


ПН  
A53/3



# ANALYTICA CHIMICA ACTA


AN INTERNATIONAL JOURNAL DEVOTED TO ALL BRANCHES OF ANALYTICAL CHEMISTRY

## EDITORS:

RICHARD P. BALDWIN  
NEIL W. BARNETT  
WOLFGANG BUCHBERGER  
LUTGARDE BUYDENS  
PURNENDU K. DASGUPTA  
ULRICH J. KRULL  
JAMES P. LANDERS  
LIANG LI  
JANUSZ PAWLISZYN  
PAUL J. WORSFOLD

## REVIEW EDITOR:

MANUEL MIRÓ



## Review article

Aptamer binding assays for proteins: The thrombin example—A review

Bin Deng, Yanwen Lin, Chuan Wang, Feng Li,  
Zhixin Wang, Hongquan Zhang, Xing-Fang Li,  
X. Chris Le

(Published on pp. 1–15 of this issue)



ELSEVIER

available at [www.sciencedirect.com](http://www.sciencedirect.com)

ScienceDirect

journal homepage: [www.elsevier.com/locate/aca](http://www.elsevier.com/locate/aca)

## CONTENTS

Abstracted/indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.; Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.

### Review Article

- Aptamer binding assays for proteins: The thrombin example—A review  
B. Deng, Y. Lin, C. Wang, F. Li, Z. Wang, H. Zhang, X.-F. Li and X.C. Le ..... 1

### Atomic Spectrometry

- Effect of simultaneous cooling on microwave-assisted wet digestion of biological samples with diluted nitric acid and O<sub>2</sub> pressure  
C.A. Bizzi, J.A. Nóbrega, J.S. Barin, J.S.S. Oliveira, L. Schmidt, P.A. Mello and E.M.M. Flores ..... 16
- Accurate determination and certification of bromine in plastic by isotope dilution inductively coupled plasma mass spectrometry  
M. Ohata and T. Miura ..... 23

### Chemometrics

- Multivariate curve resolution of incomplete fused multiset data from chromatographic and spectrophotometric analyses for drug photostability studies  
M.D. Luca, G. Ragno, G. Ioele and R. Tauler ..... 31

### Electrochemistry

- On-site fuel electroanalysis: Determination of lead, copper and mercury in fuel bioethanol by anodic stripping voltammetry using screen-printed gold electrodes  
E.S. Almeida, E.M. Richter and R.A.A. Munoz ..... 38
- Aptamer-conjugated bio-bar-code Au-Fe<sub>3</sub>O<sub>4</sub> nanoparticles as amplification station for electrochemiluminescence detection of tumor cells  
M. Chen, S. Bi, X. Jia and P. He ..... 44

### Extraction and Sample Handling

- Preparation and application of sol-gel acrylate and methacrylate solid-phase microextraction fibres for gas chromatographic analysis of organoarsenic compounds  
S. Popiel, J. Nawała and K. Czupryński ..... 52
- Novel polymeric ionic liquid microspheres with high exchange capacity for fast extraction of plasmid DNA  
X. Wang, L. Xing, Y. Shu, X. Chen and J. Wang ..... 64

### Mass Spectrometry

- A liquid chromatography-mass spectrometry method based on class characteristic fragmentation pathways to detect the class of indole-derivative synthetic cannabinoids in biological samples  
M. Mazzarino, X. de la Torre and F. Botrè ..... 70
- Internal standard mass spectrum fingerprint: A novel strategy for rapid assessing the quality of Shuang-Huang-Lian oral liquid using wooden-tip electrospray ionization mass spectrometry  
Y. Yang and J. Deng ..... 83