


ПН,
A53/3



ANALYTICA CHIMICA ACTA


AN INTERNATIONAL JOURNAL DEVOTED TO ALL BRANCHES OF ANALYTICAL CHEMISTRY

EDITORS:

RICHARD P. BALDWIN
NEIL W. BARNETT
WOLFGANG BUCHBERGER
LUTGARDE BUYDENS
PURNENDU K. DASGUPTA
ULRICH J. KRULL
JAMES P. LANDERS
LIANG LI
JANUSZ PAWLISZYN
PAUL J. WORSFOLD

REVIEW EDITOR:

MANUEL MIRÓ



Featured article

Direct analysis of anabolic steroids in urine using Leidenfrost phenomenon assisted thermal desorption-dielectric barrier discharge ionization mass spectrometry

Subhrakanti Saha, Mridul K Mandal, Hiroshi Nonami,
Kenzo Hiraoka

(Published on pp. 1–7 of this issue)



CONTENTS

Abstracted/indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.; Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.

Featured article

- Direct analysis of anabolic steroids in urine using Leidenfrost phenomenon assisted thermal desorption-dielectric barrier discharge ionization mass spectrometry
S. Saha, M.K. Mandal, H. Nonami and K. Hiraoka 1

Atomic Spectrometry

- Elemental ratios for characterization of quantum-dots populations in complex mixtures by asymmetrical flow field-flow fractionation on-line coupled to fluorescence and inductively coupled plasma mass spectrometry
M. Menendez-Miranda, M.T. Fernandez-Arguelles, J.M. Costa-Fernandez, J.R. Encinar and A. Sanz-Medel 8

Chemometrics

- Independent components analysis coupled with 3D-front-face fluorescence spectroscopy to study the interaction between plastic food packaging and olive oil
A. Kassouf, M. El Rakwe, H. Chebib, V. Ducruet, D.N. Rutledge and J. Maalouly 14

Electrochemistry

- Reusable and robust high sensitive non-enzymatic glucose sensor based on Ni(OH)₂ nanoparticles
M.A. Kiani, M.A. Tehrani and H. Sayahi 26

Extraction and Sample Handling

- Selectivity assessment of an arsenic sequential extraction procedure for evaluating mobility in mine wastes
P. Drahota, Z. Grösslová and H. Kindlová 34

Mass Spectrometry

- Untargeted fatty acid profiles based on the selected ion monitoring mode
L. Zhang, P. Li, X. Sun, W. Hu, X. Wang, Q. Zhang and X. Ding 44

Molecular Spectrometry

- Novel lanthanide pH fluorescent probes based on multiple emissions and its visible-light-sensitized feature
J. Lin, Y. Zheng, Q. Wang, Z. Zeng and C.C. Zhang 51

Sensors and Bioselective Reagents

- An electrochemical sensor prepared by sonochemical one-pot synthesis of multi-walled carbon nanotube-supported cobalt nanoparticles for the simultaneous determination of paracetamol and dopamine
A. Kutluay and M. Aslanoglu 59

- A streptavidin functionalized graphene oxide/Au nanoparticles composite for the construction of sensitive chemiluminescent immunosensor
Z. Yang, S. Luo, J. Li, J. Shen, S. Yu, X. Hu and D.D. Dionysiou 67

- Single-fluorophore-based fluorescent probes enable dual-channel detection of Ag⁺ and Hg²⁺ with high selectivity and sensitivity
Y. Lv, L. Zhu, H. Liu, Y. Wu, Z. Chen, H. Fu and Z. Tian 74

- Rapid colorimetric sensing of tetracycline antibiotics with in situ growth of gold nanoparticles
L. Shen, J. Chen, N. Li, P. He and Z. Li 83

- Highly sensitive multianalyte immunochromatographic test strip for rapid chemiluminescent detection of ractopamine and salbutamol
H. Gao, J. Han, S. Yang, Z. Wang, L. Wang and Z. Fu 91