


M
A53/3

VOLUME 847 17 OCTOBER 2014 ISSN 0003-2670



ANALYTICA CHIMICA ACTA


AN INTERNATIONAL JOURNAL DEVOTED TO ALL BRANCHES OF ANALYTICAL CHEMISTRY

EDITORS:

RICHARD P. BALDWIN
NEIL W. BARNETT
WOLFGANG BUCHBERGER
LUTGARDE BUYDENS
PURNENDU K. DASGUPTA
ULRICH J. KRULL
JAMES P. LANDERS
LIANG LI
JANUSZ PAWLISZYN
PAUL J. WORSFOLD

REVIEW EDITOR:

MANUEL MIRÓ



Featured article

Paper-based electrochemical cyto-device for sensitive detection of cancer cells and in-situ anticancer drug screening

Min Su, Lei Ge, Shenguang Ge, Nianqiang Li, Jinghua Yu, Mei Yan, Jiadong Huang

(Published on pp. 1–9 of this issue)



ELSEVIER

available at www.sciencedirect.com

ScienceDirect

journal homepage: www.elsevier.com/locate/aca

CONTENTS

Abstracted/indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.; Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.

Featured article

- Paper-based electrochemical cyto-device for sensitive detection of cancer cells and in situ anticancer drug screening
M. Su, L. Ge, S. Ge, N. Li, J. Yu, M. Yan and J. Huang 1

Atomic Spectrometry

- Cerium oxide-deposited mesoporous silica nanoparticles for the determination of carcinoembryonic antigen in serum using inductively coupled plasma-mass spectrometry
H.W. Choi, K.H. Lee, N.H. Hur and H.B. Lim 10

Chemometrics

- Characterization of heteroscedastic measurement noise in the absence of replicates
P.D. Wentzell and A.C. Tarasuk 16

Electrochemistry

- A label-free amperometric immunosensor for detection of zearalenone based on trimetallic Au-core/AgPt-shell nanorattles and mesoporous carbon
L. Liu, Y. Chao, W. Cao, Y. Wang, C. Luo, X. Pang, D. Fan and Q. Wei 29

- Multiplexed electrochemical immunoassay using streptavidin/nanogold/carbon nanohorn as a signal tag to induce silver deposition
C. Zhao, J. Wu, H. Ju and F. Yan 37

Extraction and Sample Handling

- Investigation on stability and preservation of antimonite in iron rich water samples
B. Daus and R. Wennrich 44

Sensors and Bioselective Reagents

- One-step synthesis and applications of fluorescent Cu nanoclusters stabilized by L-cysteine in aqueous solution
X. Yang, Y. Feng, S. Zhu, Y. Luo, Y. Zhuo and Y. Dou 49

- Trace analysis of uranyl ion (UO_2^{2+}) in aqueous solution by fluorescence turn-on detection via aggregation induced emission enhancement effect
X. Chen, L. He, Y. Wang, B. Liu and Y. Tang 55

Separation Methods

- Investigating sub-2 μm particle stationary phase supercritical fluid chromatography coupled to mass spectrometry for chemical profiling of chamomile extracts
M.D. Jones, B. Avula, Y.-H. Wang, L. Lu, J. Zhao, C. Avonto, G. Isaac, L. Meeker, K. Yu, C. Legido-Quigley, N. Smith and I.A. Khan 61

- Simultaneous separation of five major ribonucleic acids by capillary electrophoresis with laser-induced fluorescence in the presence of electroosmotic flow: Application to the rapid screening of 5S rRNA from ovarian cancer cells
Y.-C. Shih, C.-R. Liao, I.-C. Chung, Y.-S. Chang and P.-L. Chang 73

- Theoretical study of temperature influence on the electrophoresis of a pH-regulated polyelectrolyte
S. Tseng, J.-Y. Lin and J.-P. Hsu 80