

# ANALYTICA CHIMICA ACTA


AN INTERNATIONAL JOURNAL DEVOTED TO ALL BRANCHES OF ANALYTICAL CHEMISTRY

## EDITORS:

RICHARD P. BALDWIN  
NEIL W. BARNETT  
WOLFGANG BUCHBERGER  
LUTGARDE BUYDENS  
PURNENDU K. DASGUPTA  
ULRICH J. KRULL  
JAMES P. LANDERS  
LIANG LI  
JANUSZ PAWLISZYN  
PAUL J. WORSFOLD

## REVIEW EDITOR:

MANUEL MIRÓ




## Featured Review article:


Capillary electrophoresis methods for microRNAs assays: A review

Eunmi Ban, Eun Joo Song

(Published in pages 1–7 of this issue)



Volume 852 is available at [www.sciencedirect.com](http://www.sciencedirect.com)  
**ScienceDirect**  
 journal homepage: [www.elsevier.com/locate/aca](http://www.elsevier.com/locate/aca)



## CONTENTS

Abstracted/indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.; Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index  
 Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.

### Featured Review Article

Capillary electrophoresis methods for microRNAs assays: A review E. Ban and E.J. Song .....	1
--	---

### Atomic Spectrometry

Direct determination of total mercury in phosphate rock using alkaline fusion digestion F. D'Agostino, E. Oliveri, E. Bagnato, F. Falco, S. Mazzola and M. Sprovieri .....	8
---	---

Crosslinked plastic scintillators: A new detection system for radioactivity measurement in organic and aggressive media H. Bagán, A. Tarancón, L. Ye and J.F. García .....	13
---	----

### Chemometrics

Firefly as a novel swarm intelligence variable selection method in spectroscopy M. Goodarzi and L. dos Santos Coelho .....	20
---	----

### Electrochemistry

A highly sensitive electrochemical sensor for simultaneous determination of hydroquinone and bisphenol A based on the ultrafine Pd nanoparticle@TiO <sub>2</sub> functionalized SiC L. Yang, H. Zhao, S. Fan, B. Li and C.-P. Li .....	28
---	----

Highly accessible Pt nanodots homogeneously decorated on Au nanorods surface for sensing X. Feng, X. Li, H. Shi, H. Huang, X. Wu and W. Song .....	37
---	----

Ultrasensitive and simultaneous detection of heavy metal ions based on three-dimensional graphene-carbon nanotubes hybrid electrode materials H. Huang, T. Chen, X. Liu and H. Ma .....	45
--	----

Highly sensitive determination of mercury using copper enhancer by diamond electrode coupled with sequential injection-anodic stripping voltammetry S. Chaiyo, O. Chailapakul and W. Siangproh .....	55
---	----

An electrochemical sensor for sodium dodecyl sulfate detection based on anion exchange using eosin Y/polyethyleneimine modified electrode X. Hao, J.L. Lei, N.B. Li and H.Q. Luo .....	63
---	----

An electrochemiluminescence sensor for bromate assay based on a new cationic polythiophene derivative X. Li, J. Li, H. Wang, R. Li, H. Ma, B. Du and Q. Wei .....	69
--	----

### Extraction and Sample Handling

Determination of picomolar beryllium levels in seawater with inductively coupled plasma mass spectrometry following silica-gel preconcentration H. Tazoe, T. Yamagata, H. Obata and H. Nagai .....	74
---	----

Simultaneous determination of bromine and chlorine in coal using electrothermal vaporization inductively coupled plasma mass spectrometry and direct solid sample analysis J.S. de Gois, É.R. Pereira, B. Welz and D.L.G. Borges .....	82
---	----

A novel magnetic ionic liquid modified carbon nanotube for the simultaneous determination of aryloxyphenoxy-propionate herbicides and their metabolites in water M. Luo, D. Liu, L. Zhao, J. Han, Y. Liang, P. Wang and Z. Zhou .....	88
--	----

---

A new simple, low-cost approach for generation of the PM <sub>10</sub> fraction from soil and related materials: Application to human health risk assessment N. Boisa, J. Entwistle and J.R. Dean .....	97
Chemometrics-assisted excitation–emission fluorescence spectroscopy on nylon-attached rotating disks. Simultaneous determination of polycyclic aromatic hydrocarbons in the presence of interferences A. Cañas, P. Richter and G.M. Escandar .....	105
Analysis of endocrine disruptor compounds in marine sediments by in cell clean up–pressurized liquid extraction–liquid chromatography tandem mass spectrometry determination N. Salgueiro-González, I. Turnes-Carou, S. Muniategui-Lorenzo, P. López-Mahía and D. Prada-Rodríguez .....	112
<b>Mass Spectrometry</b>	
Cu <sup>2+</sup> -assisted two dimensional charge-mass double focusing gel electrophoresis and mass spectrometric analysis of histone variants W. Zhang, X. Tang, M. Ding and H. Zhong .....	121
Effects of the temperature and beam parameters on depth profiles in X-ray photoelectron spectrometry and secondary ion mass spectrometry under C <sub>60</sub> <sup>+</sup> -Ar <sup>+</sup> cosputtering H.-Y. Liao, M.-H. Tsai, W.-L. Kao, D.-Y. Kuo and J.-J. Shyue .....	129
Detection of boldenone, its conjugates and androstadienedione, as well as five corticosteroids in bovine bile through a unique immunoaffinity column clean-up and two validated liquid chromatography–tandem mass spectrometry analyses L. Chiesa, M. Nobile, S. Panseri, C.A. Sgoifo Rossi, R. Pavlovic and F. Arioli .....	137
IRMS detection of testosterone manipulated with <sup>13</sup> C labeled standards in human urine by removing the labeled <sup>13</sup> C J. Wang, R. Yang, W. Yang, X. Liu, Y. Xing and Y. Xu .....	146
Graphene/TiO <sub>2</sub> nanocomposite based solid-phase extraction and matrix-assisted laser desorption/ionization time-of-flight mass spectrometry for lipidomic profiling of avocado ( <i>Persea americana</i> Mill.) Q. Shen, M. Yang, L. Li and H.-Y. Cheung .....	153
Sensitive determination of fluoride in biological samples by gas chromatography-mass spectrometry after derivatization with 2-(bromomethyl)naphthalene S.-M. Kwon and H.-S. Shin .....	162
Ultra-sensitive determination of cyanide in surface water by gas chromatography-tandem mass spectrometry after derivatization with 2-(dimethylamino)ethanethiol H.-I. Kang and H.-S. Shin .....	168
<b>Sensors and Bioselective Reagents</b>	
Carbon dots from tryptophan doped glucose for peroxynitrite sensing E.F.C. Simões, J.C.G.E. da Silva and J.M.M. Leitão .....	174
Graphene-palladium nanowires based electrochemical sensor using ZnFe <sub>2</sub> O <sub>4</sub> -graphene quantum dots as an effective peroxidase mimic W. Liu, H. Yang, C. Ma, Y.-n. Ding, S. Ge, J. Yu and M. Yan .....	181
Visual and fluorescent detection of acetamiprid based on the inner filter effect of gold nanoparticles on ratiometric fluorescence quantum dots X. Yan, H. Li, Y. Li and X. Su .....	189
Fluorogenic ratiometric dipodal optode containing imine-amide linkages: Exploiting subtle thorium (IV) ion sensing K. Tayade, A. Kaur, S. Tetgure, G.K. Chaitanya, N. Singh and A. Kuwar .....	196
Colorimetric and fluorometric dual-modal probes for cyanide detection based on the doubly activated Michael acceptor and their bioimaging applications H. Li, T. Chen, L. Jin, Y. Kan and B. Yin .....	203
Quantification of 5-methylcytosine, 5-hydroxymethylcytosine and 5-carboxylcytosine from the blood of cancer patients by an enzyme-based immunoassay B. Chowdhury, I.-H. Cho, N. Hahn and J. Irudayaraj .....	212
Colorimetric detection of sulfide based on target-induced shielding against the peroxidase-like activity of gold nanoparticles H.-H. Deng, S.-H. Weng, S.-L. Huang, L.-N. Zhang, A.-L. Liu, X.-H. Lin and W. Chen .....	218
Silver ion imprinted polymer nanobeads based on a aza-thioether crown containing a 1,10-phenanthroline subunit for solid phase extraction and for voltammetric and potentiometric silver sensors M. Shamsipur, B. Hashemi, S. Dehdashtian, M. Mohammadi, M.B. Gholivand, A. Garau and V. Lippolis .....	223
Multiplex sensor for detection of different metal ions based on on-off of fluorescent gold nanoclusters Q. Zhao, S. Chen, L. Zhang, H. Huang, Y. Zeng and F. Liu .....	236
Label-free and enzyme-free sensitive fluorescent detection of human immunodeficiency virus deoxyribonucleic acid based on hybridization chain reaction Q. Guo, Y. Chen, Z. Song, L. Guo, F. Fu and G. Chen .....	244

---

Molecularly imprinted polymer coated magnetite nanoparticles as an efficient mefenamic acid resonance light scattering nanosensor M. Ahmadi, T. Madrakian and A. Afkhami .....	250
<b>Separation Methods</b>	
Gas chromatographic retention index as a basis for predicting evaporation rates of complex mixtures J.W. McIlroy, A.D. Jones and V.L. McGuffin .....	257
Towards high peak capacity separations in normal pressure nanoflow liquid chromatography using meter long packed capillary columns J. Han, L. Ye, L. Xu, Z. Zhou, F. Gao, Z. Xiao, Q. Wang and B. Zhang .....	267
A real-time decoding sequencing based on dual mononucleotide addition for cyclic synthesis D. Pu, Y. Qi, L. Cui, P. Xiao and Z. Lu .....	274
Zirconium silicate assisted removal of residual proteins after organic solvent deproteinization of human plasma, enhancing the stability of the LC-ESI-MS response for the bioanalysis of small molecules S. Hussain, C. Pezzei, Y. Güzel, M. Rainer, C.W. Huck and G.K. Bonn .....	284