







analytical chemistry

January 20, 2015 Volume 87 Number 2



Exploiting Highly Ordered Subnanoliter Volume Microcapillaries as Microtools for the Analysis of Antibody Producing Cells



ACS Publications
Most Trusted. Most Cited. Most Read.

www.acs.org

Content

1. Development of High-Performance Chemical Isotope Labeling LC–MS for Profiling the Human Fecal Metabolome

Wei Xu, Deying Chen, Nan Wang, Ting Zhang, Ruokun Zhou, Tao Huan, Yingfeng Lu, Xiaoling Su, Qing Xie, Liang Li, and Lanjuan Li
Analytical Chemistry **2015** 87 (2), 829-836

2. Twenty Natural Amino Acids Identification by a Photochromic Sensor Chip

Meng Qin, Fengyu Li, Yu Huang, Wei Ran, Dong Han, and Yanlin Song
Analytical Chemistry **2015** 87 (2), 837-842

3. High Resolution Solid State 2D NMR Analysis of Biomass and Biochar

Yann Le Brech, Luc Delmotte, Jesus Raya, Nicolas Brosse, Roger Gadiou, and Anthony Dufour
Analytical Chemistry **2015** 87 (2), 843-847

4. Hexamethyldisilazane as an Acylation Generator for Perfluorocarboxylic Acids in Quantitative Derivatization of Primary Phenylalkyl Amines Confirmed by GC/MS and Computations

Borbála Molnár, Antal Csámpai, and Ibolya Molnár-Perl
Analytical Chemistry **2015** 87 (2), 848-852

5. Flexible Microfabricated Film Sensors for the in Situ Quantum Dot-Based Voltammetric Detection of DNA Hybridization in Microwells

Christos Kokkinos, Anastasios Economou, Thanasis Speliotis, Panagiota Petrou, and Sotirios Kakabakos
Analytical Chemistry **2015** 87 (2), 853-857

6. MALDI-MS-Based Quantitative Analysis for Ketone Containing Homoserine Lactones in *Pseudomonas aeruginosa*

Yoon-Woo Kim, Changmin Sung, Seulee Lee, Kyoung-Jin Kim, Yung-Hun Yang, Byung-Gee Kim, Yoo Kyung Lee, Hee Wook Ryu, and Yun-Gon Kim
Analytical Chemistry **2015** 87 (2), 858-863

7. Characterization of DNA-Conjugated Compounds Using a Regenerable Chip

Weilin Lin, Francesco V. Reddavid, Veselina Uzunova, Fatih Nadi Gür, and Yixin Zhang
Analytical Chemistry **2015** 87 (2), 864-868

8. Data Size Reduction Strategy for the Classification of Breath and Air Samples Using Multicapillary Column-Ion Mobility Spectrometry

Ewa Szymańska, Emma Brodrick, Mark Williams, Antony N. Davies, Henk-Jan van Manen, and Lutgarde M. C. Buydens
Analytical Chemistry **2015** 87 (2), 869-875

9. Exciton Energy Transfer-Based Quantum Dot Fluorescence Sensing Array: “Chemical Noses” for Discrimination of Different Nucleobases

Jianbo Liu, Gui Li, Xiaohai Yang, Kemin Wang, Li Li, Wei Liu, Xing Shi, and Yali Guo
Analytical Chemistry **2015** 87 (2), 876-883

10. Autonomous Metabolomics for Rapid Metabolite Identification in Global Profiling

H. Paul Benton, Julijana Ivanisevic, Nathaniel G. Mahieu, Michael E. Kurczy, Caroline H. Johnson, Lauren Franco, Duane Rinehart, Elizabeth Valentine, Harsha Gowda, Baljit K. Ubhi, Ralf Tautenhahn, Andrew Gieschen, Matthew W. Fields, Gary J. Patti, and Gary Siuzdak
Analytical Chemistry **2015** 87 (2), 884-891

11. Genetically Encoded Molecular Biosensors To Image Histone Methylation in Living Animals

Thillai V. Sekar, Kira Foygel, Juri G. Gelovani, and Ramasamy Paulmurugan
Analytical Chemistry **2015** 87 (2), 892-899

12. Barcoded Microchips for Biomolecular Assays

Yi Zhang, Jiashu Sun, Yu Zou, Wenwen Chen, Wei Zhang, Jianzhong Jeff Xi, and Xingyu Jiang
Analytical Chemistry **2015** 87 (2), 900-906

13. Accurate Data Process for Nanopore Analysis

Zhen Gu, Yi-Lun Ying, Chan Cao, Pingang He, and Yi-Tao Long
Analytical Chemistry **2015** 87 (2), 907-913

14. Characterization of Drug-Product-Related Impurities and Variants of a Therapeutic Monoclonal Antibody by Higher Energy C-Trap Dissociation Mass Spectrometry

Deyun Wang, Colin Wynne, Flora Gu, Chris Becker, Jia Zhao, Hans-Martin Mueller, Huijuan Li, Mohammed Shameem, and Yan-Hui Liu
Analytical Chemistry **2015** 87 (2), 914-921

15. Centrifugal Microfluidic Platform for Ultrasensitive Detection of Botulinum Toxin

Chung-Yan Koh, Ulrich Y. Schaff, Matthew E. Piccini, Larry H. Stanker, Luisa W. Cheng, Easwaran Ravichandran, Bal-Ram Singh, Greg J. Sommer, and Anup K. Singh
Analytical Chemistry **2015** 87 (2), 922-928

16. Target-Triggering Multiple-Cycle Amplification Strategy for Ultrasensitive Detection of Adenosine Based on Surface Plasma Resonance Techniques

Gui-Hong Yao, Ru-Ping Liang, Xiang-Dan Yu, Chun-Fang Huang, Li Zhang, and Jian-Ding Qiu
Analytical Chemistry **2015** 87 (2), 929-936

17. Toward Culture-Free Raman Spectroscopic Identification of Pathogens in Ascitic Fluid

Sandra Kloß, Petra Rösch, Wolfgang Pfister, Michael Kiehntopf, and Jürgen Popp
Analytical Chemistry **2015** 87 (2), 937-943

18. Immittance Electroanalysis in Diagnostics

Amol V. Patil, Flávio C. Bedatty Fernandes, Paulo R. Bueno, and Jason J. Davis
Analytical Chemistry **2015** 87 (2), 944-950

19. Coupling of a Headspace Autosampler with a Programmed Temperature Vaporizer for Stable Carbon and Hydrogen Isotope Analysis of Volatile Organic Compounds at Microgram per Liter Concentrations

Sara Herrero-Martín, Ivonne Nijenhuis, Hans H. Richnow, and Matthias Gehre
Analytical Chemistry **2015** 87 (2), 951-959

20. Characterizing Variability of In Vivo Raman Spectroscopic Properties of Different Anatomical Sites of Normal Colorectal Tissue towards Cancer Diagnosis at Colonoscopy

Mads Sylvest Bergholt, Wei Zheng, Kan Lin, Jianfeng Wang, Hongzhi Xu, Jian-lin Ren, Khek Yu Ho, Ming Teh, Khay Guan Yeoh, and Zhiwei Huang
Analytical Chemistry **2015** 87 (2), 960-966

21. Identification of RIP-II Toxins by Affinity Enrichment, Enzymatic Digestion and LC-MS

Sten-Åke Fredriksson, Elisabet Artursson, Tomas Bergström, Anders Östin, Calle Nilsson, and Crister Åstot
Analytical Chemistry **2015** 87 (2), 967-974

22. Derivatization Method of Free Cyanide Including Cyanogen Chloride for the Sensitive Analysis of Cyanide in Chlorinated Drinking Water by Liquid Chromatography-Tandem Mass Spectrometry

Hye-In Kang and Ho-Sang Shin
Analytical Chemistry **2015** 87 (2), 975-981

23. Fast and Highly Sensitive Fiber-Enhanced Raman Spectroscopic Monitoring of Molecular H₂ and CH₄ for Point-of-Care Diagnosis of Malabsorption Disorders in Exhaled Human Breath

Stefan Hanf, Timea Bögözi, Robert Keiner, Torsten Frosch, and Jürgen Popp
Analytical Chemistry **2015** 87 (2), 982-988

24. Electrochemical Sensor Based on Electrodeposited Graphene-Au Modified Electrode and NanoAu Carrier Amplified Signal Strategy for Attomolar Mercury Detection

Yi Zhang, Guang Ming Zeng, Lin Tang, Jun Chen, Yuan Zhu, Xiao Xiao He, and Yan He
Analytical Chemistry **2015** 87 (2), 989-996

25. Exploiting Highly Ordered Subnanoliter Volume Microcapillaries as Microtools for the Analysis of Antibody Producing Cells

Valerie Fitzgerald, Brian Manning, Barry O'Donnell, Brian O'Reilly, Dermot O'Sullivan, Richard O'Kennedy, and Paul Leonard
Analytical Chemistry **2015** 87 (2), 997-1003

26. Application of Blind Source Separation to Real-Time Dissolution Dynamic Nuclear Polarization

Christian Hilty and Mukundan Ragavan
Analytical Chemistry **2015** 87 (2), 1004-1008

27. Two Orders of Magnitude Improvement in Detection Limit of Lateral Flow Assays Using Isotachophoresis

Babak Y. Moghadam, Kelly T. Connelly, and Jonathan D. Posner
Analytical Chemistry **2015** 87 (2), 1009-1017

28. Microflow Liquid Chromatography Coupled to Mass Spectrometry—An Approach to Significantly Increase Sensitivity, Decrease Matrix Effects, and Reduce Organic Solvent Usage in Pesticide Residue Analysis

Ana Uclés Moreno, Sonia Herrera López, Barbara Reichert, Ana Lozano Fernández, María Dolores Hernando Guil, and Amadeo Rodríguez Fernández-Alba
Analytical Chemistry **2015** 87 (2), 1018-1025

29. Inkjet Printed Nanohydrogel Coated Carbon Nanotubes Electrodes For Matrix Independent Sensing

Andreas Lesch, Fernando Cortés-Salazar, Véronique Amstutz, Philippe Tacchini, and Hubert H. Girault
Analytical Chemistry **2015** 87 (2), 1026-1033

30. Investigation of the Persistence of Nerve Agent Degradation Analytes on Surfaces through Wipe Sampling and Detection with Ultrahigh Performance Liquid Chromatography-Tandem Mass Spectrometry

Stuart A. Willison
Analytical Chemistry **2015** 87 (2), 1034-1041

31. High-Energy Photon Activation Tandem Mass Spectrometry Provides Unprecedented Insights into the Structure of Highly Sulfated Oligosaccharides Extracted from Macroalgal Cell Walls

David Ropartz, Alexandre Giuliani, Cécile Hervé, Audrey Geairon, Murielle Jam, Mirjam Czjzek, and Hélène Rogniaux
Analytical Chemistry **2015** 87 (2), 1042-1049

32. Quantitative Analysis in Capillary Electrophoresis: Transformation of Raw Electropherograms into Continuous Distributions

Joseph Chamieh, Michel Martin, and Hervé Cottet
Analytical Chemistry **2015** 87 (2), 1050-1057

33. Extraction of Absorption and Scattering Contribution of Metallic Nanoparticles Toward Rational Synthesis and Application

Bi-Ju Liu, Kai-Qiang Lin, Shu Hu, Xiang Wang, Zhi-Chao Lei, Hai-Xin Lin, and Bin Ren
Analytical Chemistry **2015** 87 (2), 1058-1065

34. Theory and Experiments for Voltammetric and SECM Investigations and Application to ORR Electrocatalysis at Nanoelectrode Ensembles of Ultramicroelectrode Dimensions

José L. Fernández, Manjula Wijesinghe, and Cynthia G. Zoski
Analytical Chemistry **2015** 87 (2), 1066-1074

35. Aptamer-Based Label-Free Impedimetric Biosensor for Detection of Progesterone

Gastón Contreras Jiménez, Shimaa Eissa, Andy Ng, Hani Alhadrami, Mohammed Zourob, and Mohamed Siaj
Analytical Chemistry **2015** 87 (2), 1075-1082

36. Approach for Selective Separation of Thiophenic and Sulfidic Sulfur Compounds from Petroleum by Methylation/Demethylation

Meng Wang, Suoqi Zhao, Keng H Chung, Chunming Xu, and Quan Shi
Analytical Chemistry **2015** 87 (2), 1083-1088

37. Determination of Sub-Nanomolar Levels of Low Molecular Mass Thiols in Natural Waters by Liquid Chromatography Tandem Mass Spectrometry after Derivatization with p-(Hydroxymercuri) Benzoate and Online Preconcentration

Van Liem-Nguyen, Sylvain Bouchet, and Erik Björn
Analytical Chemistry **2015** 87 (2), 1089-1096

38. Natural Flanking Sequences for Peptides Included in a Quantification Concatamer Internal Standard

Crystal S. F. Cheung, Kyle W. Anderson, Meiyao Wang, and Illarion V. Turko
Analytical Chemistry **2015** 87 (2), 1097-1102

39. Sensitive Targeted Quantification of ERK Phosphorylation Dynamics and Stoichiometry in Human Cells without Affinity Enrichment

Tujin Shi, Yuqian Gao, Matthew J. Gaffrey, Carrie D. Nicora, Thomas L. Fillmore, William B. Chrisler, Marina A. Gritsenko, Chaochao Wu, Jintang He, Kent J. Bloodsworth, Rui Zhao, David G. Camp, II, Tao Liu, Karin D. Rodland, Richard D. Smith, H. Steven Wiley, and Wei-Jun Qian
Analytical Chemistry **2015** 87 (2), 1103-1110

40. Nonlinear Absorbance Amplification Using a Diffuse Reflectance Cell: Total Organic Carbon Monitoring at 214 nm

Yin-Huan Li, C. Phillip Shelor, and Purnendu K. Dasgupta
Analytical Chemistry **2015** 87 (2), 1111-1117

41. Amphipols Outperform Dodecylmaltoside Micelles in Stabilizing Membrane Protein Structure in the Gas Phase

Antonio N. Calabrese, Thomas G. Watkinson, Peter J. F. Henderson, Sheena E. Radford, and Alison E. Ashcroft
Analytical Chemistry **2015** 87 (2), 1118-1126

42. Metabolic Profiling of Bile Acids in Human and Mouse Blood by LC–MS/MS in Combination with Phospholipid-Depletion Solid-Phase Extraction

Jun Han, Yang Liu, Renxue Wang, Juncong Yang, Victor Ling, and Christoph H. Borchers
Analytical Chemistry **2015** 87 (2), 1127-1136

43. Ion Mobility-Derived Collision Cross Section As an Additional Measure for Lipid Fingerprinting and Identification

Giuseppe Paglia, Peggi Angel, Jonathan P. Williams, Keith Richardson, Hernando J. Olivos, J. Will Thompson, Lochana Menikarachchi, Steven Lai, Callee Walsh, Arthur Moseley, Robert S. Plumb, David F. Grant, Bernhard O. Palsson, James Langridge, Scott Geromanos, and Giuseppe Astarita
Analytical Chemistry **2015** 87 (2), 1137-1144

44. Graphene Quantum Dots Combined with Endonuclease Cleavage and Bidentate Chelation for Highly Sensitive Electrochemiluminescent DNA Biosensing

Jing Lou, Shanshan Liu, Wenwen Tu, and Zhihui Dai
Analytical Chemistry **2015** 87 (2), 1145-1151

45. “Wave” Signal-Smoothing and Mercury-Removing Device for Laser Ablation Quadrupole and Multiple Collector ICPMS Analysis: Application to Lead Isotope Analysis

Zhaochu Hu, Wen Zhang, Yongsheng Liu, Shan Gao, Ming Li, Keqing Zong, Haihong Chen, and Shenghong Hu
Analytical Chemistry **2015** 87 (2), 1152-1157

46. Solid-Phase Extraction and Nanoflow Liquid Chromatography-Nanoelectrospray Ionization Mass Spectrometry for Improved Global Urine Metabolomics

Andrew J. Chetwynd, Alaa Abdul-Sada, and Elizabeth M. Hill
Analytical Chemistry **2015** 87 (2), 1158-1165

47. Ion Mobility–Mass Spectrometry of Lasso Peptides: Signature of a Rotaxane Topology

Kevin Jeanne Dit Fouque, Carlos Afonso, Séverine Zirah, Julian D. Hegemann, Marcel Zimmermann, Mohamed A. Marahiel, Sylvie Rebuffat, and Hélène Lavanant
Analytical Chemistry **2015** 87 (2), 1166-1172

48. Ionophore-Containing Siloprene Membranes: Direct Comparison between Conventional Ion-Selective Electrodes and Silicon Nanowire-Based Field-Effect Transistors

Anping Cao, Marleen Mescher, Duco Bosma, Johan H. Klotwijk, Ernst J. R. Sudhölter, and Louis C.P.M. de Smet
Analytical Chemistry **2015** 87 (2), 1173-1179

49. Surface-Bubble-Modulated Liquid Chromatography: A New Approach for Manipulation of Chromatographic Retention and Investigation of Solute Distribution at Water/Hydrophobic Interfaces

Keisuke Nakamura, Hiroki Nakamura, Shingo Saito, and Masami Shibukawa
Analytical Chemistry **2015** 87 (2), 1180-1187

50. Toward a Selective, Sensitive, Fast-Responsive, and Biocompatible Two-Photon Probe for Hydrogen Sulfide in Live Cells

Subhankar Singha, Dokyoung Kim, Hyunsoo Moon, Taejun Wang, Ki Hean Kim, Youn Ho Shin, Junyang Jung, Eunseok Seo, Sang-Joon Lee, and Kyo Han Ahn
Analytical Chemistry **2015** 87 (2), 1188-1195

51. Phosphate Ion Targeted Colorimetric and Fluorescent Probe and Its Use to Monitor Endogeneous Phosphate Ion in a Hemichannel-Closed Cell

Lin E. Guo, Jun Feng Zhang, Xin Yi Liu, Li Mei Zhang, Hong Li Zhang, Jian Hua Chen, Xiao Guang Xie, Ying Zhou, Kaijun Luo, and Juyoung Yoon
Analytical Chemistry **2015** 87 (2), 1196-1201

52. Fully Automated Sample Preparation Microsystem for Genetic Testing of Hereditary Hearing Loss Using Two-Color Multiplex Allele-Specific PCR

Bin Zhuang, Wupeng Gan, Shuaiqin Wang, Junping Han, Guangxin Xiang, Cai-Xia Li, Jing Sun, and Peng Liu
Analytical Chemistry **2015** 87 (2), 1202-1209

53. Electrospray Droplet Exposure to Organic Vapors: Metal Ion Removal from Proteins and Protein Complexes

J. Corinne DeMuth and Scott A. McLuckey
Analytical Chemistry **2015** 87 (2), 1210-1218

54. One-Dimensional Approach to Study Kinetics of Reversible Binding of Protein on Capillary Walls

Leonid T. Cherney, Alexander P. Petrov, and Sergey N. Krylov
Analytical Chemistry **2015** 87 (2), 1219-1225

55. Simple Quantitative Determination of Potent Thiols at Ultratrace Levels in Wine by Derivatization and High-Performance Liquid Chromatography–Tandem Mass Spectrometry (HPLC-MS/MS) Analysis

Dimitra L. Capone, Renata Ristic, Kevin H. Pardon, and David W. Jeffery
Analytical Chemistry **2015** 87 (2), 1226-1231

56. Molecular Speciated Isotope Dilution Mass Spectrometric Methods for Accurate, Reproducible and Direct Quantification of Reduced, Oxidized and Total Glutathione in Biological Samples

Timothy Fahrenholz, Mesay Mulugeta Wolle, H. M. "Skip" Kingston, Scott Faber, John C. Kern, II, Matt Pamuku, Logan Miller, Hemasudha Chatragadda, and Andreas Kogelnik
Analytical Chemistry **2015** 87 (2), 1232-1240

57. Evaluating Multiplexed Quantitative Phosphopeptide Analysis on a Hybrid Quadrupole Mass Filter/Linear Ion Trap/Orbitrap Mass Spectrometer

Brian K. Erickson, Mark P. Jedrychowski, Graeme C. McAlister, Robert A. Everley, Ryan Kunz, and Steven P. Gygi
Analytical Chemistry **2015** 87 (2), 1241-1249

58. Surface-Enhancement Raman Scattering Sensing Strategy for Discriminating Trace Mercuric Ion (II) from Real Water Samples in Sensitive, Specific, Recyclable, and Reproducible Manners

Bin Sun, Xiangxu Jiang, Houyu Wang, Bin Song, Ying Zhu, Hui Wang, Yuanyuan Su, and Yao He
Analytical Chemistry **2015** 87 (2), 1250-1256

59. Rapid Detection of Protein Phosphatase Activity Using Zn(II)-Coordinated Gold Nanosensors Based on His-Tagged Phosphopeptides

Jin Oh Lee, Eun-Ji Kim, Butaek Lim, Tae-Wuk Kim, and Young-Pil Kim
Analytical Chemistry **2015** 87 (2), 1257-1265

60. Profiling of Oxidized Phospholipids in Lipoproteins from Patients with Coronary Artery Disease by Hollow Fiber Flow Field-Flow Fractionation and Nanoflow Liquid Chromatography–Tandem Mass Spectrometry

Ju Yong Lee, Seul Kee Byeon, and Myeong Hee Moon
Analytical Chemistry **2015** 87 (2), 1266-1273

61. Practical Assay for Nitrite and Nitrosothiol as an Alternative to the Griess Assay or the 2,3-Diaminonaphthalene Assay

Yanming Shen, Quanjuan Zhang, Xuhong Qian, and Youjun Yang
Analytical Chemistry **2015** 87 (2), 1274-1280

62. Investigating Protein Folding and Unfolding in Electrospray Nanodrops Upon Rapid Mixing Using Theta-Glass Emitters

Daniel N. Mortensen and Evan R. Williams
Analytical Chemistry **2015** 87 (2), 1281-1287

63. A Label-Free Fluorescence Sensing Approach for Selective and Sensitive Detection of 2,4,6-Trinitrophenol (TNP) in Aqueous Solution Using Graphitic Carbon Nitride Nanosheets

Mingcong Rong, Liping Lin, Xinhong Song, Tingting Zhao, Yunxin Zhong, Jiawei Yan, Yiru Wang, and Xi Chen

Analytical Chemistry **2015** 87 (2), 1288-1296

64. Evaluation of Nanoparticle–Ligand Distributions To Determine Nanoparticle Concentration

Uvaraj Uddayasankar, Ravi T. Shergill, and Ulrich J. Krull
Analytical Chemistry **2015** 87 (2), 1297-1305

65. Counting Missing Values in a Metabolite-Intensity Data Set for Measuring the Analytical Performance of a Metabolomics Platform

Tao Huan and Liang Li
Analytical Chemistry **2015** 87 (2), 1306-1313

66. Real-Time Air Monitoring of Mustard Gas and Lewisite 1 by Detecting Their In-Line Reaction Products by Atmospheric Pressure Chemical Ionization Ion Trap Tandem Mass Spectrometry with Counterflow Ion Introduction

Akihiko Okumura, Yasuaki Takada, Susumu Watanabe, Hiroaki Hashimoto, Naoya Ezawa, Yasuo Seto, Hiroshi Sekiguchi, Hisashi Maruko, Yasuo Takayama, Ryoji Sekioka, Shintaro Yamaguchi, Shintaro Kishi, Takafumi Satoh, Tomohide Kondo, Hisayuki Nagashima, and Tomoki Nagoya
Analytical Chemistry **2015** 87 (2), 1314-1322

67. Plasma Ionization Source for Atmospheric Pressure Mass Spectrometry Imaging Using Near-Field Optical Laser Ablation

Maryia M. Nudnova, Jérôme Sigg, Pascal Wallimann, and Renato Zenobi
Analytical Chemistry **2015** 87 (2), 1323-1329

68. Determination of 14 Nitrosamines at Nanogram per Liter Levels in Drinking Water

Yichao Qian, Minghuo Wu, Wei Wang, Beibei Chen, Hao Zheng, Stuart W. Krasner, Steve E. Hrudey, and Xing-Fang Li
Analytical Chemistry **2015** 87 (2), 1330-1336

69. Analysis of Complex Reacting Mixtures by Time-Resolved 2D NMR

Rupashree Dass, Wiktor Koźmiński, and Krzysztof Kazimierczuk
Analytical Chemistry **2015** 87 (2), 1337-1343

70. Method for Automatically Identifying Spectra of Different Wood Cell Wall Layers in Raman Imaging Data Set

Xun Zhang, Zhe Ji, Xia Zhou, Jian-Feng Ma, Ya-Hong Hu, and Feng Xu
Analytical Chemistry **2015** 87 (2), 1344-1350

71. Aggregation-Induced Emission: A Simple Strategy to Improve Chemiluminescence Resonance Energy Transfer

Lijuan Zhang, Nan He, and Chao Lu
Analytical Chemistry **2015** 87 (2), 1351-1357

72. Hairpin DNA as a Biobarcode Modified on Gold Nanoparticles for Electrochemical DNA Detection

Hui-Fang Cui, Tai-Bin Xu, Yu-Long Sun, An-Wei Zhou, Yu-Han Cui, Wei Liu, and John H. T. Luong
Analytical Chemistry **2015** 87 (2), 1358-1365

73. Metal Carbonyl Vapor Generation Coupled with Dielectric Barrier Discharge To Avoid Plasma Quench for Optical Emission Spectrometry

Yi Cai, Shao-Hua Li, Shuai Dou, Yong-Liang Yu, and Jian-Hua Wang
Analytical Chemistry **2015** 87 (2), 1366-1372

74. Dual Recognition Unit Strategy Improves the Specificity of the Adenosine Triphosphate (ATP) Aptamer Biosensor for Cerebral ATP Assay

Ping Yu, Xiulan He, Li Zhang, and Lanqun Mao
Analytical Chemistry **2015** 87 (2), 1373-1380

75. LED-Based UV Absorption Detector with Low Detection Limits for Capillary Liquid Chromatography

Sonika Sharma, H. Dennis Tolley, Paul B. Farnsworth, and Milton L. Lee
Analytical Chemistry **2015** 87 (2), 1381-1386

76. Development of a Nanobody–Alkaline Phosphatase Fusion Protein and Its Application in a Highly Sensitive Direct Competitive Fluorescence Enzyme Immunoassay for Detection of Ochratoxin A in Cereal

Xing Liu, Yang Xu, De-bin Wan, Yong-hua Xiong, Zhen-yun He, Xian-xian Wang, Shirley J. Gee, Dojin Ryu, and Bruce D. Hammock
Analytical Chemistry **2015** 87 (2), 1387-1394

77. Protein Electrocatalysis for Direct Sensing of Circulating MicroRNAs

Mahmoud Labib, Nasrin Khan, and Maxim V. Berezovski
Analytical Chemistry **2015** 87 (2), 1395-1403

78. Highly-Sensitive Amplification-Free Analysis of Multiple miRNAs by Capillary Electrophoresis

David W. Wegman, Farhad Ghasemi, Anna Khorshidi, Burton B. Yang, Stanley K. Liu, George M. Yousef, and Sergey N. Krylov
Analytical Chemistry **2015** 87 (2), 1404-1410

79. Emulsion PCR Significantly Improves Nonequilibrium Capillary Electrophoresis of Equilibrium Mixtures-Based Aptamer Selection: Allowing for Efficient and Rapid Selection of Aptamer to Unmodified ABH2 Protein

Roman Yufa, Svetlana M. Krylova, Christine Bruce, Eleanor A. Bagg, Christopher J. Schofield, and Sergey N. Krylov
Analytical Chemistry **2015** 87 (2), 1411-1419