

A60/b

# ANNALS OF BOTANY


Founded 1887

EDITORIAL OFFICES IN UK, AUSTRALIA, CANADA, CHINA, JAPAN AND MAINLAND EUROPE

Volume 111

Number 3

March 2013



[www.aob.oxfordjournals.org](http://www.aob.oxfordjournals.org)

ISSN 0305-7364 (PRINT)

ISSN 1365-2729 (ONLINE)

# ANNALS OF BOTANY

Founded 1887

Volume 111 Number 3 March 2013

## Content Snapshots

### Plant Cuttings: news in botany

i

## Book Reviews

iii

Herrera, C. M. <i>Multiplicity in unity. Plant subindividual variation &amp; interactions with animals</i> reviewed by E. del-Val	vi
Mauseth, J. D. <i>Plants &amp; people</i> reviewed by N. Chaffey	vii
Eaton-Rye, J. J., Tripathy, B. C. and Sharkey, T. D. (eds) <i>Photosynthesis. Plastid biology, energy conversion and carbon assimilation</i> reviewed by M. Paul	ix
Burnap, R. L. and Vermaas, W. F. J. (eds) <i>Functional genomics and evolution of photosynthetic systems</i> reviewed by M. Hagemann	x

## VIEWPOINTS

Samach, A. Congratulations, you have been carefully chosen to represent an important developmental regulator!	329
Muñoz-Fambuena, N., Mesejo, C., González-Mas, M. C., Primo-Millo, E., Agustí, M. and Iglesias, D. J. Use or abuse of bioinformatic tools: a response to Samach	335
Haig, D. Filial mistletoes: the functional morphology of moss sporophytes	337

## INVITED REVIEW

Cristescu, S. M., Mandon, J., Arslanov, D., De Pessemier, J., Hermans, C. and Harren, F. J. M. Current methods for detecting ethylene in plants	347
-------------------------------------------------------------------------------------------------------------------------------------------------	-----

## ORIGINAL ARTICLES

Buerki, S., Manning, J. C. and Forest, F. Spatio-temporal history of the disjunct family Tecophilaeaceae: a tale involving the colonization of three Mediterranean-type ecosystems	361
Buch, F., Rott, M., Rottloff, S., Paetz, C., Hilke, I., Raessler, M. and Mithöfer, A. Secreted pitfall-trap fluid of carnivorous <i>Nepenthes</i> plants is unsuitable for microbial growth	375
dos Santos, R., Vergauwen, R., Pacolet, P., Lescrinier, E. and Van den Ende, W. Manninotriose is a major carbohydrate in red deadnettle ( <i>Lamium purpureum</i> , Lamiaceae)	385



Contents continued on inside back cover

OXFORD OPEN

OXFORD  
UNIVERSITY PRESS

*Contents from back cover*

Watts, S., Sapir, Y., Segal, B. and Dafni, A. The endangered <i>Iris atropurpurea</i> (Iridaceae) in Israel: honey-bees, night-sheltering male bees and female solitary bees as pollinators	395
De Long, J. R., Swarts, N. D., Dixon, K. W. and Egerton-Warburton, L. M. Mycorrhizal preference promotes habitat invasion by a native Australian orchid: <i>Microtis media</i>	409
Duchoslav, M., Šafářová, L. and Jandová, M. Role of adaptive and non-adaptive mechanisms forming complex patterns of genome size variation in six cytotypes of polyploid <i>Allium oleraceum</i> (Amaryllidaceae) on a continental scale	419
Rogiers, S. Y. and Clarke, S. J. Nocturnal and daytime stomatal conductance respond to root-zone temperature in 'Shiraz' grapevines	433
de Campos, M. C. R., Pearse, S. J., Oliveira, R. S. and Lambers, H. Downregulation of net phosphorus-uptake capacity is inversely related to leaf phosphorus-resorption proficiency in four species from a phosphorus-impoverished environment	445
Wagner, S., Zottz, G., Allen, N. S. and Bader, M. Y. Altitudinal changes in temperature responses of net photosynthesis and dark respiration in tropical bryophytes	455
Palmroth, S., Katul, G. G., Maier, C. A., Ward, E., Manzoni, S. and Vico, G. On the complementary relationship between marginal nitrogen and water-use efficiencies among <i>Pinus taeda</i> leaves grown under ambient and CO <sub>2</sub> -enriched environments	467
Lusk, C. H., Kelly, J. W. G. and Gleason, S. M. Light requirements of Australian tropical vs. cool-temperate rainforest tree species show different relationships with seedling growth and functional traits	479
Downes, K. S., Light, M. E., Pošta, M., Kohout, L. and van Staden, J. Comparison of germination responses of <i>Anigozanthos flavidus</i> (Haemodoraceae), <i>Gyrostemon racemiger</i> and <i>Gyrostemon ramulosus</i> (Gyrostemonaceae) to smoke-water and the smoke-derived compounds karrikinolide (KAR <sub>1</sub> ) and glyceronitrile	489