

# ANNALS OF BOTANY

Founded 1887

Volume 112

Number 9

December 2013



[www.aob.oxfordjournals.org](http://www.aob.oxfordjournals.org)

ISSN 0305-7364 (PRINT)  
ISSN 1095-8290 (ONLINE)



---

# ANNALS OF BOTANY

Founded 1887

---

Volume 112 Number 9 December 2013

Content *Snapshots* i

Plant Cuttings: news in botany iv

## INVITED REVIEW

---

Szymanowska-Pułka, J. Form matters: morphological aspects of lateral root development 1643

---

## REVIEWS

---

Kazan, K. Auxin and the integration of environmental signals into plant root development 1655

---

Wyka, T. P., Oleksyn, J., Karolewski, P. and Schnitzer, S. A. Phenotypic correlates of the lianescent growth form: a review 1667

---

## RESEARCH IN CONTEXT

---

Brown, H. E., Jamieson, P. D., Brooking, I. R., Moot, D. J. and Huth, N. I. Integration of molecular and physiological models to explain time of anthesis in wheat 1683

---

## ORIGINAL ARTICLES

---

Fernández-Mazuecos, M., Blanco-Pastor, J. L., Gómez, J. M. and Vargas, P. Corolla morphology influences diversification rates in bifid toadflaxes (*Linaria* sect. *Versicolores*) 1705

---

---

Tosh, J., Dessein, S., Buerki, S., Groeninckx, I., Mouly, A., Bremer, B., Smets, E. F. and De Block, P. Evolutionary history of the Afro-Madagascan *Ixora* species (Rubiaceae): species diversification and distribution of key morphological traits inferred from dated molecular phylogenetic trees 1723

---

---

Love, H. M., Maggs, C. A., Murray, T. E. and Provan, J. Genetic evidence for predominantly hydrochoric gene flow in the invasive riparian plant *Impatiens glandulifera* (Himalayan balsam) 1743

---

---

Yang, C.-F., Wang, Q.-F. and Guo, Y.-H. Pollination in a patchily distributed lousewort is facilitated by presence of a co-flowering plant due to enhancement of quantity and quality of pollinator visits 1751

---

---

Leong Pock Tsy, J.-M., Lumaret, R., Flaven-Noguier, E., Sauve, M., Dubois, M.-P. and Danthu, P. Nuclear microsatellite variation in Malagasy baobabs (*Adansonia*, Bombacoideae, Malvaceae) reveals past hybridization and introgression 1759

---

---

Blanco, M. A., Davies, K. L., Stpiczyńska, M., Carlswald, B. S., Ionta, G. M. and Gerlach, G. Floral elaiophores in *Lockhartia* Hook. (Orchidaceae: Oncidiinae): their distribution, diversity and anatomy 1775

---


Contents continued on inside back cover



Scan to view this journal  
on your mobile device

OXFORD  OPEN

OXFORD  
UNIVERSITY PRESS



Quesada del Bosque, M. E., López-Flores, I., Suárez-Santiago, V. N. and Garrido-Ramos, M. A. Differential spreading of <i>Hinfl</i> satellite DNA variants during radiation in Centaureinae	1793
Pinosa, F., Begheldo, M., Pasternak, T., Zermiani, M., Paponov, I. A., Dovzhenko, A., Barcaccia, G., Ruperti, B. and Palme, K. The <i>Arabidopsis thaliana</i> <i>Mob1A</i> gene is required for organ growth and correct tissue patterning of the root tip	1803
Lu, J. J., Tan, D. Y., Baskin, J. M. and Baskin, C. C. Trade-offs between seed dispersal and dormancy in an amphi-basicarpic cold desert annual	1815
Zou, J., Sun, Y., Li, L., Wang, G., Yue, W., Lu, Z., Wang, Q. and Liu, J. Population genetic evidence for speciation pattern and gene flow between <i>Picea wilsonii</i> , <i>P. morrisonicola</i> and <i>P. neoveitchii</i>	1829
Carmona, A., Friero, E., de Bustos, A., Jouve, N. and Cuadrado, A. The evolutionary history of sea barley ( <i>Hordeum marinum</i> ) revealed by comparative physical mapping of repetitive DNA	1845
Giday, H., Fanourakis, D., Kjaer, K. H., Fomsgaard, I. S. and Ottosen, C.-O. Foliar abscisic acid content underlies genotypic variation in stomatal responsiveness after growth at high relative air humidity	1857
Hamann, E. and Puijalón, S. Biomechanical responses of aquatic plants to aerial conditions	1869
Ren, H., Xu, Z., Zhang, W., Jiang, L., Huang, J., Chen, S., Wang, L. and Han, X. Linking ethylene to nitrogen-dependent leaf longevity of grass species in a temperate steppe	1879
Porceddu, M., Mattana, E., Pritchard, H. W. and Bacchetta, G. Thermal niche for <i>in situ</i> seed germination by Mediterranean mountain streams: model prediction and validation for <i>Rhamnus persicifolia</i> seeds	1887
Aiba, S., Akutsu, K. and Onoda, Y. Canopy structure of tropical and sub-tropical rain forests in relation to conifer dominance analysed with a portable LIDAR system	1899
Rossi, S., Anfodillo, T., Čufar, K., Cuny, H. E., Deslauriers, A., Fonti, P., Frank, D., Gričar, J., Gruber, A., King, G. M., Krause, C., Morin, H., Oberhuber, W., Prislan, P. and Rathgeber, C. B. K. A meta-analysis of cambium phenology and growth: linear and non-linear patterns in conifers of the northern hemisphere	1911
Pahl, A. T., Kollmann, J., Mayer, A. and Haider, S. No evidence for local adaptation in an invasive alien plant: field and greenhouse experiments tracing a colonization sequence	1921

For more information about *Annals of Botany* please visit our website at [www.aob.oxfordjournals.org](http://www.aob.oxfordjournals.org)

#### Disclaimer

Statements of fact and opinion in the articles in *Annals of Botany* are those of the respective authors and contributors and not of *Annals of Botany* Company or Oxford University Press. Neither Oxford University Press nor *Annals of Botany* Company make any representation, express or implied, in respect of the accuracy of the material in this journal and cannot accept any legal responsibility or liability for any errors or omissions that may be made. The reader should make his/her own evaluation as to the appropriateness or otherwise of any experimental technique described.