



Volume 266 1 February 2013 ISSN 0169-4332

applied surface science

A journal devoted to applied physics
and chemistry of surfaces and interfaces

Editors:

J. Chen, Newark, DE, USA
H. Kobayashi, Osaka, Japan
R.L. Opila, Newark, DE, USA
H. Rudolph, Utrecht, The Netherlands
P. Schaaf, Ilmenau, Germany
S. Suzer, Ankara, Turkey
F. Rosei, Varennes (QC), Canada

Volume 266, pp. 1–450

1 February 2013

Available online at www.sciencedirect.com

SciVerse ScienceDirect

applied surface science

Contents

Volume 266 (2013)

Regular papers

- Crystalline silicon solar cells with micro/nano texture
D.Z. Dimitrov and C.-H. Du 1
- Interphase chemistry of Si electrodes used as anodes in Li-ion batteries
C. Pereira-Nabais, J. Światowska, A. Chagnes, F. Ozanam, A. Gohier, P. Tran-Van, C.-S. Cojocaru, M. Cassir and P. Marcus 5
- Reaction between NiO and Al₂O₃ in NiO/γ-Al₂O₃ catalysts probed by positronium atom
C.Y. Li, H.J. Zhang and Z.Q. Chen 17
- Ultrasonic-assisted synthesis of core-shell structure CePO₄:Tb/GdPO₄ and GdPO₄/CePO₄:Tb nanophosphors and their photoluminescence properties
Y.-y. Fan, Z.-c. Hu, J. Yang, C. Zhang and L. Zhu 22
- Superhydrophobic surfaces by replication of micro/nano-structures fabricated by ultrafast-laser-microtexturing
B.K. Nayak, P.O. Caffrey, C.R. Speck and M.C. Gupta 27
- Preparation of polystyrene/SiO₂ microsphere via Pickering emulsion polymerization: Synergistic effect of SiO₂ concentrations and initiator sorts
H. Zhou, T. Shi and X. Zhou 33
- Single-phase and well-dispersed Cu_{1.75}S nanocrystals by ambient pressure diethylene glycol solution synthesis
X. Zheng, Z. Jin, H. Liu, Y. Wang, X. Wang and H. Du 39
- Characterization for N- and P-type 3C-SiC on Si (1 0 0) substrate with thermal anneal and pulsed excimer laser anneal
K.-Y. Lee, Y.-H. Chang, Y.-H. Huang, C.-F. Huang, C.Y. Chung and F. Zhao 46
- Improving hydrophobicity of laser textured SiC surface with micro-square convexes
C. Ma, S. Bai, X. Peng and Y. Meng 51
- The biocompatibility of hydroxyapatite film deposition on micro-arc oxidation Ti6Al4V alloy
R. Luo, Z. Liu, F. Yan, Y. Kong and Y. Zhang 57
- Substrate surface effect on the structure of cubic BN thin films from synchrotron-based X-ray diffraction and reflection
X.M. Zhang, W. Wen, X.L. Li, Q. He and X.T. Zhou 62
- Antibacterial action of silver-doped activated carbon prepared by vacuum impregnation
Y. Zhao, Z.-q. Wang, X. Zhao, W. Li and S.-x. Liu 67
- Microscopic observations of osteoblast growth on micro-arc oxidized β titanium
H.-T. Chen, C.-J. Chung, T.-C. Yang, C.-H. Tang and J.-L. He 73
- Construct Scaffold-like delivery system with poly(lactic-co-glycolic) microspheres on micro-arc oxidation titanium
L. Wang, H. Zheng, C. Du, Z. Shi, L. Ren and Y. Wang 81
- Improvement in electrical characteristics of HfO₂ gate dielectrics treated by remote NH₃ plasma
L.-T. Huang, M.-L. Chang, J.-J. Huang, H.-C. Lin, C.-L. Kuo, M.-H. Lee, C.W. Liu and M.-J. Chen 89
- Preparation of aqueous dispersion of thermoplastic sizing agent for carbon fiber by emulsion/solvent evaporation
I. Giraud, S. Franceschi-Messant, E. Perez, C. Lacabanne and E. Dantras 94
- Structural and magnetic properties of annealed FePt/Ag/FePt thin films
O.P. Pavlova, T.I. Verbitska, I.A. Vladymyrskiy, S.I. Sidorenko, G.L. Katona, D.L. Beke, G. Beddies, M. Albrecht and I.M. Makogon 100
- A simple approach to fabricate stable superhydrophobic glass surfaces
H. Ji, G. Chen, J. Yang, J. Hu, H. Song and Y. Zhao 105
- Effect of thermoplastic coating on interfacial adhesion of oxygen-plasma-pretreated PBO/PPESK composites
X. Zhang, P. Chen, D. Han, Q. Yu, Z. Ding and X. Zhu 110
- Surface modification of oil fly ash and its application in selective capturing of carbon dioxide
A.L. Yaumi, I.A. Hussien and R.A. Shawabkeh 118
- Fabrication of TiO₂ film with different morphologies on Ni anode and application in photoassisted water electrolysis
H. He, A. Chen, H. Lv, H. Dong, M. Chang and C. Li 126
- Controllable atomic layer deposition of one-dimensional nanotubular TiO₂
X. Meng, M.N. Banis, D. Geng, X. Li, Y. Zhang, R. Li, H. Abou-Rachid and X. Sun 132
- Hydrophilicity, photocatalytic activity and stability of tetraethyl orthosilicate modified TiO₂ film on glazed ceramic surface
P. Zhang, J. Tian, R. Xu and G. Ma 141
- Fe₂O₃ particles enwrapped by graphene with excellent cyclability and rate capability as anode materials for lithium ion batteries
W. Xiao, Z. Wang, H. Guo, X. Li, J. Wang, S. Huang and L. Gan 148
- Preparation of amino-functionalized silica in aqueous conditions
F. Cuq, A. Masion, J. Labille, J. Rose, F. Ziarelli, B. Prelot and J.-Y. Bottero 155
- Nanostructured Ag₄O₄ thin films produced by ion beam oxidation of silver
D. Dellasega, C.S. Casari, F. Vario, C. Conti, C.E. Bottani and A. Li Bassi 161
- Titanium interlayer to improve the adhesion of multilayer amorphous boron carbide coating on silicon substrate
E. Vassallo, R. Caniello, A. Cremona, D. Dellasega and E. Miorin 170
- Cell viability and adhesion on diamond-like carbon films containing titanium dioxide nanoparticles
C.C. Wachesk, C.A.F. Pires, B.C. Ramos, V.J. Trava-Airoldi, A.O. Lobo, C. Pacheco-Soares, F.R. Marciano and N.S. Da-Silva 176
- DFT study on the functionalization of a BN nanotube with sulfamide
J. Beheshtian, A.A. Peyghan, M.B. Tabar and Z. Bagheri 182
- Synthesis of silver nanoparticles on reduced graphene oxide under microwave irradiation with starch as an ideal reductant and stabilizer
Y. Han, Z. Luo, L. Yuwen, J. Tian, X. Zhu and L. Wang 188

(Contents continued on BM I)



(Continued from outside back cover)

Room temperature radio-frequency plasma-enhanced pulsed laser deposition of ZnO thin films S.-H. Huang, Y.-C. Chou, C.-M. Chou and V.K.S. Hsiao	194	Surface acid etching of (BiO) ₂ CO ₃ to construct (BiO) ₂ CO ₃ /BiOX (X = Cl, Br, I) heterostructure for methyl orange removal under visible light J. Cao, X. Li, H. Lin, B. Xu, S. Chen and Q. Guan	294
Effect of strontium ions on the early formation of biomimetic apatite on single crystalline rutile C. Lindahl, H. Engqvist and W. Xia	199	Hierarchical structure of Co ₃ O ₄ nanoparticles on Si nanowires array films for lithium-ion battery applications F. Sun, K. Huang, Y. Liu, T. Gao, Y. Han and J. Zhong	300
Nickel adsorption and incorporation on a 2 × 2-T ₄ GaN(0 0 1) surface: A DFT study R. González-Hernández, W. López-Pérez, J.A. Rodríguez M.	205	Interfacial microstructure and properties of poly (phenylene benzobisoxazole) fiber grafted with graphene oxide via solvothermal method Y.W. Li, F. Zhao, Y.J. Song, J. Li, Z. Hu and Y.D. Huang	306
Thermal stability and effect of substrate temperature of TiSiBC hard nanocomposite coatings on microstructure, mechanical, thermal behaviour deposited by magnetron sputtering S.K. Mishra, P. Mahato, B. Mahato and L.C. Pathak	209	Poly(acrylic acid) brushes pattern as a 3D functional biosensor surface for microchips Y.-M. Wang, Y. Cui, Z.-Q. Cheng, L.-S. Song, Z.-Y. Wang, B.-H. Han and J.-S. Zhu	313
Preparation of magnetic nickel hollow fibers with a trilobe structure using cellulose acetate fibers as templates C. Zeng, P. Li and L. Zhang	214	Lotus-like paper/paperboard packaging prepared with nano-modified overprint varnish W. Chen, X. Wang, Q. Tao, J. Wang, Z. Zheng and X. Wang	319
Simple quantification of surface carboxylic acids on chemically oxidized multi-walled carbon nanotubes H. Gong, S.-T. Kim, J.D. Lee and S. Yim	219	Spectral and nonlinear optical transmission studies of Zr ⁴⁺ -doped TiO ₂ nanoparticles K.M. Rahulan, L.D. Stephen and C.C. Kanakam	326
Superhydrophobicity determines the buoyancy performance of kapok fiber aggregates X. Zhang, W. Fu, C. Duan, H. Xiao, M. Shi, N. Zhao and J. Xu	225	Ultraviolet, visible, and near infrared photoresponse properties of solution processed graphene oxide X. Qi, X. Zou, Z. Huang, L. Ren, G. Hao, Y. Liu, X. Wei and J. Zhong	332
Investigation on the sulfur state and phase transformation of spent and regenerated S zorb sorbents using XPS and XRD L. Qiu, K. Zou and G. Xu	230	Silver nanoparticles incorporated onto ordered mesoporous silica from Tollen's reagent M. Zienkiewicz-Strzałka, S. Pasieczna-Patkowska, M. Kozak and S. Pikus	337
Hydrophobic acrylic hard coating by surface segregation of hyper-branched polymers M. Haraguchi, T. Hirai, M. Ozawa, K. Miyaji and K. Tanaka	235	Evaporation and removal mechanism of phosphorus from the surface of silicon melt during electron beam melting S. Shi, W. Dong, X. Peng, D. Jiang and Y. Tan	344
A new striped-phase of decanethiol self-assembled monolayers on Au(1 1 1) formed at a high solution temperature W. Azzam and L. Al-Momani	239	Theoretical study of oxidation–reduction reaction of Fe ₂ O ₃ supported on MgO during chemical looping combustion W. Qin, Q. Chen, Y. Wang, C. Dong, J. Zhang, W. Li and Y. Yang	350
Key technique for texturing a uniform pyramid structure with a layer of silicon nitride on monocrystalline silicon wafer B.-R. Huang, Y.-K. Yang and W.-L. Yang	245	Structural and dielectric properties of Ti and Er co-doped HfO ₂ gate dielectrics grown by RF sputtering M.A. Khaskheli, P. Wu, R. Chand, X. Li, H. Wang, S. Zhang, S. Chen and Y. Pei	355
Formation and characterization of titania coatings with cortex-like slots formed on Ti by micro-arc oxidation treatment Z. Liu, W. Wang, H. Liu, T. Wang and M. Qi	250	Functionalized graphene nanoplatelets for enhanced mechanical and thermal properties of polyurethane nanocomposites S.K. Yadav and J.W. Cho	360
Application of multireflection grazing incidence method for stress measurements in polished Al–Mg alloy and CrN coating M. Marciszko, A. Baczmarski, K. Wierzbowski, M. Wróbel, C. Braham, J.-P. Chopart, A. Lodini, J. Bonarski, L.Tarkowski and N. Zazi	256	The effect of adding PDMS-OH and silica nanoparticles on sol–gel properties and effectiveness in stone protection D. Li, F. Xu, Z. Liu, J. Zhu, Q. Zhang and L. Shao	368
Impact of n-heptane as surfactant in the formation of CdO nanowires through microwave combustion D. Sathya Raj, R. Jayaprakash, T. Prakash, S. kumar, G. Neri and T. Krishnakumar	268	Superparamagnetic iron oxide nanoparticles prepared by using an improved polyol method B. Zhang, Z. Tu, F. Zhao and J. Wang	375
Adsorption behavior of antimony(III) oxyanions on magnetite surface in aqueous organic acid environment V.K. Mittal, S. Bera, S.V. Narasimhan and S. Velmurugan	272	Study on the electron structure and optical properties of Ga _{0.5} Al _{0.5} As(1 0 0) β ₂ (2 × 4) reconstruction surface X. Yu, Y. Du, B. Chang, Z. Ge, H. Wang and M. Wang	380
Effective water disinfection using silver nanoparticle containing silica beads D.V. Quang, P.B. Sarawade, S.J. Jeon, S.H. Kim, J.-K. Kim, Y.G. Chai and H.T. Kim	280	Fabrication of millimeter scale nanochannels using the AFM tip-based nanomachining method Y.Q. Geng, Y.D. Yan, X.S. Zhao, Z.J. Hu, Y.C. Liang, T. Sun and S. Dong	386
Relationship between the electrochemical behavior of multiwalled carbon nanotubes (MWNTs) loaded with CuO and the photocatalytic activity of Eosin Y-MWNTs-CuO system D.-N. Bui, S.-Z. Kang, L. Qin, X.-Q. Li and J. Mu	288	The fabrication of controlled coral-like Cu ₂ O films and their hydrophobic property Y. Ding, Y. Li, L. Yang, Z. Li, W. Xin, X. Liu, L. Pan and J. Zhao	395

The impact of thermal annealing on the morphology of sputter deposited platinum clusters into anodic aluminum oxide pores S. Wu, P. Brault, C. Wang and B. Courtois	400	Physicochemical properties of phospholipid model membranes hydrolyzed by phospholipase A ₂ (PLA ₂) in the presence of cholesterol at different temperatures M. Jurak, A. Szcześ and E. Chibowski	426
Adsorption of formaldehyde and formyl intermediates on Pt, PtRu-, and PtRuMo-alloy surfaces: A density functional study W.T. Cahyanto, G. Shukri, M.K. Agusta and H. Kasai	405	Facile single-step ammonia heat-treatment and quenching process for the synthesis of improved Pt/N-graphene catalysts B. Xiong, Y. Zhou, R. O'Hayre and Z. Shao	433
Preparation of photoactive nitrogen-doped rutile D. Dolat, D. Moszyński, N. Guskos, B. Ohtani and A.W. Morawski	410	Effects of power on properties of ZnO thin films grown by radio frequency magnetron sputtering Y.-J. Zhao, D.-Y. Jiang, M. Zhao, R. Deng, J.-M. Qin, S. Gao, Q.-C. Liang and J.-X. Zhao	440
Influence of surface nitriding treatment on rolling contact behavior of Fe-based plasma sprayed coating P. Zhong-yu, X. Bin-shi, W. Hai-dou and W. Dong-hui	420	A simple immersion approach for fabricating superhydrophobic Mg alloy surfaces J. Song, Y. Lu, S. Huang, X. Liu, L. Wu and W. Xu	445