



Volume 285, Part-B, 15 November 2013

ISSN 0169-4332

applied surface science

A journal devoted to applied physics
and chemistry of surfaces and interfaces

Editor in Chief:

Henrik Rudolph, Breda, The Netherlands

Editors:

Frederico Rosei, Varennes (QC), Canada

Hikaru Kobayashi, Osaka, Japan

Jingguang Chen, New York, NY, USA

Peter Schaaf, Ilmenau, Germany

Robert L. Opila, Newark, DE, USA

Sefik Suzer, Ankara, Turkey

Tadahiro Komeda, Sendai-Shi, Japan

Thomas K. Lippert, Villigen, Switzerland

Weixin Huang, Hefei, China

C.F. McConville, Coventry, UK

Fátima Montemor, Lisboa, Portugal

Peter Kingshott, Hawthorn, Australia

Volume 285, Part-B, pp. 97–952

15 November 2013

Available online at www.sciencedirect.com

ScienceDirect

applied surface science

Contents

Regular papers

Crystallization of amorphous $\text{Ge}_2\text{Sb}_2\text{Te}_5$ films induced by an ultraviolet laser

W.P. Zhou, F.R. Liu, N. Bai, Y.H. Wan, X. Lin and J.M. Chen

Computational study of Al- or P-doped single-walled carbon nanotubes as NH_3 and NO_2 sensors

K. Azizi and M. Karimpanah

Discharge amplified photo-emission from ultra-thin films applied to tuning work function of transparent electrodes in organic opto-electronic devices

A.R. Gentle, G.B. Smith and S.E. Watkins

Structure and surface effect of field emission from gallium nitride nanowires

Y.Q. Wang, R.Z. Wang, M.K. Zhu, B.B. Wang, B. Wang and H. Yan

Photodeposition-assisted synthesis of novel nanoparticulate In, S-codoped TiO_2 powders with high visible light-driven photocatalytic activity

M. Hamadani, A. Reisi-Vanani, P. Razi, S. Hoseinifard and V. Jabbari

Synthesis of self-assembled 3D hollow microspheres of SnO_2 with an enhanced gas sensing performance

Y. Li, L. Qiao, L. Wang, Y. Zeng, W. Fu and H. Yang

Enhancing coating of brushite/hydroxyapatite layer on titanium alloy implant surface with additives

E.A. Abdel-Aal, D. El-Sayed, M. Shoeib and A.T. Kandil

Portuguese tin-glazed earthenware from the 16th century: A spectroscopic characterization of pigments, glazes and pastes

L.F. Vieira Ferreira, I. Ferreira Machado, A.M. Ferraria, T.M. Casimiro and Ph. Colomban

High resolution photoemission study of interface formation between MgO and the selenium passivated InAs (1 0 0) surface

R.K. Chellappan, Z. Li and G. Hughes

Effect of sputtering parameters on optical and electrical properties of ITO films on PET substrates

K.-S. Tseng and Y.-L. Lo

Ni-Mo-Co ternary alloy as a replacement for hard chrome

M. Srivastava, C. Anandan and V.K.W. Grips

Annealing temperature effect on structure and electrical properties of films formed of Ge nanoparticles in SiO_2

I. Stavarache, A.-M. Lepadatu, T. Stoica and M.L. Ciurea

Electrolytic deposition of Sn-coated mesocarbon microbeads as anode material for lithium ion battery

M.-J. Deng, D.-C. Tsai, W.-H. Ho, C.-F. Li and F.-S. Shieu

Formation of three-dimensional nano-porous silver films and application toward electrochemical detection of hydrogen peroxide

J. Fan, X. Bian, Y. Niu, Y. Bai, X. Xiao, C. Yang, J. Ya and J. Yang

Part-B

Volume 285 (2013)

| | | |
|-----|--|-----|
| | Adsorption of CH_4 on nitrogen- and boron-containing carbon models of coal predicted by density-functional theory | |
| | X.-Q. Liu, Y. Xue, Z.-Y. Tian, J.-J. Mo, N.-X. Qiu, W. Chu and H.-P. Xie | 190 |
| 97 | Interactions of lead with carboxyl and hydroxyl-decorated(10, 0) single-walled carbon nanotubes: First-principle calculations | |
| | M. Bastos and I. Camps | 198 |
| 102 | A novel fabrication of a superhydrophobic surface with highly similar hierarchical structure of the lotus leaf on a copper sheet | |
| | Z. Yuan, X. Wang, J. Bin, C. Peng, S. Xing, M. Wang, J. Xiao, J. Zeng, Y. Xie, X. Xiao, X. Fu, H. Gong and D. Zhao | 205 |
| 110 | Effects of plasma treatment on evolution of surface step-terrace structure of critically cleaned c-plane sapphire substrates: An AFM study | |
| | D. Zhang and Y. Gan | 211 |
| 115 | First principles and experimental study of NH_3 adsorptions on MnOx surface | |
| | D. Fang, F. He, D. Li and J. Xie | 215 |
| 121 | Patterning of hafnia and titania via gas-phase soft lithography combined with atomic layer deposition | |
| | S.M. Notley and A. Fogden | 220 |
| 130 | Effects of substrate microstructure on the formation of oriented oxide nanotube arrays on Ti and Ti alloys | |
| | C.P. Ferreira, M.C. Gonçalves, R. Caram, R. Bertazzoli and C.A. Rodrigues | 226 |
| 136 | Li_2MnO_3 stabilized $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ cathode with improved performance for lithium ion batteries | |
| | J. Li, Y. Xu, X. Li and Z. Zhang | 235 |
| 144 | Preparation of high-aspect-ratio ZnO nanorod arrays for the detection of several organic solvents at room working temperature | |
| | Y.-M. Lee and M.-R. Zheng | 241 |
| 153 | Application of ultrasound irradiation on sol-gel technique for corrosion protection of $\text{Al}_{65}\text{Cu}_{20}\text{Fe}_{15}$ alloy powder | |
| | B. Liang, B. Zhang, G. Wang, D. Li and X. Zhang | 249 |
| 157 | Removal of uranium(VI) from aqueous solutions by CMK-3 and its polymer composite | |
| | Y. Liu, Q. Li, X. Cao, Y. Wang, X. Jiang, M. Li, M. Hua and Z. Zhang | 258 |
| 167 | A comparative study of CeO_2 - Al_2O_3 support prepared with different methods and its application on $\text{MoO}_3/\text{CeO}_2$ - Al_2O_3 catalyst for sulfur-resistant methanation | |
| | M. Jiang, B. Wang, Y. Yao, Z. Li, X. Ma, S. Qin and Q. Sun | 267 |
| 175 | Study of interaction between radioactive nuclides and graphite surface by the first-principles and statistic physics | |
| | X. Luo, C. Fang, X. Li, W. Lai, L. Sun and T. Liang | 278 |
| 180 | Influence of Al_2O_3 layer thickness on high-temperature stability of $\text{TiAlN}/\text{Al}_2\text{O}_3$ multilayers | |
| | C.K. Gao, J.Y. Yan, L. Dong and D.J. Li | 287 |
| 185 | Real-space insight in the nanometer scale roughness development during growth and ion beam polishing of molybdenum silicon multilayer films | |
| | E. Zoethout, E. Louis and F. Bijkerk | 293 |

(Contents continued on BM I)



(Continued from outside back cover)

- Nanosecond and sub-nanosecond pulsed laser ablation of thin single and multi-layer packaging films
A.H.A. Lutey, M. Sozzi, S. Carmignato, S. Selleri, A. Cucinotta and P.G. Molari 300
- A study of calcium carbonate/multiwalled-carbon nanotubes/chitosan composite coatings on Ti-6Al-4V alloy for orthopedic implants
R.A. Ahmed, A.M. Fekry and R.A. Farghali 309
- Stability and prospect of UV/H₂O₂ activated titania films for biomedical use
E. Unosson, K. Welch, C. Persson and H. Engqvist 317
- Thermal stability of pulsed laser deposited iridium oxide thin films at low oxygen atmosphere
Y. Gong, C. Wang, Q. Shen and L. Zhang 324
- Ag- and Cu-doped multifunctional bioactive nanostructured TiCaPCON films
D.V. Shtansky, I.V. Batenina, Ph.V. Kiryukhantsev-Korneev, A.N. Sheveyko, K.A. Kuptsov, I.Y. Zhitnyak, N.Yu. Anisimova and N.A. Gloushankova 331
- Mango core inner shell membrane template-directed synthesis of porous ZnO films and their application for enzymatic glucose biosensor
Y. Zhou, L. Wang, Z. Ye, M. Zhao, H. Cai and J. Huang 344
- Can CO₂ molecule adsorb effectively on Al-doped boron nitride single walled nanotube?
P. Shao, X.-Y. Kuang, L.-P. Ding, J. Yang and M.-M. Zhong 350
- Influence of temperature dependent morphology on localized surface plasmon resonance in ultra-thin silver island films
N. Venugopal and A. Mitra 357
- Controlled growth and properties of p-type cuprous oxide films by plasma-enhanced atomic layer deposition at low temperature
J.-D. Kwon, S.-H. Kwon, T.-H. Jung, K.-S. Nam, K.-B. Chung, D.-H. Kim and J.-S. Park 373
- Electrochemical and morphological characterisation of polyphenazine films on copper
C. Gouveia-Caridade, A. Romeiro and C.M.A. Brett 380
- Comparative studies on damages to organic layer during the deposition of ITO films by various sputtering methods
H. Lei, M. Wang, Y. Hoshi, T. Uchida, S. Kobayashi and Y. Sawada 389
- Surface rejuvenation for multilayer metal deposition on polymer microspheres via self-seeded electroless plating
B. Karagoz, O. Sirkecioglu and N. Bicak 395
- Effect of temperature on the adsorption of sulfanilamide onto aluminum oxide and its molecular dynamics simulations
Y.-x. Ji, F.-h. Wang, L.-c. Duan, F. Zhang and X.-d. Gong 403
- The influence of Er³⁺ doping on the structural and optical properties of CeO₂ thin films grown by PED
B. Tatar, F.P. Gökdemir, E. Pehlivan and M. Urgen 409
- Structure, morphology and electrical properties of Mg₂Si layers deposited by pack cementation
D. Stathokostopoulos, D. Chaliampalias, E.C. Stefanaki, G. Polymeris, E. Pavlidou, K. Chrissafis, E. Hatzikraniotis, K.M. Paraskevopoulos and G. Vourlias 417
- Controlled growth of hierarchical nanostructured MnO₂/carbon hybrids
Y. Chen, B. Xie, S. Luo and Y. Zhang 425
- Chemical and structural properties of polymorphous silicon thin films grown from dichlorosilane
C. Álvarez-Macías, B.M. Monroy, L. Huerta, M.A. Canseco-Martínez, M. Picquart, J. Santoyo-Salazar, M.F.G. Sánchez and G. Santana 431
- Characterization of silicon nitride thin films deposited by hot-wire CVD at low gas flow rates
C.J. Oliphant, C.J. Arendse, T.F.G. Muller and D. Knoesen 440
- Effect of surface physics of metal oxides on the ability to form metallic nanowires
J.-M. Song, S.-Y. Chen, Y.-L. Shen, C.-H. Tsai, S.-W. Feng, H.-T. Tung and I.-G. Chen 450
- Role of Al in Zn bath on the formation of the inhibition layer during hot-dip galvanizing for a 1.2Si-1.5Mn transformation-induced plasticity steel
K.-K. Wang, C.-W. Hsu, L. Chang, D. Gan and K.-C. Yang 458
- Effect of film compatibility on electro-optic properties of dye doped polymer DR1/SU-8
X. Sun, Y. Xie, X. Zhao, D. Li, S. Zhao, Y. Yue, X. Wang, J. Sun, L. Liang, C. Chen, D. Zhang, F. Wang and Z. Xie 469
- Effect of confining overlay in micro scale laser bulge forming
C. Zheng, S. Sun, G. Zhang, L. Song and Z. Ji 477
- Surface modified carbon cloth for use in electrochemical capacitor
J. Du, D. Mishra and J.-M. Ting 483
- Ag@AgCl plasmon-induced sensitized ZnO particle for high-efficiency photocatalytic property under visible light
W. Li, F. Hua, J. Yue and J. Li 490
- Synthesis and adsorption behavior of chitosan-coated MnFe₂O₄ nanoparticles for trace heavy metal ions removal
Y. Xiao, H. Liang, W. Chen and Z. Wang 498
- Enhanced field emission from vertically aligned carbon nanotubes on metal mesh electrode
C. Li, S. Ding, W. Lei, X. Zhang and B. Wang 505
- BiOCl nanosheets immobilized on electrospun polyacrylonitrile nanofibers with high photocatalytic activity and reusable property
Y. Chou, C. Shao, X. Li, C. Su, H. Xu, M. Zhang, P. Zhang, X. Zhang and Y. Liu 509
- Cyclodextrin directed self-assembly of TiO₂ nanoparticles
S. Yoon and W.T. Nichols 517
- RF plasma MOCVD of Y₂O₃ thin films: Effect of RF self-bias on the substrates during deposition
S.S. Chopade, S.A. Barve, K.H. Thulasi Raman, N. Chand, M.N. Deo, A. Biswas, S. Rai, G.S. Lodha, G.M. Rao and D.S. Patil 524
- Mechanical and electrical properties of GeSb₂Te₄ film with external voltage applied
G.-G. Cheng, Z.-Q. Zhang, J.-N. Ding, Z. Ling and Y.-B. Chen 532
- Chitin butyrate coated electrospun nylon-6 fibers for biomedical applications
H.R. Pant, H.J. Kim, L.R. Bhatt, M.K. Joshi, E.K. Kim, J.I. Kim, A. Abdal-hay, K.S. Hui and C.S. Kim 538
- Valence band offset and Schottky barrier at amorphous boron and boron carbide interfaces with silicon and copper
S.W. King, M. French, G. Xu, B. French, M. Jaehnig, J. Bielefeld, J. Brockman and M. Kuhn 545
- WC/Co composite surface structure and nano graphite precipitate induced by high current pulsed electron beam irradiation
S.Z. Hao, Y. Zhang, Y. Xu, N. Gey, T. Grosdidier and C. Dong 552

| | | | |
|--|-----|---|-----|
| Surface and phase transformation characteristics of titanium hydride film under irradiation of pulsed ion beam Y. Liu, W. Xiang, G. Zhang and B. Wang | 557 | Control wetting state transition by micro-rod geometry Y. He, C. Jiang, S. Wang, H. Yin and W. Yuan | 682 |
| Role of nanocrystalline ZnO coating on the stability of porous silicon formed on textured (1 0 0) Si D. Verma, S.N. Sharma, A. Kharkwal, G. Bhagavannarayana, M. Kumar, S.N. Singh, P.K. Singh, S.S. Mehdib and M. Husain | 564 | On sol-gel derived Au-enriched TiO ₂ and TiO ₂ -ZrO ₂ photocatalysts and their investigation in photocatalytic reduction of carbon dioxide L. Matějová, K. Kočí, M. Reli, L. Čapek, V. Matějka, O. Šolcová and L. Obalová | 688 |
| Modulation of porphyrin photoluminescence by nanoscale spacers on silicon substrates Y.C. Fang, Y. Zhang, H.Y. Gao, L.G. Chen, B. Gao, W.Z. He, Q.S. Meng, C. Zhang and Z.C. Dong | 572 | Abrasion resistance of biaxially oriented polypropylene films coated with nanocomposite hard coatings J. Wang, Y. Zhu and Y. Fu | 697 |
| Effects of the annealing temperature and atmosphere on the microstructures and dielectric properties of ZnO/Al ₂ O ₃ composite coatings P. Wei, D. Zhu, S. Huang, W. Zhou and F. Luo | 577 | Enhancement in visible light-responsive photocatalytic activity by embedding Cu-doped ZnO nanoparticles on multi-walled carbon nanotubes M. Ahmad, E. Ahmed, Z.L. Hong, X.L. Jiao, T. Abbas and N.R. Khalid | 702 |
| Facile approach in fabricating superhydrophobic ZnO/polystyrene nanocomposite coating Y. Qing, Y. Zheng, C. Hu, Y. Wang, Y. He, Y. Gong and Q. Mo | 583 | Investigation on thermal stability of Ta ₂ O ₅ , TiO ₂ and Al ₂ O ₃ coatings for application at high temperature P. Shang, S. Xiong, L. Li, D. Tian and W. Ai | 713 |
| Nonlinear waves generated on liquid silicon layer by femtosecond laser pulses S. Lugomer, A. Maksimović, Z. Geretovszky and T. Szörényi | 588 | Synthesis of mesoporous iron-incorporated silica-pillared clay and catalytic performance for phenol hydroxylation S. Yang, G. Liang, A. Gu and H. Mao | 721 |
| Experimental research on laser shock forming metal foils with femtosecond laser Y.X. Ye, Y.Y. Feng, X.J. Hua and Z.C. Lian | 600 | Preparation and properties of UV curable acrylic PSA by vinyl bonded graphene oxide B. Pang, C.-M. Ryu, X. Jin and H.-I. Kim | 727 |
| Residual stress distribution of Ti-6Al-4V alloy under different ns-LSP processing parameters K.Y. Luo, J.Z. Lu, Q.W. Wang, M. Luo, H. Qi and J.Z. Zhou | 607 | Sol-gel derived ZnO thin films: Effect of amino-additives P. Hosseini Vajargah, H. Abdizadeh, R. Ebrahimifard and M.R. Golobostanfard | 732 |
| Design of H ₃ PW ₁₂ O ₄₀ /TiO ₂ nano-photocatalyst for efficient photocatalysis under simulated sunlight irradiation K. Zhao, Y. Lu, N. Lu, Y. Zhao, X. Yuan, H. Zhang, L. Teng and F. Li | 616 | Improved energy storage properties of PbZrO ₃ thin films by inserting 0.88BaTiO ₃ -0.12Bi(Mg _{1/2} ,Ti _{1/2})O ₃ layer T. Chen, J.B. Wang, X.L. Zhong, Y.K. Zeng, F. Wang and Y.C. Zhou | 744 |
| Electronic transport properties in aluminum indium nitride nanorods grown by magnetron sputter epitaxy R.-S. Chen, C.-C. Tang, C.-L. Hsiao, P.O. Holtz and J. Birch | 625 | Photoluminescence and SERS investigation of plasma treated ZnO nanorods S. Lee, J.-W. Peng and C.-S. Liu | 748 |
| Surface integrity after pickling and anodization of Ti-6Al-4V titanium alloy E. Vermesse, C. Mabru and L. Arurault | 629 | Low resistivity of N-doped Cu ₂ O thin films deposited by rf-magnetron sputtering G. Lai, Y. Wu, L. Lin, Y. Qu and F. Lai | 755 |
| AFM friction and adhesion mapping of the substructures of human hair cuticles J.R. Smith, J. Tsibouklis, T.G. Nevell and S. Breakspear | 638 | An amorphous Si-O film tribo-induced by natural hydrosilicate powders on ferrous surface B. Zhang, B. Xu, Y. Xu, Z. Ba and Z. Wang | 759 |
| Comparative study of the tribological behavior under hybrid lubrication of diamond-like carbon films with different adhesion interfaces R.P.C. Costa, D.A. Lima-Oliveira, F.R. Marciano, A.O. Lobo, E.J. Corat and V.J. Trava-Airoldi | 645 | Polarity driven morphology of CeO ₂ (1 0 0) islands on Cu(1 1 1) O. Stetsovych, J. Beran, F. Dvořák, K. Mašek, J. Mysliveček and V. Matolín | 766 |
| Tuning the plasmon shift and local electric field distribution of gold nanodumbbell: The effect of surface curvature transition from positive to negative J. Zhu and Y.-j. Ren | 649 | Fabrication of nanorod InGaN/GaN multiple quantum wells with self-assembled Ni nano-island masks G. Yang, Y. Guo, H. Zhu, D. Yan, G. Li, S. Gao and K. Dong | 772 |
| Thermoelectric properties of bismuth-selenide films with controlled morphology and texture grown using pulsed laser deposition P.H. Le, C.-N. Liao, C.W. Luo, J.-Y. Lin and J. Leu | 657 | Influence of electropolishing current densities on sulfur generation at niobium surface P.V. Tyagi, M. Nishiwaki, T. Noguchi, M. Sawabe, T. Saeki, H. Hayano and S. Kato | 778 |
| Electrophoretic deposition of nanostructured hydroxyapatite coating on AZ91 magnesium alloy implants with different surface treatments R. Rojaee, M. Fathi and K. Raeissi | 664 | Sub-micron ZnO:N particles fabricated by low voltage electrical discharge lithography on Zn ₃ N ₂ sputtered films C.G. Núñez, J. Jiménez-Trillo, M.G. Vélez, J. Piqueras, J.L. Pau, C. Coya and A.L. Álvarez | 783 |
| Synergistic effect of mixed cationic and anionic surfactants on the corrosion inhibitor behavior of mild steel in 3.5% NaCl S. Javadian, A. Yousefi and J. Neshati | 674 | Combined embedding of N-doping and CaCO ₃ surface modification in the TiO ₂ photoelectrodes for dye-sensitized solar cells S.K. Park, T.K. Yun, J.Y. Bae and Y.S. Won | 789 |

- Investigation of thermally grown oxide on 4H-SiC by a combination of H_2O and HNO_3 vapor with varied HNO_3 solution heating temperature
B. Poobalan, J.H. Moon, S.-C. Kim, S.-J. Joo, W. Bahng, I.H. Kang, N.-K. Kim and K.Y. Cheong
795
- Catalytic oxidation of formaldehyde over Pt/ Fe_2O_3 catalysts prepared by different method
N. An, P. Wu, S. Li, M. Jia and W. Zhang
805
- AlCoCrCuFeNi high entropy alloy cluster growth and annealing on silicon: A classical molecular dynamics simulation study
L. Xie, P. Brault, A.-L. Thomann and J.-M. Bauchire
810
- Characteristics of plate-like and color-zoning cubic boron nitride crystals
S. Feng, L. Hou, X. Liu, Y. Gao, X. Li, Q. Wang, Z. Chen, G. Jia and J. Zheng
817
- Nanoscale surface characterization of aqueous copper corrosion: Effects of immersion interval and orthophosphate concentration
S.L. Daniels, P.T. Sprunger, O. Kizilkaya, D.A. Lytle and J.C. Garno
823
- Effect of surface roughness on the texture and oxidation behavior of Zircaloy-4 cladding tube
H. Akhiani and J.A. Szpunar
832
- Hydrothermal synthesis of CdS nanoparticle/functionalized graphene sheet nanocomposites for visible-light photocatalytic degradation of methyl orange
S. Yan, B. Wang, Y. Shi, F. Yang, D. Hu, X. Xu and J. Wu
840
- Surface diffusion and coverage effect of Li atom on graphene as studied by several density functional theory methods
Z. Ji, F.F. Contreras-Torres, A.F. Jalbout and A. Ramírez-Treviño
846
- Effect of inhomogeneity and plasmons on terahertz radiation from GaAs (1 0 0) surface coated with rough Au film
X. Wu, B. Quan, X. Xu, F. Hu, X. Lu, C. Gu and L. Wang
853
- A noise robust method based on completed local binary patterns for hot-rolled steel strip surface defects
K. Song and Y. Yan
858
- Preparation, characterization and adsorption properties of chitosan modified magnetic graphitized multi-walled carbon nanotubes for highly effective removal of a carcinogenic dye from aqueous solution
H. Zhu, Y. Fu, R. Jiang, J. Yao, L. Liu, Y. Chen, L. Xiao and G. Zeng
865
- Probing carbon coatings on nanoparticle decorated carbon nanotubes by scanning transmission X-ray microscopy
M. Li, J. Gao, L. Bai, A. Pu, J. Liu, G. Zhao, X. Sun and J. Zhong
874
- First-principles calculations on Mg/ Al_2O_3 interfaces
F. Wang, K. Li and N.G. Zhou
879
- Polyethylene naphthalate as an excellent candidate for ripple nanopatterning
P. Slepíčka, O. Neděla, P. Sajdl, Z. Kolská and V. Švorčík
885
- Sticky nano-thin films for the adhesion of polymers
F. Awaja, S. Zhang and D.R. McKenzie
893
- Improvement on electrochemical performance by electrodeposition of polyaniline nanowires at the top end of sulfur electrode
K. Zhang, J. Li, Q. Li, J. Fang, Z. Zhang, Y. Lai and Y. Tian
900
- Dynamic range and sensitivity of field emission pressure sensors with non-silicon membranes
N. Badi, A. Bensaoula and A.M. Nair
907
- Surface decorated $Cd_xZn_{1-x}S$ cluster with CdS quantum dot as sensitizer for highly photocatalytic efficiency
Z.-Q. Qin and F.-J. Zhang
912
- Influence of gas and treatment time on the surface modification of EPDM rubber treated at afterglow microwave plasmas
J.V. da Maia, F.P. Pereira, J.C.N. Dutra, S.A.C. Mello, E.A.O. Becerra, M. Massi and A.S. da Silva Sobrinho
918
- A DFT study on CO oxidation on Pd_4 and Rh_4 clusters and adsorbed Pd and Rh atoms on CeO_2 and $Ce_{0.75}Zr_{0.25}O_2$ supports for TWC applications
D. Gerçeker and I. Önal
927
- Nano/micro tribological behaviors of a self-assembled graphene oxide nanolayer on Ti/titanium alloy substrates
P.F. Li, H. Zhou and X.-H. Cheng
937
- Multi-walled carbon nanotubes as catalyst promoter for dimethyl ether synthesis from CO_2 hydrogenation
F. Zha, H. Tian, J. Yan and Y. Chang
945
- Erratum**
Erratum to "Quantitative roughness characterization and 3D reconstruction of electrode surface using cyclic voltammetry and SEM image" [Appl. Surf. Sci. 282 (2013) 105-114]
S. Dhillon and R. Kant
952