



Volume 286 1 December 2013

ISSN 0169-4332

applied surface science

A journal devoted to applied physics
and chemistry of surfaces and interfaces

Editor in Chief:

Henrik Rudolph, Breda, The Netherlands

Editors:

Frederico Rosei, Varennes (QC), Canada

Hikaru Kobayashi, Osaka, Japan

Jingguang Chen, New York, NY, USA

Peter Schaaf, Ilmenau, Germany

Robert L. Opila, Newark, DE, USA

Sefik Suzer, Ankara, Turkey

Tadahiro Komeda, Sendai-Shi, Japan

Thomas K. Lippert, Villigen, Switzerland

Weixin Huang, Hefei, China

C.F. McConville, Coventry, UK

Fátima Montemor, Lisboa, Portugal

Peter Kingshott, Hawthorn, Australia

Volume 286, pp. 1–430

1 December 2013

Available online at www.sciencedirect.com

ScienceDirect

applied surface science

Contents

Volume 286 (2013)

Regular papers

- Photoluminescent and dielectric properties of Eu^{3+} -doped LaAlO_3 thin films fabricated by chemical solution deposition method
J. Fu, J. Zhao, T. Sa, N. Qin and D. Bao 1
- Microwave absorption properties of carbon black and tetrapod-like ZnO whiskers composites
H. Qin, Q. Liao, G. Zhang, Y. Huang and Y. Zhang 7
- Using the thiol-ene reaction to improve adhesion strength in carbon fiber-acrylate composites cured by ultra violet light
F. Vautard, P. Fioux, J. Schultz, M. Nardin and B. Defoort 12
- Quantitative control of poly(ethylene oxide) surface antifouling and biodetection through azimuthally enhanced grating coupled-surface plasmon resonance sensing
A. Sonato, D. Silvestri, G. Ruffato, G. Zacco, F. Romanato and M. Morpurgo 22
- Nondestructive chemical functionalization of MWNTs by poly (2-dimethylaminoethyl methacrylate) and their conjugation with CdSe quantum dots: Synthesis, properties, and cytotoxicity studies
Md.R. Islam, L.G. Bach, T.-S. Vo, T.-N. Tran and K.T. Lim 31
- Preparation of magnetically separable $\text{Fe}_3\text{O}_4/\text{BiOI}$ nanocomposites and its visible photocatalytic activity
X. Li, C. Niu, D. Huang, X. Wang, X. Zhang, G. Zeng and Q. Niu 40
- A DFT study of SF_6 decomposed gas adsorption on an anatase (1 0 1) surface
X. Zhang, Q. Chen, W. Hu and J. Zhang 47
- The dependence of structural and optical properties of PLD grown ZnO films on ablation parameters
A. Aravind, M.K. Jayaraj, M. Kumar and R. Chandra 54
- Improved photocatalytic hydrogen generation on Zn_2GeO_4 nanorods with high crystallinity
K. Lin, B. Ma, W. Su and W. Liu 61
- A LEED study of surface relaxation in $\text{Fe}(1\ 1\ 0)$ epitaxial film on $\text{W}(1\ 1\ 0)$
M. Rybicki, I. Zasada, K. Freindl, N. Spiridis and J. Korecki 66
- Hydrolysis process of γ -APS and characterization of silane film formed on copper in different conditions
M. Masmoudi, C. Rahal, M. Abdelmouleh and R. Abdelhedi 71
- Influence of substrate temperature on structural, morphological and electrical properties of $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_3$ thin films for IT-SOFCs
A.P. Jamale, S.U. Dubal, S.P. Patil, C.H. Bhosale and L.D. Jadhav 78
- Enhanced corrosion resistance of strontium hydroxyapatite coating on electron beam treated surgical grade stainless steel
D. Gopi, D. Rajeswari, S. Ramya, M. Sekar, R. Pramod, J. Dwivedi, L. Kavitha and R. Ramaseshan 83
- Enhanced reactivity of boron, through adding nano-aluminum and wet ball milling
B. Zhang, C. Huang, S. Yan, Y. Li and Y. Cheng 91
- Study of BSA protein adsorption/release on hydroxyapatite nanoparticles
S.K. Swain and D. Sarkar 99
- Ordered nanocolumn-array organic semiconductor thin films with controllable molecular orientation
B. Yang, H. Duan, C. Zhou, Y. Gao and J. Yang 104
- Structure and properties of Mo-containing diamond-like carbon films produced by ion source assisted cathodic arc ion-plating
L.L. Wang, R.Y. Wang, S.J. Yan, R. Zhang, B. Yang, Z.D. Zhang, Z.H. Huang and D.J. Fu 109
- Density functional periodic study of the dehydrogenation of methane on Pd (1 1 1) surface
Z. Jiang, L. Li, J. Xu and T. Fang 115
- Dynamic fracture characteristics of $\text{Fe}_{78}\text{Si}_9\text{B}_{13}$ metallic glass subjected to laser shock loading
C. Zheng, S. Sun, L. Song, G. Zhang, Y. Luan, Z. Ji and J. Zhang 121
- Fabrication of Schottky barrier diodes using H_2O_2 -treated non-polar ZnO (1 0 $\bar{1}$ 0) substrates
Y. Kashiwaba, M. Sakuma, T. Abe, A. Nakagawa, I. Niikura, Y. Kashiwaba, M. Daibo and H. Osada 126
- Optical and electrical properties of Mg-doped zinc tin oxide films prepared by radio frequency magnetron sputtering
T.Y. Ma and M.H. Choi 131
- Effects of Cr concentrations on the microstructure, hardness, and temperature-dependent tribological properties of Cr-DLC coatings
C.W. Zou, H.J. Wang, L. Feng and S.W. Xue 137
- Modification and characterization of carbon black with mercaptopropyltrimethoxysilane
M. Atif, R. Bongiovanni, M. Giorcelli, E. Celasco and A. Tagliaferro 142
- Effects of oxidizing medium on the composition, morphology and optical properties of copper oxide nanoparticles produced by pulsed laser ablation
M.A. Gondal, T.F. Qahtan, M.A. Dastageer, T.A. Saleh, Y.W. Maganda and D.H. Anjum 149
- Spatial characteristics of vacuum UV emission from laser-induced plumes in air
M.A. Khater 156
- Laser texturing of alumina surface for improved hydrophobicity
B.S. Yilbas, M. Khaled, N. Abu-Dheir, N. Aqeeli and S.Z. Furquan 161
- Production and characterization of layer by layer sputtered single-phase AgInSe_2 thin film by thermal selenization
M. Kaleli, T. Çolakoglu and M. Parlak 171
- Enhanced electrochemical performance of polyacene coated $\text{LiMn}_2\text{O}_{3.95}\text{F}_{0.05}$ for lithium ion batteries
Z. Chen, M. Xu, H. Zhu, T. Xie, W. Wang and Q. Zhao 177

(Contents continued on BM I)



(Continued from outside back cover)

Effect of particle in-flight behavior on the composition of thermal barrier coatings L. Zhao, Y. Bai, J.J. Tang, K. Liu, C.H. Ding, J.F. Yang and Z.H. Han	184	Effects of Ti addition and annealing on high-k Gd ₂ O ₃ sensing membranes on polycrystalline silicon for extended-gate field-effect transistor applications C.H. Kao, H. Chen and C.-Y. Huang	328
Development of a water-jet assisted laser paint removal process Y.K. Madhukar, S. Mullick and A.K. Nath	192	Improvement in corrosion resistance of a nodular cast iron surface modified by plasma beam treatment X. Cheng, S. Hu, W. Song and X. Xiong	334
Experimental drag reduction study of super-hydrophobic surface with dual-scale structures S. Lyu, D.C. Nguyen, D. Kim, W. Hwang and B. Yoon	206	A spontaneous dissolution approach to carbon coated TiO ₂ hollow composite spheres with enhanced visible photocatalytic performance Z. Zhang, Y. Zhou, Y. Zhang, X. Sheng, S. Zhou and S. Xiang	344
Plasma electrolytic oxidation of 2024-T3 aluminum alloy and investigation on microstructure and wear behavior M. Javidi and H. Fadaee	212	Energetic changes in the surface of activated carbons and relationship with Ni(II) adsorption from aqueous solution P. Rodríguez-Estupiñan, L. Giraldo and J.C. Moreno-Piraján	351
Fabrication of non-flaking, superhydrophobic surfaces using a one-step solution-immersion process on copper foams J. Xu, J. Xu, Y. Cao, X. Ji and Y. Yan	220	A study of GaN regrowth on the micro-faceted GaN template formed by in situ HCl etching W. Luo, L. Li, Z. Li, X. Xu, J. Wu, X. Liu and G. Zhang	358
A convenient N ₂ -CCl ₄ mixture plasma treatment to improve TiO ₂ photocatalytic oxidation of aromatic air contaminants under both UV and visible light S. Hu, F. Li and Z. Fan	228	Superhydrophobic and UV-blocking cotton fabrics prepared by layer-by-layer assembly of organic UV absorber intercalated layered double hydroxides Y. Zhao, Z. Xu, X. Wang and T. Lin	364
Surface modification of bone char for removal of formaldehyde from air A. Rezaee, H. Rangkooy, A. Jonidi-Jafari and A. Khavanin	235	Preservation of Fe complexes into layered double hydroxides improves the efficiency and the chemical stability of Fe complexes used as heterogeneous photo-Fenton catalysts Z. Huang, P. Wu, B. Gong, Y. Lu, N. Zhu and Z. Hu	371
Adhesion and fracture toughness at α -Ti(0 0 1)/TiC(1 1 1): A first-principles investigation J. Li, Y. Yang, G. Feng, X. Luo, Q. Sun and N. Jin	240	The joint effect of laser and shear stress treatments for the surface strengthening of Zr alloys W. Zhao, J. Li, X. Jiang, M. Xi and S. Gao	379
Synthesis of highly hydrophobic floating magnetic polymer nanocomposites for the removal of oils from water surface M. Chen, W. Jiang, F. Wang, P. Shen, P. Ma, J. Gu, J. Mao and F. Li	249	Effect of hydrothermal treatment model on the formation of Sr-HA nanorod arrays on microarc oxidized titania coatings J. Zhou and Y. Han	384
Effects of carbon dioxide plasma immersion ion implantation on the electrochemical properties of AZ31 magnesium alloy in physiological environment R. Xu, X. Yang, X. Zhang, M. Wang, P. Li, Y. Zhao, G. Wu and P.K. Chu	257	Morphology and wettability of ZnO nanostructures prepared by hydrothermal method on various buffer layers B.-j. Li, L.-j. Huang, M. Zhou and N.-f. Ren	391
Detection of oxygen species generated by CNT photosensitized CoS ₂ nanocomposites Z.-D. Meng, L. Zhu, K. Ullah, S. Ye and W.-C. Oh	261	Transparent and conducting intrinsic ZnO thin films prepared at high growth-rate with <i>c</i> -axis orientation and pyramidal surface texture P. Mondal and D. Das	397
Characterization and optical properties of pole-like nano-CeO ₂ synthesized by a facile hydrothermal method L. Wang, F. Meng, K. Li and F. Lu	269	The morphology and chemistry evolution of fused silica surface after Ar/CF ₄ atmospheric pressure plasma processing H. Jin, Q. Xin, N. Li, J. Jin, B. Wang and Y. Yao	405
Preparation and surface enhanced Raman scattering behavior of Ag-coated C ₆₀ nanoclusters S.-Z. Kang, D.-e. Yin, X. Li and J. Mu	275	Influence of the surface nanocrystallization on the gas nitriding of Ti-6Al-4V alloy L. Ge, N. Tian, Z. Lu and C. You	412
Fast formation of hydrophilic and reactive polymer micropatterns by photocatalytic lithography method C.-J. Chang, C.-F. Wang, J.-K. Chen, C.-C. Hsieh and P.-A. Chen	280	Fabrication of p-type SnO ₂ films via pulsed laser deposition method by using Sb as dopant S. Yu, W. Zhang, L. Li, D. Xu, H. Dong and Y. Jin	417
The effect of empirical potential functions on modeling of amorphous carbon using molecular dynamics method L. Li, M. Xu, W. Song, A. Ovcharenko, G. Zhang and D. Jia	287	Carbon foam/hydroxyapatite coating for carbon/carbon composites: Microstructure and biocompatibility L. Zhang, H. Li, K. Li, S. Zhang, J. Lu, W. Li, S. Cao and B. Wang	421
Thermal barrier coatings with (Al ₂ O ₃ -Y ₂ O ₃)/(Pt or Pt-Au) composite bond coat and 8YSZ top coat on Ni-based superalloy J. Yao, Y. He, D. Wang, H. Peng, H. Guo and S. Gong	298		
Integrated basic treatment of activated carbon for enhanced CO ₂ selectivity A.A. Adelodun and Y.-M. Jo	306	Erratum Retraction notice to "Structure and mechanical properties of Ni-P electrodeposited coatings" [Appl. Surf. Sci. 255 (6) (2009) 3613-3617] X. Yuan, D. Sun H. Yu and H. Meng	428
Silanization of glass chips—A factorial approach for optimization C.R. Vistas, A.C.P. Águas and G.N.M. Ferreira	314	Retraction notice to "Graphene sheets synthesized by ionic-liquidassistedelectrolysis for application in water purification" [Appl. Surf. Sci. 264C (2013) 329-334] C.-F. Chang, Q. DucTruong, and J.-R. Chen	429
Preparation and corrosion resistance of electroless Ni-P/SiC functionally gradient coatings on AZ91D magnesium alloy H.-L. Wang, L.-Y. Liu, Y. Dou, W.-Z. Zhang and W.-F. Jiang	319		