


MU
AG7/£

Volume 63, Issue 2, 22 February 2014

ISSN 1359-4311



APPLIED THERMAL ENGINEERING

Editor-in-Chief: *David A. Reay*

Regional Editors: *J. J. Klemeš, S. Srinivasa Murthy, W.M. Worek, T.S. Zhao*

DESIGN . PROCESSES . EQUIPMENT . ECONOMICS

Available online at www.sciencedirect.com

ScienceDirect

APPLIED THERMAL ENGINEERING

DESIGN · PROCESSES · EQUIPMENT · ECONOMICS

Volume 63, Issue 2

22 February 2014

CONTENTS

Articles

- | | | |
|---|-----|---|
| C.-H. HUANG and Y.-H. CHEN | 481 | An optimal design problem in determining non-uniform fin heights and widths for an impingement heat sink module |
| P. P. DUTTA and D. C. BARUAH | 495 | Drying modelling and experimentation of Assam black tea (<i>Camellia sinensis</i>) with producer gas as a fuel |
| H. M. ALI and A. BRIGGS | 503 | An investigation of condensate retention on pin-fin tubes |
| A. C. MARQUES, G. F. DAVIES, G. G. MAIDMENT, J. A. EVANS and I. D. WOOD | 511 | Novel design and performance enhancement of domestic refrigerators with thermal storage |
| M. LAPUERTA, J. SANZ-ARGENT and R. RAINE | 520 | Heat release determination in a constant volume combustion chamber from the instantaneous cylinder pressure |
| F. ZHANG, J. BOCK, A. M. JACOBI and H. WU | 528 | Simultaneous heat and mass transfer to air from a compact heat exchanger with water spray precooling and surface deluge cooling |
| D. MIKIELEWICZ and J. MIKIELEWICZ | 541 | Analytical method for calculation of heat source temperature drop for the Organic Rankine Cycle application |
| T.-H. TRAN, S. HARMAND, B. DESMET and S. FILANGI | 551 | Experimental investigation on the feasibility of heat pipe cooling for HEV/EV lithium-ion battery |
| C. E. ARRIETA and A. A. AMELL | 559 | Highly flexible burner concept for research on combustion technologies with recirculation of hot combustion products |
| R.-G. KIM and C.-H. JEON | 565 | Intrinsic reaction kinetics of coal char combustion by direct measurement of ignition temperature |
| D. H. LIM and S. C. KIM | 577 | Thermal performance of oil spray cooling system for in-wheel motor in electric vehicles |
| H. YE, S. W. KOH, C. YUAN, H. VAN ZEIJL, A. W. J. GIELEN, S.-W. R. LEE and G. ZHANG | 588 | Electrical–thermal–luminous–chromatic model of phosphor-converted white light-emitting diodes |

[continued on inside back cover



Abstracted/Indexed in: *Appl. Mech. Rev., Res. Alert, Cam. Sci. Abstr., Chemical Abstracts Service, Curr. Cont./Eng. Tech. & Appl. Sci., Curr. Tech. Ind., EIC Intell., Eng. Ind., Metals Abstr., Curr. Cont. SCISEARCH Data., TCEA. Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®*



APPLIED THERMAL ENGINEERING

DESIGN · PROCESSES · EQUIPMENT · ECONOMICS

Volume 63, Issue 2

22 February 2014

CONTENTS—continued from outside back cover]

M. I. HASAN	598	Investigation of flow and heat transfer characteristics in micro pin fin heat sink with nanofluid
L. MEI, X. LU, Q. WANG, Z. PAN, X. JI, Y. HONG, C. FANG, H. GUO and X. YANG	608	The experimental study of fly ash decarbonization on a circulating fluidized bed combustor
P. SARKAR, S. G. SAHU, A. MUKHERJEE, M. KUMAR, A. K. ADAK, N. CHAKRABORTY and S. BISWAS	616	Co-combustion studies for potential application of sawdust or its low temperature char as co-fuel with coal
X. CUI, K. J. CHUA, W. M. YANG, K. C. NG, K. THU and V. T. NGUYEN	624	Studying the performance of an improved dew-point evaporative design for cooling application