

Volume 65, Issues 1–2, April 2014

ISSN 1359-4311



ELSEVIER

# APPLIED THERMAL ENGINEERING

Editor-in-Chief: *David A. Reay*

Regional Editors: *J. J. Klemeš, S. Srinivasa Murthy, W.M. Worek, T.S. Zhao*

DESIGN . PROCESSES . EQUIPMENT . ECONOMICS

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

ScienceDirect

# APPLIED THERMAL ENGINEERING

DESIGN · PROCESSES · EQUIPMENT · ECONOMICS

Volume 65, Issues 1–2

April 2014

## CONTENTS

### Articles

- |   |     |  |
|---|-----|--|
| Y. ZHANG, H. LI, L. LI, X. LEI and T. WANG                            | 1   | Study on two-phase flow instabilities in internally-ribbed tubes by using frequency domain method  |
| W. HE, Y. DAI, D. HAN, C. YUE and W. PU                               | 14  | Influence from the rotating speed of the windward axial fans on the performance of an air-cooled power plant   |
| X. LV and B. BAI  | 24  | A multi-fluid model for non-equilibrium condensation in gaseous carrier flows  |
| Z. G. XU and C. Y. ZHAO   | 34  | Influences of nanoparticles on pool boiling heat transfer in porous metals   |
| M. AMINYAVARI, B. NAJAFI, A. SHIRAZI and F. RINALDI                   | 42  | Exergetic, economic and environmental (3E) analyses, and multi-objective optimization of a CO <sub>2</sub> /NH <sub>3</sub> cascade refrigeration system |
| Y. HOU, J. MA, C. LIU, J. CAO and X. LIU                              | 51  | Experimental investigation on the influence of EEV opening on the performance of transcritical CO <sub>2</sub> refrigeration system                      |
| A. SAKOWITZ, M. MIHAESCU and L. FUCHS                                 | 57  | Flow decomposition methods applied to the flow in an IC engine manifold  |
| J. P. BARROS, J. L. T. AZEVEDO and L. MONTEIRO                        | 66  | Effect of relative humidity in the efficiency of condensing gas water heater appliance   |
| R. KOPUN, L. ŠKERGET, M. HRIBERŠEK, D. ZHANG, B. STAUDER and D. GREIF | 74  | Numerical simulation of immersion quenching process for cast aluminium part at different pool temperatures   |
| A. MIRABDOLAH LAVASANI, H. BAYAT and T. MAAREFDOOST                   | 85  | Experimental study of convective heat transfer from in-line cam shaped tube bank in crossflow  |
| C. AMARAL, C. BRANDÃO, É. V. SEMPELS and F. J. LESAGE                 | 94  | Net thermoelectric generator power output using inner channel geometries with alternating flow impeding panels   |
| A. MEZQUITA, J. BOIX, E. MONFORT and G. MALLOL                        | 102 | Energy saving in ceramic tile kilns: Cooling gas heat recovery   |
| T. REN and P. HRNJAK  | 111 | Pressure drop in D shaped cylindrical headers of parallel flow MCHXs: Pressure loss coefficients for single phase flow                                   |

[continued on inside back cover]



1359-4311(201404)65:1-2;1-D

Abstracted/Indexed in: *Appl. Mech. Rev., Res. Alert, Cam. Sci. Abstr., Chemical Abstracts Service, Curr. Cont./Eng. Tech. & Appl. Sci., Curr. Tech. Ind., EIC Intell., Eng. Ind., Metals Abstr., Curr. Cont. SCISEARCH Data., TCEA. Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®*



# APPLIED THERMAL ENGINEERING

DESIGN · PROCESSES · EQUIPMENT · ECONOMICS

Volume 65, Issues 1–2

April 2014

---

*CONTENTS—continued from outside back cover]*

A. SAKANOVA, S. YIN, J. ZHAO, J. M. WU and K. C. LEONG	124	Optimization and comparison of double-layer and double-side micro-channel heat sinks with nanofluid for power electronics cooling
C.-X. PAN, J.-Z. ZHANG, L.-F. REN and Y. SHAN	135	Effects of rotor downwash on exhaust plume flow and helicopter infrared signature
Z. CHEN, Y. UTAKA and Y. TASAKI	150	Measurement and numerical simulation on the heat transfer characteristics of reciprocating flow in microchannels for the application in magnetic refrigeration
N. NIKKAM, M. GHANBARPOUR, M. SALEEMI, E. B. HAGHIGHI, R. KHODABANDEH, M. MUHAMMED, B. PALM and M. S. TOPRAK	158	Experimental investigation on thermo-physical properties of copper/diethylene glycol nanofluids fabricated via microwave-assisted route
C. S. SUJITH KUMAR, S. SURESH, L. YANG, Q. YANG and S. ARAVIND	166	Flow boiling heat transfer enhancement using carbon nanotube coatings
M. BOVAND, M. S. VALIPOUR, K. DINCER and A. TAMAYOL	176	Numerical analysis of the curvature effects on Ranque–Hilsch vortex tube refrigerators
C. SAYIN, M. GUMUS and M. CANAKCI	184	Letter to the Editor
A. LIDOR, E. SHER and D. WEIHS	185	Phase-change-materials as energy source for micro aerial vehicles (MAV)
D. H. MOED, A. R. D. VERLIEFDE, S. G. J. HEIJMAN and L. C. RIETVELD	194	Organic acid formation in steam–water cycles: Influence of temperature, retention time, heating rate and O <sub>2</sub>
A. MODI and F. HAGLIND	201	Performance analysis of a Kalina cycle for a central receiver solar thermal power plant with direct steam generation
J. ZHANG, Y. H. DIAO, Y. H. ZHAO and Y. N. ZHANG	209	An experimental study of the characteristics of fluid flow and heat transfer in the multiport microchannel flat tube
D. M. VAN DE BOR, C. A. INFANTE FERREIRA and A. A. KISS	219	Optimal performance of compression–resorption heat pump systems
N. S. KUMAR and K. T. OOI	226	One dimensional model of an ejector with special attention to Fanno flow within the mixing chamber
Z. LI, Y. TANG, X. DING, C. LI, D. YUAN and Y. LU	236	Reconstruction and thermal performance analysis of die-bonding filling states for high-power light-emitting diode devices
Q. KURATA, N. IKI, T. MATSUNUMA, T. MAEDA, S. HIRANO, K. KADOGUCHI, H. TAKEUCHI and H. YOSHIDA	246	Micro gas turbine cogeneration system with latent heat storage at the University: Part II: Part load and thermal priority mode

*[continued on BM 1*

*CONTENTS—continued from inside back cover]*

J.-H. HAO, Q. CHEN and Y.-C. XU	255	A global optimization method for regenerative air refrigeration systems
J. RYU, J. KWON, R. KIM, M. KIM, Y. KIM, C. JEON and J. SONG	262	Surface ignition behaviors of methane–air mixture in a gas oven burner
D. DIAS, J. MACHADO, V. LEAL and A. MENDES	273	Impact of using cool paints on energy demand and thermal comfort of a residential building
Z.-H. LI, B.-Q. HE and H. ZHAO	282	Application of a hybrid breakup model for the spray simulation of a multi-hole injector used for a DISI gasoline engine
P. G. BOISVERT and A. RUNSTEDTLER	293	Fuel sparing: Control of industrial furnaces using process gas as supplemental fuel
J. M. BELMAN-FLORES, A. GALLEGOS-MUÑOZ and A. PUENTE-DELGADO	299	Analysis of the temperature stratification of a no-frost domestic refrigerator with bottom mount configuration
D. LI, G. X. WANG, Y. L. HE, W. J. WU and B. CHEN	308	A three-temperature model of selective photothermolysis for laser treatment of port wine stain containing large malformed blood vessels
J. M. MESA-PÉREZ, L. A. B. CORTEZ, H. R. MARÍN-MESA, J. D. ROCHA, M. R. PELÁEZ-SAMANIEGO and E. CASCAROSA	322	A statistical analysis of the auto thermal fast pyrolysis of elephant grass in fluidized bed reactor based on produced charcoal
G. PIA and U. SANNA	330	An intermingled fractal units model to evaluate pore size distribution influence on thermal conductivity values in porous materials
M. A. BARRON and M. SEN	337	Synchronization of temperature oscillations in heated plates with hysteretic on–off control
C. DE MAESSCHALCK, S. LAVAGNOLI, G. PANIAGUA and N. VINHA	343	Aerothermodynamics of tight rotor tip clearance flows in high-speed unshrouded turbines
H.-L. LEE, W.-L. CHEN, W.-J. CHANG and Y.-C. YANG	352	Estimation of energy absorption rate and temperature distributions in short-pulse laser heating of metals with a dual-phase-lag model
G. A. LONGO, G. RIGHETTI, C. ZILIO and F. BERTOLO	361	Experimental and theoretical analysis of a heat pipe heat exchanger operating with a low global warming potential refrigerant
J. YANG, L. MA, J. BOCK, A. M. JACOBI and W. LIU	369	A comparison of four numerical modeling approaches for enhanced shell-and-tube heat exchangers with experimental validation
P. ZHANG, D. ZHOU, W. SHI, X. LI and B. WANG	384	Dynamic performance of self-operated three-way valve used in a hybrid air conditioner
X. CUI, Y. ZHU, Z. LI and S. SHUN	394	Combination study of operation characteristics and heat transfer mechanism for pulsating heat pipe
C. ABAGNALE, M. C. CAMERETTI, L. DE SIMIO, M. GAMBINO, S. IANNACCONE and R. TUCCILLO	403	Numerical simulation and experimental test of dual fuel operated diesel engines
Y. HAIM, Y. WEISS and R. LETAN	418	Effect of spacers on the thermal performance of an annular multi-layer insulation