


PM
AG7/E



Volume 66, Issues 1-2, May 2014

ISSN 1359-4311

APPLIED THERMAL ENGINEERING

Editor-in-Chief: *David A. Reay*

Regional Editors: *J. J. Klemeš, S. Srinivasa Murthy, W.M. Worek, T.S. Zhao*

DESIGN . PROCESSES . EQUIPMENT . ECONOMICS

Available online at www.sciencedirect.com

ScienceDirect

APPLIED THERMAL ENGINEERING

DESIGN · PROCESSES · EQUIPMENT · ECONOMICS

Volume 66, Issues 1–2

May 2014

CONTENTS


Articles

- A. TORRES, D. MISHKINIS and T. KAYA 1 Mathematical model validation of a thermal architecture system connecting east/west radiators by flight data
- D. ZHAO and G. TAN 15 A review of thermoelectric cooling: Materials, modeling and applications
- Y. XIE and Y. WANG 25 3D temperature field analysis of the induction motors with broken bar fault
- E. MAREK and B. ŚWIĄTKOWSKI 35 Experimental studies of single particle combustion in air and different oxy-fuel atmospheres
- H. J. XU, Z. G. QU and W. Q. TAO 43 Numerical investigation on self-coupling heat transfer in a counter-flow double-pipe heat exchanger filled with metallic foams
- W. J. THOO, A. KEVRIC, H. K. NG, S. GAN, P. SHAYLER and A. LA ROCCA 55 Characterisation of ignition delay period for a compression ignition engine operating on blended mixtures of diesel and gasoline
- S. E. RAFIEE and M. M. SADEGHIAZAD 65 Three-dimensional and experimental investigation on the effect of cone length of throttle valve on thermal performance of a vortex tube using $k-\epsilon$ turbulence model
- I. BOLEA, L. M. ROMEO and D. PALLARÈS 75 Heat transfer in the external heat exchanger of oxy-fuel fluidized bed boilers
- V. VAKILOROAYA, B. SAMALI and K. PISHGHADAM 84 Investigation of energy-efficient strategy for direct expansion air-cooled air conditioning systems
- P. M. ARDHAPURKAR, A. SRIDHARAN and M. D. ATREY 94 Experimental investigation on temperature profile and pressure drop in two-phase heat exchanger for mixed refrigerant Joule–Thomson cryocooler
- O. GUSTAFSSON, H. HELLGREN, C. HAGLUND STIGNOR, M. AXELL, K. LARSSON and C. TEUILLIERES 104 Flat tube heat exchangers – Direct and indirect noise levels in heat pump applications
- S. A. TIRMIZI, O. K. SIDDIQUI, P. GANDHIDASAN and S. M. ZUBAIR 113 Performance analysis of an ejector cooling system with a conventional chilled water system

[continued on inside back cover



ELSEVIER



1359-4311(201405)66:1-2;1-9

Abstracted/Indexed in: *Appl. Mech. Rev., Res. Alert, Cam. Sci. Abstr., Chemical Abstracts Service, Curr. Cont./Eng. Tech. & Appl. Sci., Curr. Tech. Ind., EIC Intell., Eng. Ind., Metals Abstr., Curr. Cont. SCISEARCH Data., TCEA. Also covered in the abstract and citation database Scopus®.*
Full text available on ScienceDirect®

APPLIED THERMAL ENGINEERING

DESIGN · PROCESSES · EQUIPMENT · ECONOMICS

Volume 66, Issues 1–2

May 2014

CONTENTS—continued from outside back cover]

E. GARCÍA, D. MÉRESSE, I. POMBO, S. HARMAND and J. A. SÁNCHEZ	122	Identification of heat partition in grinding related to process parameters, using the inverse heat flux conduction model
N. VITORINO, J. C. C. ABRANTES and J. R. FRADE	131	Highly conducting core–shell phase change materials for thermal regulation
L. JIANG, YONG HUANG, Y. TANG, Y. LI, W. ZHOU, L. JIANG and J. GAO	140	Fabrication and thermal performance of porous crack composite wick flattened heat pipe
Y. SHAO, Y. LI, L. YANG, X. ZHANG, L. YANG, H. WU and R. XU	148	New experimental system for high pressure and high temperature flashing evaporation experiments
J. SHI, Z. CHEN, SHUAI SHAO and J. ZHENG	156	Experimental and numerical study on effective thermal conductivity of novel form-stable basalt fiber composite concrete with PCMs for thermal storage
P. S. KATHAIT and A. K. PATIL	162	Thermo-hydraulic performance of a heat exchanger tube with discrete corrugations
A. JOULIN, L. ZALEWSKI, S. LASSUE and H. NAJI	171	Experimental investigation of thermal characteristics of a mortar with or without a micro-encapsulated phase change material
H. NIKPEY SOMEHSARAEI, M. MANSOURI MAJOU MERD, P. BREUHAUS and M. ASSADI	181	Performance analysis of a biogas-fueled micro gas turbine using a validated thermodynamic model
M. A. WAHEED, A. O. ONI, S. B. ADEJUYIGBE and B. A. ADEWUMI	191	Thermoeconomic and environmental assessment of a crude oil distillation unit of a Nigerian refinery
Z. LI, X. XU, S. DENG and D. PAN	206	Further study on the inherent operating characteristics of a variable speed direct expansion air conditioning system
L. A. TAGLIAFICO, F. SCARPA and F. VALSUANI	216	Direct expansion solar assisted heat pumps – A clean steady state approach for overall performance analysis
D. SÁNCHEZ, J. PATIÑO, C. SANZ-KOCK, R. LLOPIS, R. CABELLO and E. TORRELLA	227	Energetic evaluation of a CO ₂ refrigeration plant working in supercritical and subcritical conditions
S. RAVISHANKAR and K. ARUL PRAKASH	239	Numerical studies on thermal performance of novel cooling plate designs in polymer electrolyte membrane fuel cell stacks
G.-P. BAI, G.-C. GONG, F.-Y. ZHAO and Z.-X. LIN	252	Multiple thermal and moisture removals from the moving plate opposite to the impinging slot jet
A. CHUMPIA and K. HOOMAN	266	Performance evaluation of single tubular aluminium foam heat exchangers
S. T. KIM, J. RYU and Y. KATO	274	The optimization of mixing ratio of expanded graphite mixed chemical heat storage material for magnesium oxide/water chemical heat pump

[continued on BM I

M.-M. HUANG, W.-W. SHAO, Y. XIONG, Y. LIU, Z.-D. ZHANG, F.-L. LEI and Y.-H. XIAO	485	Effect of fuel injection velocity on MILD combustion of syngas in axially-staged combustor
Y.-X. FU, Z.-X. HE, D.-C. MO and S.-S. LU	493	Thermal conductivity enhancement with different fillers for epoxy resin adhesives
A. RAMZY, W. M. ELAWADY and H. ABDELMEGUID	499	Modelling of heat and moisture transfer in desiccant packed bed utilizing spherical particles of clay impregnated with CaCl_2
C.-C. YU and T.-P. TENG	507	Retrofit assessment of refrigerator using hydrocarbon refrigerants
Z. YANG, Z. WANG, P. RAN, Z. LI and W. NI	519	Thermodynamic analysis of a hybrid thermal-compressed air energy storage system for the integration of wind power
M. GASIK and Y. BILOTSKY	528	Optimisation of functionally graded material thermoelectric cooler for the solar space power system
T. C. PAUL, A. K. M. M. MORSHED, E. B. FOX, A. E. VISSER, N. J. BRIDGES and J. A. KHAN	534	Buoyancy driven heat transfer behavior of $[\text{C}_4\text{mim}][\text{NTf}_2]$ ionic liquid: An experimental study
J. P. POWELL, A. GONZÁLEZ-GIL and R. PALACIN	541	Experimental assessment of the energy consumption of urban rail vehicles during stabling hours: Influence of ambient temperature
J. HARTWIG and S. DARR	548	Influential factors for liquid acquisition device screen selection for cryogenic propulsion systems
C. APARICIO-FERNÁNDEZ, J.-L. VIVANCOS, P. FERRER-GISBERT and R. ROYO-PASTOR	563	Energy performance of a ventilated façade by simulation with experimental validation
X. SUN, J. WU, Y. DAI and R. WANG	571	Experimental study on roll-bond collector/evaporator with optimized-channel used in direct expansion solar assisted heat pump water heating system
N.-H. KIM, K.-J. LEE and Y.-B. JEONG	580	Airside performance of oval tube heat exchangers having sine wave fins under wet condition
Q. CHEN, W. HAN, J.-J. ZHENG, J. SUI and H.-G. JIN	590	The exergy and energy level analysis of a combined cooling, heating and power system driven by a small scale gas turbine at off design condition
F. TÁBOAS, M. BOUROUIS and M. VALLÈS	603	Analysis of ammonia/water and ammonia/salt mixture absorption cycles for refrigeration purposes in fishing ships
L. A. DOMÍNGUEZ-INZUNZA, J. A. HERNÁNDEZ-MAGALLANES, M. SANDOVAL-REYES and W. RIVERA	612	Comparison of the performance of single-effect, half-effect, double-effect in series and inverse and triple-effect absorption cooling systems operating with the $\text{NH}_3\text{-LiNO}_3$ mixture
S. HE, Z. GUAN, H. GURGENCI, I. JAHN, Y. LU and A. M. ALKHEDHAIR	621	Influence of ambient conditions and water flow on the performance of pre-cooled natural draft dry cooling towers
Y. TANG, X. DING, B. YU, Z. LI and B. LIU	632	A high power LED device with chips directly mounted on heat pipes
H. NAM, C. BAI and J. SIM	640	A study on characteristics of thermal storage tank for varying thermal load in multi-use heat pump water heater
D. MARCOS, F. J. PINO, C. BORDONS and J. J. GUERRA	646	The development and validation of a thermal model for the cabin of a vehicle

CONTENTS—continued from inside back cover]

R. PARVISEDGHY and S. M. SADRAMELI	282	Consequence modeling of hazardous accidents in a supercritical biodiesel plant
A. Z. MENDIBURU, J. J. ROBERTS, J. A. CARVALHO JR. and J. L. SILVEIRA	290	Thermodynamic analysis and comparison of downdraft gasifiers integrated with gas turbine, spark and compression ignition engines for distributed power generation
D. FU, Y. CHEN, Y. ZHAO, J. D'ALESSIO, K. J. FERRON and C. Q. ZHOU	298	CFD modeling of multiphase reacting flow in blast furnace shaft with layered burden
K. WANG, G. WANG, H. CHEN and L. ZHU	309	Estimating thermal boundary conditions of boiler membrane water-wall using decentralized fuzzy inference with sensitivity weighting
Y. JIN, X. HE, J. ZHANG, B. JIANG and Z. WU	318	Numerical investigation on flow structures of a laboratory-scale trapped vortex combustor
H. FAUZI, H. S. C. METSELAAR, T. M. I. MAHLIA and M. SILAKHORI	328	Thermo-physical stability of fatty acid eutectic mixtures subjected to accelerated aging for thermal energy storage (TES) application
C. BRANDT, N. SCHÜLER, M. GADERER and J. M. KUCKELKORN	335	Development of a thermal oil operated waste heat exchanger within the off-gas of an electric arc furnace at steel mills
Z. C. FENG and Y. ZHANG	346	Safety monitoring of exothermic reactions using time derivatives of temperature sensors
L. KWON, H. LEE, Y. HWANG, R. RADERMACHER and B. KIM	355	Experimental investigation of multifunctional VRF system in heating and shoulder seasons
C. GUO, T. WANG, X. HU and D. TANG	365	Experimental and theoretical investigation on two-phase flow characteristics and pressure drop during flow condensation in heat transport pipeline
M. LABAT, J. VIRGONE, D. DAVID and F. KUZNIK	375	Experimental assessment of a PCM to air heat exchanger storage system for building ventilation application
L. ZHAO, M. LI, Y. MA, Z. LIU and Z. ZHANG	383	Simulation analysis of a two-rolling piston expander replacing a throttling valve in a refrigeration and heat pump system
B. GUAN, R. ZHAN, H. LIN and Z. HUANG	395	Review of state of the art technologies of selective catalytic reduction of NO _x from diesel engine exhaust
Z. Y. LAI, X. Q. MA, Y. T. TANG, M. D. LI and J. F. NI	415	Deposit analysis of water-wall tubes in a municipal solid waste grate incinerator
A. ATA EI, N. TAHOUNI, S. M. HAJI SEYEDI, S. M. HASHEMIAN, C. K. YOO and M. H. PANJESHAHI	423	A novel approach to hot oil system design for energy conservation
A. ATMACA and R. YUMRUTAŞ	435	Analysis of the parameters affecting energy consumption of a rotary kiln in cement industry
Z. LIU, Y. WANG, J. ZHANG and Z. LIU	445	Shortcut computation for the thermal management of a large air-cooled battery pack
T. SUNG, D. LEE, H. S. KIM and J. KIM	453	Development of a novel meso-scale vapor compression refrigeration system (mVCRS)
J. W. WU, M. J. BIGGS and E. J. HU	464	Dynamic model for the optimisation of adsorption-based desalination processes
P. PRADO-MONTES, D. MISHKINIS, A. KULAKOV, A. TORRES and I. PÉREZ-GRANDE	474	Effects of non condensable gas in an ammonia loop heat pipe operating up to 125 °C