


FLU  
A67/4

Volume 67, Issues 1–2, June 2014

ISSN 1359-4311



# APPLIED THERMAL ENGINEERING

Editor-in-Chief: *David A. Reay*

Regional Editors: *J. J. Klemeš, S. Srinivasa Murthy, W.M. Worek, T.S. Zhao*

DESIGN • PROCESSES • EQUIPMENT • ECONOMICS

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**ScienceDirect**

# APPLIED THERMAL ENGINEERING

DESIGN · PROCESSES · EQUIPMENT · ECONOMICS

Volume 67, Issues 1–2

June 2014

## CONTENTS

---

### Articles

- J. M. CHO, J. HEO, W. V. PAYNE and P. A. DOMANSKI 1 Normalized performance parameters for a residential heat pump in the cooling mode with single faults imposed
- G. ZSEMBINSZKI, P. MORENO, C. SOLÉ, A. CASTELL and L. F. CABEZA 16 Numerical model evaluation of a PCM cold storage tank and uncertainty analysis of the parameters
- R. VICENTE and T. SILVA 24 Brick masonry walls with PCM macrocapsules: An experimental approach
- Z. GE, C. YANG, Y. LIU, X. DU, L. YANG and Y. YANG 35 Analysis of plate multi-effect distillation system coupled with thermal power generating unit
- A. BUONOMANO, F. CALISE, G. FERRUZZI and L. VANOLI 43 A novel renewable polygeneration system for hospital buildings: Design, simulation and thermo-economic optimization
- R. P. MOONEY, S. MCFADDEN, Z. GABALCOVÁ and J. LAPIN 61 An experimental–numerical method for estimating heat transfer in a Bridgman furnace
- Y. LI, X. ZHANG, J. ZHANG, J. ZHOU and H. YAN 72 Numerical simulation and optimization of pulverized coal injection with enriched oxygen into blast furnace
- V. PRADEEP, S. BAKSHI and A. RAMESH 80 Scavenging port based injection strategies for an LPG fuelled two-stroke spark-ignition engine
- C. BAEK, J. HEO, J. JUNG, H. CHO and Y. KIM 89 Effects of the cylinder volume ratio of a twin rotary compressor on the heating performance of a vapor injection CO<sub>2</sub> cycle
- M. KUANG, Z. LI, Z. LING and X. ZENG 97 Evaluation of staged air and overfire air in regulating air-staging conditions within a large-scale down-fired furnace
- A. B. ISMAIL, A. LI, K. THU, K. C. NG and W. CHUN 106 Pressurized adsorption cooling cycles driven by solar/waste heat
- X. YAN, B. LI, B. LIU, J. ZHAO, Y. WANG and H. LI 114 Analysis of improved novel hollow fiber heat exchanger

*[continued on inside back cover]*



*Abstracted/Indexed in: Appl. Mech. Rev., Res. Alert, Cam. Sci. Abstr., Chemical Abstracts Service, Curr. Cont./Eng. Tech. & Appl. Sci., Curr. Tech. Ind., EIC Intell., Eng. Ind., Metals Abstr., Curr. Cont. SCISEARCH Data., TCEA. Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®*

# APPLIED THERMAL ENGINEERING

DESIGN • PROCESSES • EQUIPMENT • ECONOMICS

Volume 67, Issues 1–2

June 2014

---

*CONTENTS—continued from outside back cover*

- |  |     |   |
|--|-----|---|
| S. WANG, J. WEN, H. YANG, Y. XUE and H. TUO  | 122 | Experimental investigation on heat transfer enhancement of a heat exchanger with helical baffles through blockage of triangle leakage zones   |
| X. HAN, W. FAN, M. QU, J. CHEN and Q. CHEN   | 131 | Frosting characteristics of fin-tube heat exchanger at temperature range of $-18$ to $6$ °C of a cascade heat pump  |
| I. PEÑARROCHA, R. LLOPIS, L. TÁRREGA, D. SÁNCHEZ and R. CABELLO  | 137 | A new approach to optimize the energy efficiency of CO <sub>2</sub> transcritical refrigeration plants  |
| F. DE RIDDER and M. COOMANS  | 147 | Grey-box model and identification procedure for domestic thermal storage vessels  |
| L.-H. CHIEN, W.-R. LIAO and H.-Y. LIU  | 159 | An experimental study of two-phase convection in micro-channels with impinging FC-72 jets   |
| E. H. WANG, H. G. ZHANG, B. Y. FAN, M. G. OUYANG, F. Y. YANG, K. YANG, Z. WANG, J. ZHANG and F. B. YANG      | 168 | Parametric analysis of a dual-loop ORC system for waste heat recovery of a diesel engine  |
| J.-Q. XU, T. YANG, Y.-Y. SUN, K.-Y. ZHOU and Y.-F. SHI   | 179 | Research on varying condition characteristic of feedwater heater considering liquid level   |
| G. ANGRISANI, M. CANELLI, C. ROSELLI and M. SASSO  | 190 | Calibration and validation of a thermal energy storage model: Influence on simulation results   |
| L. C. B. S. REIS, J. A. CARVALHO JR., M. A. R. NASCIMENTO, L. O. RODRIGUES, F. L. G. DIAS and P. M. SOBRINHO | 201 | Numerical modeling of flow through an industrial burner orifice   |
| R. KOUHIKAMALI, S. M. A. NOORI RAHIM ABADI and M. HASSANI  | 214 | Numerical study of performance of wire mesh mist eliminator   |
| H. ABBASFARD, M. GHANBARI, A. GHASEMI, G. GHAHRAMAN, S. M. JOKAR and M. R. RAHIMPOUR                         | 223 | CFD modelling of flow mal-distribution in an industrial ammonia oxidation reactor: A case study   |
| J. YAMASHITA and Y. UTAKA  | 230 | Improved performance of secondary heat exchanger for latent heat recovery from flue gas using mini-tubes  |
| G. XU, C. XU, Y. YANG, Y. FANG, Y. LI and X. SONG  | 240 | A novel flue gas waste heat recovery system for coal-fired ultra-supercritical power plants   |
| Y. WANG, K. ZHU, F. LIANG and Y. ZHANG   | 250 | Thermal-structure coupling simulation during ex-vivo hypothermic perfusion of kidney  |
| M. SONG, S. DENG, D. PAN and N. MAO  | 258 | An experimental study on the effects of downwards flowing of melted frost over a vertical multi-circuit outdoor coil in an air source heat pump on defrosting performance during reverse cycle defrosting |

*[continued on BM I*

Q. WANG, Y. WANG, Y. ZHANG, H. CHEN, J. SUN and L. HE	447	A stochastic analysis of glass crack initiation under thermal loading
M. M. AWAD	458	Comments on "Correlations of void fraction for two-phase refrigerant flow in pipes"
D. N. NKWETTA, P.-E. VOUILAMOZ, F. HAGHIGHAT, M. EL-MANKIBI, A. MOREAU and A. DAOUD	460	Impact of phase change materials types and positioning on hot water tank thermal performance: Using measured water demand profile
Y.-Y. WANG, Q. ZHONG, J.-D. LI and X.-W. NING	469	Numerical and experimental study on the heat and mass transfer of porous plate water sublimator with constant heat flux boundary condition
P. SELVAKUMARAN, A. LAWERENCE and A. K. BAKTHAVATSALAM	480	Effect of additives on sintering of lignites during CFB combustion
C. HAN, J. ZHANG and Z. LIANG	489	Thermal failure of rubber bushing of a Positive Displacement Motor: A study based on thermo-mechanical coupling
X. LIU and Z. LIU	494	Investigation of the energy separation effect and flow mechanism inside a vortex tube
A. AFRAM and F. JANABI-SHARIFI	507	Review of modeling methods for HVAC systems
O. GARCÍA-VALLADARES and E. SANTOYO	520	Modelling of fluid flow through short tube orifices under metastable conditions: A new numerical validation approach for evaluating the mass flow rate with refrigerant mixtures (HFC-407C and HFC-410A)
T. HAN, G. GONG, Z. LIU and L. ZHANG	529	Optimum design and experimental study of a thermoelectric ventilator
A. BAĪRI	540	$Nu-Ra-Fo$ correlations for thermal control of embarked radars contained in tilted hemispherical cavities and subjected to constant heat flux
M. BOVAND, M. S. VALIPOUR, K. DINCER and S. EIAMSA-ARD	545	Application of Response Surface Methodology to optimization of a standard Ranque-Hilsch vortex tube refrigerator
M. GÜRTÜRK and H. F. OZTOP	554	Energy and exergy analysis of a rotary kiln used for plaster production
A. GANJEHKAVIRI, M. N. MOHD JAAFAR, P. AHMADI and H. BARZEGARAVVAL	566	Modelling and optimization of combined cycle power plant based on exergoeconomic and environmental analyses
R. V. PADILLA, A. FONTALVO, G. DEMIRKAYA, A. MARTINEZ and A. G. QUIROGA	579	Exergy analysis of parabolic trough solar receiver
A. SHRIVASTAVA, B. WILLIAMS, A. S. SIAHPUSH, B. SAVAGE and J. CREPEAU	587	Numerical and experimental investigation of melting with internal heat generation within cylindrical enclosures

CONTENTS—continued from inside back cover]

G. BAGHERI, S. E. HOSSEINI and M. A. WAHID	266	Effects of bluff body shape on the flame stability in premixed micro-combustion of hydrogen-air mixture
D. H. KIM and M. S. KIM	273	The effect of water temperature lift on the performance of cascade heat pump system
B. DAI, M. LI and Y. MA	283	Effect of surface roughness on liquid friction and transition characteristics in micro- and mini-channels
Y. F. MAYDANIK, M. A. CHERNYSHEVA and V. G. PASTUKHOV	294	Review: Loop heat pipes with flat evaporators
R. ZHAO, W. ZHUGE, Y. ZHANG, Y. YIN, Z. CHEN and Z. LI	308	Parametric study of power turbine for diesel engine waste heat recovery
X. TAN, W. CHEN, D. YANG, Y. DAI, G. WU, J. YANG, H. YU, H. TIAN and W. ZHAO	320	Study on the influence of airflow on the temperature of the surrounding rock in a cold region tunnel and its application to insulation layer design
F. GHADIRI and M. RASTI	335	The effect of selecting proper refrigeration cycle components on optimizing energy consumption of the household refrigerators
M. RENZI and C. BRANDONI	341	Study and application of a regenerative Stirling cogeneration device based on biomass combustion
A. BOUDJEMAI, A. MANKOUR, H. SALEM, R. AMRI, R. HOCINE and B. CHOUCHAOUI	352	Inserts thermal coupling analysis in hexagonal honeycomb plates used for satellite structural design
S. U. LLAMAS-GUILLÉN, R. CUEVAS, R. BEST and V. H. GÓMEZ	362	Experimental results of a direct air-cooled ammonia-lithium nitrate absorption refrigeration system
F. AGUILAR, J. P. SOLANO and P. G. VICENTE	370	Transient modeling of high-inertial thermal bridges in buildings using the equivalent thermal wall method
D. RUBIO, C. LÓPEZ-GALINDO, J. F. CASANUEVA and E. NEBÓT	378	Monitoring and assessment of an industrial antifouling treatment. Seasonal effects and influence of water velocity in an open once-through seawater cooling system
E. AÇIKKALP, H. ARAS and A. HÉPBASLI	388	Advanced exergoeconomic analysis of a trigeneration system using a diesel-gas engine
C. RENNO	396	Optimization of a concentrating photovoltaic thermal (CPV/T) system used for a domestic application
J. CUI, C. WANG, F. XIE, R. XUAN and G. SHEN	409	Numerical investigation on transient thermal behavior of multidisk friction pairs in hydro-viscous drive
Z. LI, H. LI, J. ZHANG, J. LI, H. JIANG, X. FU, Y. HAN, Y. XIA, Y. HUANG, J. YIN, L. ZHANG and S. HU	423	A susceptor heating structure in MOVPE reactor by induction heating
M. SALAZAR and F. MÉNDEZ	429	PID control for a single-stage transcritical CO <sub>2</sub> refrigeration cycle
A. D'ENTREMONT and L. PILON	439	First-order thermal model of commercial EDLCs