


TM  
AG7/4



Volume 70, Issue 1, 5 September 2014

ISSN 1359-4311

# APPLIED THERMAL ENGINEERING

Editor-in-Chief: *David A. Reay*

Regional Editors: *J. J. Klemeš, S. Srinivasa Murthy, W.M. Worek, T.S. Zhao*

DESIGN . PROCESSES . EQUIPMENT . ECONOMICS

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**ScienceDirect**



# APPLIED THERMAL ENGINEERING

DESIGN · PROCESSES · EQUIPMENT · ECONOMICS

Volume 70, Issue 1

5 September 2014

## CONTENTS

---

### Articles

- |  |    |   |
|--|----|---|
| N. A. LAI  | 1  | Thermodynamic properties of HFO-1243zf and their application in study on a refrigeration cycle  |
| B.-R. FU, S.-W. HSU, Y.-R. LEE, J.-C. HSIEH, C.-M. CHANG and C.-H. LIU | 7  | Effect of off-design heat source temperature on heat transfer characteristics and system performance of a 250-kW organic Rankine cycle system |
| X. ZHANG and Y. LIU  | 13 | Performance assessment of CO <sub>2</sub> capture with calcination carbonation reaction process driven by coal and concentrated solar power   |
| Y. YU, F. NIU, S. WANG and Y. HU                                       | 25 | One-dimensional model for containment in AP1000 nuclear power plant based on thermal stratification   |
| A. UUSITALO, J. HONKATUKIA, T. TURUNEN-SAARESTI and J. LARJOLA         | 33 | A thermodynamic analysis of waste heat recovery from reciprocating engine power plants by means of Organic Rankine Cycles                     |
| B. ZETTL, G. ENGLMAIR and G. STEINMAURER                               | 42 | Development of a revolving drum reactor for open-sorption heat storage processes  |
| K. H. KIM and K. C. KIM  | 50 | Thermodynamic performance analysis of a combined power cycle using low grade heat source and LNG cold energy                                  |
| K. A. AL-ATTAB and Z. A. ZAINAL  | 61 | Performance of a biomass fueled two-stage micro gas turbine (MGT) system with hot air production heat recovery unit                           |
| K. HOOMAN, A. TAMAYOL, M. DAHARI, M. R. SAFAEI, H. TOGUN and R. SADRI  | 71 | A theoretical model to predict gas permeability for slip flow through a porous medium   |
| K. QIU, H. ZHANG, H. ZHOU, B. ZHOU, L. LI and K. CEN                   | 77 | Experimental investigation of ash deposits characteristics of co-combustion of coal and rice hull using a digital image technique             |
| A. HAZI and G. HAZI  | 90 | Comparative study of indirect photovoltaic thermal solar-assisted heat pump systems for industrial applications                               |

*[continued on inside back cover]*



*Abstracted/Indexed in: Appl. Mech. Rev., Res. Alert, Cam. Sci. Abstr., Chemical Abstracts Service, Curr. Cont./Eng. Tech. & Appl. Sci., Curr. Tech. Ind., EIC Intell., Eng. Ind., Metals Abstr., Curr. Cont. SCISEARCH Data., TCEA. Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®*

# APPLIED THERMAL ENGINEERING

DESIGN · PROCESSES · EQUIPMENT · ECONOMICS

Volume 70, Issue 1

5 September 2014

---

*CONTENTS—continued from outside back cover]*

I. PRANOTO and K. C. LEONG	100	An experimental study of flow boiling heat transfer from porous foam structures in a channel
J. FRANCO, D. MARTINS, I. CATARINO and G. BONFAIT	115	Narrow gas gap in cryogenic heat switch
X. JIANG, P. LIU and Z. LI	122	Data reconciliation for steam turbine on-line performance monitoring
V. A. F. COSTA and A. M. G. LOPES	131	Improved radial heat sink for led lamp cooling
S. LI and Y. DAI	139	Thermo-economic comparison of Kalina and CO <sub>2</sub> transcritical power cycle for low temperature geothermal sources in China
F. TORRIANO, N. LANCIAL, M. LÉVESQUE, G. ROLLAND, C. HUDON, F. BEAUBERT, J.-F. MORISSETTE and S. HARMAND	153	Heat transfer coefficient distribution on the pole face of a hydrogenerator scale model
J. CARLSON, D. MENICUCCI, P. VOROBIEFF, A. MAMMOLI and H. HE	163	Infrared imaging method for flyby assessment of solar thermal panel operation in field settings
Y. ZHANG, J. WEI, Y. XUE, X. KONG and J. ZHAO	172	Bubble dynamics in nucleate pool boiling on micro-pin-finned surfaces in microgravity
A. JAMEKHORSHID, S. M. SADRAMELI and A. R. BAHRAMIAN	183	Process optimization and modeling of microencapsulated phase change material using response surface methodology
Z. LI, Y. WU, J. LU, D. ZHANG and H. ZHANG	190	Heat transfer to supercritical water in circular tubes with circumferentially non-uniform heating
A. TINTI, A. TARZIA, A. PASSARO and R. ANGIULI	201	Thermographic analysis of polyurethane foams integrated with phase change materials designed for dynamic thermal insulation in refrigerated transport
C. HAIKARAINEN, F. PETTERSSON and H. SAXÉN	211	A model for structural and operational optimization of distributed energy systems
A.-S. YANG, C.-Y. WEN, Y.-H. JUAN, Y.-M. SU and J.-H. WU	219	Using the central ventilation shaft design within public buildings for natural aeration enhancement
F. P. SONG, L. X. GONG, L. W. WANG and R. Z. WANG	231	Study on gradient thermal driven adsorption cycle with freezing and cooling output for food storage
Z. HUANG, Y.-H. ZHU, Y.-B. XIONG and P.-X. JIANG	240	Investigation of transpiration cooling for sintered metal porous struts in supersonic flow
H. HAN, B. LI and W. SHAO	250	Multi-objective optimization of outward convex corrugated tubes using response surface methodology
Y. CHEN, B. PENG, X. HAO and G. XIE	263	Fast approach of Pareto-optimal solution recommendation to multi-objective optimal design of serpentine-channel heat sink

*[continued on BM I*

CONTENTS—continued from inside back cover]

J.-Y. SAN and F.-K. TSAI	274	Testing of a lab-scale four-bed adsorption heat pump
S. K. MOHAMMADIAN and Y. ZHANG	282	Analysis of nanofluid effects on thermoelectric cooling by micro-pin-fin heat exchangers
X. LUO, X. ZHAO, L. WANG, H. WU and G. XU	291	Flow structure and heat transfer characteristics in rotor–stator cavity with inlet at low radius
Z.-B. LIU, Y.-L. HE, Y.-F. YANG and J.-Y. FEI	307	Experimental study on heat transfer and pressure drop of supercritical CO <sub>2</sub> cooled in a large tube
G. ZANGANEH, M. COMMERFORD, A. HASELBACHER, A. PEDRETTI and A. STEINFELD	316	Stabilization of the outflow temperature of a packed-bed thermal energy storage by combining rocks with phase change materials
C. DOWIDAT, K. ULONSKA, C. BRAMSIEPE and G. SCHEMBECKER	321	Heat integration in batch processes including heat streams with time dependent temperature progression
F. T. KANIZAWA, T. S. MOGAJI and G. RIBATSKI	328	Evaluation of the heat transfer enhancement and pressure drop penalty during flow boiling inside tubes containing twisted tape insert
D. GUO, M. LIU, L. XIE and J. WANG	341	Optimization in plate-fin safety structure of heat exchanger using genetic and Monte Carlo algorithm
B. WIENGMOON, K. KIRTIKARA, C. JIVACATE, D. CHENVIDHYA and R. SONGPRAKORP	350	Quantifying the uniformity of solar cells using thermal imaging diagnosis
K.-S. YANG, C.-H. CHUNG, C.-W. TU, C.-C. WONG, T.-Y. YANG and M.-T. LEE	361	Thermal spreading resistance characteristics of a high power light emitting diode module
J. C. BONHIVERS, E. SVENSSON, T. BERNTSSON and P. R. STUART	369	Comparison between pinch analysis and bridge analysis to retrofit the heat exchanger network of a kraft pulp mill
W. YAO, X. LU, C. WANG and R. MA	380	A heat transient model for the thermal behavior prediction of stratospheric airships
S. PARK, I.-S. YE, J. OH, C. RYU and J. H. KOO	388	Gas and particle flow characteristics in the gas reversing chamber of a syngas cooler for a 300 MWe IGCC process
M. BIDARVATAN, V. THAKKAR, M. SHAHBAKHTI, B. BAHRI and A. ABDUL AZIZ	397	Grey-box modeling of HCCI engines
A. DE LA CALLE, J. BONILLA, L. ROCA and P. PALENZUELA	410	Dynamic modeling and performance of the first cell of a multi-effect distillation plant
B. ILLÉS and A. GÉCZY	421	Numerical simulation of condensate layer formation during vapour phase soldering
J. DU, W. SUN, X. WANG, G. LI, M. TAN and L. FAN	430	Experimental study on combustion and particle size distribution of a common rail diesel engine fueled with GTL/diesel blends
J. LI, F. LIN and G. NIU	441	An insert-type two-phase closed loop thermosyphon for split-type solar water heaters
C. S. SONA, M. A. KHANWALE, C. S. MATHPATI, A. BORGHAIN and N. K. MAHESHWARI	451	Investigation of flow and heat characteristics and structure identification of FLiNaK in pipe using CFD simulations
Y. WANG, Q. LIU, J. LEI and H. JIN	462	A three-dimensional simulation of a parabolic trough solar collector system using molten salt as heat transfer fluid

R. KOUHIKAMALI, S. M. A. NOORI RAHIM ABADI and M. HASSANI	477	Numerical investigation of falling film evaporation of multi-effect desalination plant
K. M. SAQR and M. A. WAHID	486	Effects of swirl intensity on heat transfer and entropy generation in turbulent decaying swirl flow
K. KANG, S.-K. HONG, D.-S. NOH and H.-S. RYOU	494	Heat transfer characteristics of a ceramic honeycomb regenerator for an oxy-fuel combustion furnace
C. SHEN, L. YANG, X. WANG, Y. JIANG and Y. YAO	501	An experimental and numerical study of a de-fouling evaporator used in a wastewater source heat pump
E. KROENER, A. VALLATI and M. BITTELLI	510	Numerical simulation of coupled heat, liquid water and water vapor in soils for heat dissipation of underground electrical power cables
Z. ZHAO, F. ZHANG, Y. HUANG and C. ZHAO	524	Determination of TDC in a hydraulic free-piston engine by a novel approach
J. WANG, J. WANG, Y. DAI and P. ZHAO	531	Thermodynamic analysis and optimization of a transcritical CO <sub>2</sub> geothermal power generation system based on the cold energy utilization of LNG
A. G. KHAN and P. KUMAR	541	Beam dump for 10 kW 10 MeV LINAC
S. SONG, L. DONG, Z. QU, J. REN and C. XIONG	546	Microencapsulated capric–stearic acid with silica shell as a novel phase change material for thermal energy storage
R. S. RIBEIRO and C. J. L. HERMES	552	Algebraic modeling and thermodynamic design of fan-supplied tube-fin evaporators running under frosting conditions
Y. WU, X. ZHANG, X. ZHANG and M. MUNYALO	560	Modeling and experimental study of vapor phase-diffusion driven sessile drop evaporation
M. KHOSHVAGHT-ALIABADI, F. HORMOZI and A. ZAMZAMIAN	565	Effects of geometrical parameters on performance of plate-fin heat exchanger: Vortex-generator as core surface and nanofluid as working media
F. XIN, M. XU, X.-L. HUAI and X.-F. LI	580	Characteristic and kinetic of liquid-phase isopropanol dehydrogenation over Raney nickel catalysts for chemical heat pump
X. LI, J. CHEN, M. XU, X. HUAI, F. XIN and J. CAI	586	Lattice Boltzmann simulation of catalytic reaction in porous media with buoyancy
P.-C. CHOU, S. CHENG and S.-H. CHEN	593	Evaluation of thermal performance of all-GaN power module in parallel operation
Y. HWANG, K. AHN and J. KIM	600	Silicon carbonitride covered SiC composites for enhanced thermal conductivity and electrical insulation
A. KHALIFA, L. TAN, A. DATE and A. AKBARZADEH	609	A numerical and experimental study of solidification around axially finned heat pipes for high temperature latent heat thermal energy storage units
K. WANG, H. LI and J. ZHU	620	Experimental study of heat transfer characteristic on jet impingement cooling with film extraction flow
L. C. MENDOZA, J. NAVARRO-ESBRÍ, J. C. BRUNO, V. LEMORT and A. CORONAS	630	Characterization and modeling of a scroll expander with air and ammonia as working fluid

K. GOODARZI, S. R. RAMEZANI and S. HAJATI	641	Reducing thermal contact resistance using nanocoating
S. TSOUTSOU, C. INFANTE FERREIRA, J. KRIEG and M. EZZAHIRI	647	Building integration of concentrating solar systems for heating applications
X. GUANGMING, D. YANXIA, G. YEWEI, L. LEI, Y. XIAOFENG and W. DONG	655	Heat transfer characteristics and limitations analysis of heat-pipe-cooled thermal protection structure
M. JAWORSKI	665	Thermal performance of building element containing phase change material (PCM) integrated with ventilation system – An experimental study
A.-K. TRINH, I. GONZÁLEZ, L. FOURNIER, R. PELLETIER, J. C. SANDOVAL V. and F. J. LESAGE	675	Solar thermal energy conversion to electrical power
M. LIU and P. V. ARAVIND	687	The fate of tars under solid oxide fuel cell conditions: A review
W. WU, L. AMSBECK, R. BUCK, N. WAIBEL, P. LANGNER and R. PITZ-PAAL	694	On the influence of rotation on thermal convection in a rotating cavity for solar receiver applications
O. KURATA, N. IKI, T. MATSUNUMA, T. MAEDA, S. HIRANO, K. KADOGUCHI, H. TAKEUCHI and H. YOSHIDA	705	Micro gas turbine cogeneration system with latent heat storage at the University: Part III: Temperature control schedule
K. SEMKOV, E. MOONEY, M. CONNOLLY and C. ADLEY	716	Efficiency improvement through waste heat reduction
J. Y. KANG, D. W. KANG, T. S. KIM and K. B. HUR	723	Economic evaluation of biogas and natural gas co-firing in gas turbine combined heat and power systems
M.-G. HE, X.-Z. SONG, H. LIU and Y. ZHANG	732	Application of natural refrigerant propane and propane/isobutane in large capacity chest freezer
P. CHAIVATAMASET, P. SRICHAROON, S. TIA and B. BILITEWSKI	737	The characteristics of bed agglomeration/defluidization in fluidized bed firing palm fruit bunch and rice straw
Z. UTLU and A. HEPBAŞLI	748	Exergoeconomic analysis of energy utilization of drying process in a ceramic production
Y.-L. NIAN, W.-L. CHENG, T.-T. LI and C.-L. WANG	763	Study on the effect of wellbore heat capacity on steam injection well heat loss
L. EXIZIDIS, I. PAPAGIANNPOULOS, V. CHATZIATHANASIOU, G. DE MEY and B. WIĘCEK	770	Evaluation of a buried power cable's thermal behavior using phase diagrams and calculation of the phase difference between temperature and power
Y. LEE and K. Y. HUH	776	Analysis of different modes of low temperature combustion by ultra-high EGR and modulated kinetics in a heavy duty diesel engine
S. EROL and B. FRANÇOIS	788	Efficiency of various grouting materials for borehole heat exchangers
T. L. FU, Z. D. WANG, Y. LI, J. D. LI and G. D. WANG	800	The influential factor studies on the cooling rate of roller quenching for ultra heavy plate
Z. WANG, Y. ZHENG, F. WANG, X. WANG, Z. LIN, J. LI and C. HUAN	808	Experimental analysis on a novel frost-free air-source heat pump water heater system

W.-G. LIANG, C. YANG, G.-Q. WEN, W. WANG, X.-J. JU, R. XIE and L.-Y. CHU	817	A facile and controllable method to encapsulate phase change materials with non-toxic and biocompatible chemicals
B. WU, G. TANG, X. CHEN, C. Q. ZHOU, C. P. COLELLA and T. OKOSUN	827	Optimization of an urea decomposition chamber using CFD and VR
J. SHI, J. HU, S. R. SCHAFER and C.-L. C. L. CHEN	838	Numerical study of heat transfer enhancement of channel via vortex-induced vibration
W. DE PAEPE, F. CONTINO, F. DELATTIN, S. BRAM and J. DE RUYCK	846	Optimal waste heat recovery in micro gas turbine cycles through liquid water injection
Y. WANG, X. FENG and K. H. CHU	857	Trade-off between energy and distance related costs for different connection patterns in heat integration across plants
X. XU, T. MA, L. LI, M. ZENG, Y. CHEN, Y. HUANG and Q. WANG	867	Optimization of fin arrangement and channel configuration in an airfoil fin PCHE for supercritical CO <sub>2</sub> cycle
A. KIKUCHI, N. OKINAKA and T. AKIYAMA	876	Thermodynamic analysis of thermite synthesis for thermoelectric Fe <sub>2</sub> VAl
L. COLOMBO, A. DOLARA, S. GUZZETTI, G. C. LAZAROIU, S. LEVA and A. LUCCHINI	884	Thermal and luminous investigations of a pcLED based refrigerating liquid prototype
X. BAI, T. LUO, K. CHENG and F. CHAI	892	Experimental study on fouling in the heat exchangers of surface water heat pumps
S. EIAMSA-ARD and K. KIATKITTIPONG	896	Heat transfer enhancement by multiple twisted tape inserts and TiO <sub>2</sub> /water nanofluid
S. P. DATTA, P. K. DAS and S. MUKHOPADHYAY	925	Obstructed airflow through the condenser of an automotive air conditioner – Effects on the condenser and the overall performance of the system
J. CARCEDO, I. FERNÁNDEZ, A. ORTIZ, I. A. CARRASCAL, F. DELGADO, F. ORTIZ and A. ARROYO	935	Post-mortem estimation of temperature distribution on a power transformer: Physicochemical and mechanical approaches
N. JIANG, J. D. SHELLEY and R. SMITH	944	New models for conventional and heat exchangers enhanced with tube inserts for heat exchanger network retrofit
T. JI, R. ZHANG, B. SUNDEN and G. XIE	957	Investigation on thermal performance of high temperature multilayer insulations for hypersonic vehicles under aerodynamic heating condition
Y. ZOU and P. S. HRNJAK	966	Effects of fluid properties on two-phase flow and refrigerant distribution in the vertical header of a reversible microchannel heat exchanger – Comparing R245fa, R134a, R410A, and R32
H. HOLMBERG and P. AHTILA	977	The thermal analysis of a combined heat and power plant undergoing Clausius–Rankine cycle based on the theory of effective heat-absorbing and heat-emitting temperatures
W. B. YU, W. B. LIU, Y. M. LAI, L. CHEN and X. YI	988	Nonlinear analysis of coupled temperature-seepage problem of warm oil pipe in permafrost regions of Northeast China
J. J. LÓPEZ, J. M. GARCÍA-OLIVER, A. GARCÍA and V. DOMENECH	996	Gasoline effects on spray characteristics, mixing and auto-ignition processes in a CI engine under Partially Premixed Combustion conditions

- |  |      |   |
|--|------|---|
| W. STANEK, L. CZARNOWSKA and<br>J. KALINA                          | 1007 | Application of life cycle thermo-ecological cost methodology for evaluation of biomass integrated gasification gas turbine based cogeneration |
| H. CHEN, H. DING, S. LIU, X. CHEN,<br>W. WU and Q. WANG            | 1018 | Experimental study on heat and moisture transfer in soil during soil heat charging for solar-soil source heat pump compound system            |
| R. H. VAZ, J. M. C. PEREIRA,<br>A. R. ERVILHA and J. C. F. PEREIRA | 1025 | Simulation and uncertainty quantification in high temperature microwave heating   |
| A. GIUFFRIDA   | 1040 | Modelling the performance of a scroll expander for small organic Rankine cycles when changing the working fluid                               |