

TM
A67/E



ELSEVIER

Volume 71, Issue 1, 5 October 2014

ISSN 1359-4311

APPLIED THERMAL ENGINEERING

Editor-in-Chief: *David A. Reay*

Regional Editors: *Ľ. Ľ. Klemeš, S. Srinivasa Murthy, W.M. Worek, T.S. Zhao*

DESIGN . PROCESSES . EQUIPMENT . ECONOMICS

Available online at www.sciencedirect.com

ScienceDirect

APPLIED THERMAL ENGINEERING

DESIGN · PROCESSES · EQUIPMENT · ECONOMICS

Volume 71, Issue 1

5 October 2014

CONTENTS

Articles

- J. M. BELMAN-FLORES, J. L. RODRÍGUEZ-MUÑOZ, C. RUBIO-MAYA, J. J. RAMÍREZ-MINGUELA and V. PÉREZ-GARCÍA 1 Energetic analysis of a diffusion–absorption system: A bubble pump under geometrical and operational conditions effects
- F. MOHADDES, S. ISLAM, R. SHANKS, M. FERGUSSON, L. WANG and R. PADHYE 11 Modification and evaluation of thermal properties of melamine-formaldehyde/n-eicosane microcapsules for thermo-regulation applications
- M. AL-ALI and I. DINCER 16 Energetic and exergetic studies of a multigenerational solar–geothermal system
- H. M. ALI and A. ALI 24 Measurements and semi-empirical correlation for condensate retention on horizontal integral-fin tubes: Effect of vapour velocity
- W. ZHOU, B. YU, J. QIN and D. YU 34 Mechanism and influencing factors analysis of flowing instability of supercritical endothermic hydrocarbon fuel within a small-scale channel
- X. ZHANG, Z. WEN, R. DOU, G. ZHOU and F. ZHANG 43 Experimental study of the air-atomized spray cooling of high-temperature metal
- Y. WU, F. CHEN, G. DU, Q. YANG, Y. OU, H. BIAN, J. SI and X. HOU 56 Ultrafast thermalization dynamics of gold-coated fused silica irradiated by a femtosecond laser
- S. M. V. RAO and G. JAGADEESH 62 Novel supersonic nozzles for mixing enhancement in supersonic ejectors
- F. PASK, J. SADHUKHAN, P. LAKE, S. MCKENNA, E. B. PEREZ and A. YANG 72 Systematic approach to industrial oven optimisation for energy saving
- T.-A. KOIV, A. MIKOLA and U. PALMISTE 78 The new dimensioning method of the district heating network
- W. ASVAPOOSITKUL and M. KUANSATHAN 83 Comparative evaluation of hybrid (dry/wet) cooling tower performance
- J. L. SILVEIRA, V. J. MARTINELLI, L. F. VANE, J. C. FREIRE JUNIOR, R. A. ZANZI VIGOUROUX, C. E. TUNA, W. Q. LAMAS and R. F. S. PAULINO 94 Incorporation of hydrogen production process in a sugar cane industry: Steam reforming of ethanol

[continued on inside back cover]



ELSEVIER

Abstracted/Indexed in: *Appl. Mech. Rev., Res. Alert, Cam. Sci. Abstr., Chemical Abstracts Service, Curr. Cont./Eng. Tech. & Appl. Sci., Curr. Tech. Ind., EIC Intell., Eng. Ind., Metals Abstr., Curr. Cont. SCISEARCH Data., TCEA. Also covered in the abstract and citation database Scopus®.*
Full text available on ScienceDirect®

APPLIED THERMAL ENGINEERING

DESIGN · PROCESSES · EQUIPMENT · ECONOMICS

Volume 71, Issue 1

5 October 2014

CONTENTS—continued from outside back cover

S. MAO, N. LOVE, A. LEANOS and G. RODRIGUEZ-MELO	104	Correlation studies of hydrodynamics and heat transfer in metal foam heat exchangers
A. O'DONOVAN and R. GRIMES	119	A theoretical and experimental investigation into the thermodynamic performance of a 50 MW power plant with a novel modular air-cooled condenser
A. ANDREOZZI, B. BUONOMO, O. MANCA and S. TAMBURRINO	130	Thermal energy storages analysis for high temperature in air solar systems
N. ZHU, P. HU, L. XU, Z. JIANG and F. LEI	142	Recent research and applications of ground source heat pump integrated with thermal energy storage systems: A review
D. PRANDO, F. PATUZZI, G. PERNIGOTTO, A. GASPARELLA and M. BARATIERI	152	Biomass gasification systems for residential application: An integrated simulation approach
M. HUANG, Z. ZHANG, W. SHAO, Y. XIONG, Y. LIU, F. LEI and Y. XIAO	161	Coal-derived syngas MILD combustion in parallel jet forward flow combustor
E. BAZZO, H. V. R. CAMARGO, E. G. REIMBRECHT, L. F. BERTI and P. H. D. SANTOS	169	Ground and microgravity results of a circumferentially microgrooved capillary evaporator
X. LIU, X. WANG and C. ZHANG	175	Sensitivity analysis of system parameters on the performance of the Organic Rankine Cycle system for binary-cycle geothermal power plants
H. K. KAYADELEN and Y. UST	184	Performance and environment as objectives in multi-criterion optimization of steam injected gas turbine cycles
J. KASPERSKI and B. GIL	197	Performance estimation of ejector cycles using heavier hydrocarbon refrigerants
F. MOLÉS, J. NAVARRO-ESBRÍ, B. PERIS, A. MOTA-BABILONI, Á. BARRAGÁN-CERVERA and K. K. KONTOMARIS	204	Low GWP alternatives to HFC-245fa in Organic Rankine Cycles for low temperature heat recovery: HCFO-1233zd-E and HFO-1336mzz-Z
K. ZHU, J. XIA, X. XIE and Y. JIANG	213	Total heat recovery of gas boiler by absorption heat pump and direct-contact heat exchanger
D. IYI, R. HASAN, R. PENLINGTON and C. UNDERWOOD	219	Double skin façade: Modelling technique and influence of venetian blinds on the airflow and heat transfer
P. OLSZEWSKI	230	Genetic optimization of steam multi-turbines system
B. STURM, M. MAIER, M. ROYAPOOR and S. JOYCE	239	Dependency of production planning on availability of thermal energy in commercial greenhouses – A case study in Germany
A. MAHMOUDZADEH ANDWARI, A. ABDUL AZIZ, M. F. MUHAMAD SAID and Z. ABDUL LATIFF	248	An experimental study on the influence of EGR rate and fuel octane number on the combustion characteristics of a CAI two-stroke cycle engine

[continued on BM III

J. LI and S. YAN	419	Thermally induced vibration of composite solar array with honeycomb panels in low earth orbit
E. POURSAEIDI, M. TAHERI and A. FARHANGI	433	Non-uniform temperature distribution of turbine casing and its effect on turbine casing distortion
M. XU, Y. DUAN, F. XIN, X. HUAI and X. LI	445	Design of an isopropanol–acetone–hydrogen chemical heat pump with exothermic reactors in series
A. AMIRI, M. SHANBEDI, H. AMIRI, S. Z. HERIS, S. N. KAZI, B. T. CHEW and H. ESHGHI	450	Pool boiling heat transfer of CNT/water nanofluids
H. LI, L. SUN and Y. ZHANG	460	Performance investigation of a combined solar thermal heat pump heating system
M. DUQUESNE, J. TOUTAIN, A. SEMPEY, S. GINESTET and E. PALOMO DEL BARRIO	469	Modeling of a nonlinear thermochemical energy storage by adsorption on zeolites
S. BELLAN, J. GONZALEZ-AGUILAR, M. ROMERO, M. M. RAHMAN, D. Y. GOSWAMI, E. K. STEFANAKOS and D. COULING	481	Numerical analysis of charging and discharging performance of a thermal energy storage system with encapsulated phase change material
A. Y. FARAJI and A. AKBARZADEH	501	Analysis of a symbiotic thermoelectric system for power generation and liquid preheating
SUJITH KUMAR C. S., SURESH S., Q. YANG and ANEESH C. R.	508	An experimental investigation on flow boiling heat transfer enhancement using spray pyrolysed alumina porous coatings
K. ARIAFAR, D. BUTTSWORTH, N. SHARIFI and R. MALPRESS	519	Ejector primary nozzle steam condensation: Area ratio effects and mixing layer development
B. HU, X. WANG, F. CAO, Z. HE and Z. XING	528	Experimental analysis of an air-source transcritical CO ₂ heat pump water heater using the hot gas bypass defrosting method
P. KUMAR and F. TOPIN	536	Simultaneous determination of intrinsic solid phase conductivity and effective thermal conductivity of Kelvin like foams
Y. ZHU, L. JIANG, V. JIN and L. YU	548	Impact of built-in and actual expansion ratio difference of expander on ORC system performance
H. N. CHAUDHRY and B. R. HUGHES	559	Analysis of the thermal cooling capacity of heat pipes under a low Reynolds number flow
Y. LEI, B. ZHANG, X. QI, Q. CHEN and C.-W. HUI	573	Study on constraints for heat removal duties of the main fractionator in delayed coking units
C. JIANG, W. LIU, H. C. WANG, D. D. WANG, J. G. YANG, J. Y. LI and Z. C. LIU	581	Experimental investigation of pump-assisted capillary phase change loop
C. XING, C. JENSEN, T. MUNRO, B. WHITE, H. BAN and M. CHIRTOC	589	Thermal property characterization of fine fibers by the 3-omega technique
M. SZREDER	596	A field study of the performance of a heat pump installed in a low energy house
	607	Publisher's note
S. JEONG, H. LIM, J. K. LEE and J. KIM	608	Thermally induced mechanical response of energy piles in axially loaded pile groups
R. I. SINGH	616	Study of fluidized bed combustion power plant using agri residues

A. MOTA-BABILONI, J. NAVARRO-ESBRI, Á. BARRAGÁN, F. MOLÉS and B. PERIS	259	Drop-in energy performance evaluation of R1234yf and R1234ze(E) in a vapor compression system as R134a replacements
W. P. ADAMCZYK, P. KOZOŁUB, G. WECEL, A. KLIMANEK, R. A. BIAŁECKI and T. CZAKIERT	266	Modeling oxy-fuel combustion in a 3D circulating fluidized bed using the hybrid Euler–Lagrange approach
M. SHAHI, J. B. W. KOK, J. C. R. CASADO and A. K. POZARLIK	276	Assessment of thermoacoustic instabilities in a partially premixed model combustor using URANS approach
X.-Q. CAO, W.-W. YANG, F. ZHOU and Y.-L. HE	291	Performance analysis of different high-temperature heat pump systems for low-grade waste heat recovery
J. H. CHOI, J. H. AHN and T. S. KIM	301	Performance of a triple power generation cycle combining gas/steam turbine combined cycle and solid oxide fuel cell and the influence of carbon capture
Y. WANG, P. WANG and T. LU	310	Experimental investigation of the thermal fluctuations in hot and cold fluids mixing in a T-junction filled with spherical particles
H. BAUMGARTNER, A. VASKURI, P. KÄRHÄ and E. IKONEN	317	A temperature controller for high power light emitting diodes based on resistive heating and liquid cooling
H. DING, C. WANG and C. CHEN	324	Non-equilibrium condensation of water vapor in sonic nozzle
P. RODRIGUES DE ALMEIDA, A. L. NAKAMURA and J. R. SODRÉ	335	Evaluation of catalytic converter aging for vehicle operation with ethanol
H. LIU, Z. CHEN, B. CHEN, X. XIAO and X. WANG	342	Studies on the temperature distribution of steel plates with different paints under solar radiation
W. HE, D. HAN, C. YUE, W. PU and Y. DAI	355	Mechanism of the air temperature rise at the forced draught fan inlets in an air-cooled steam condenser
X. LIU, Y. D. DENG, K. ZHANG, M. XU, Y. XU and C. Q. SU	364	Experiments and simulations on heat exchangers in thermoelectric generator for automotive application
S. C. WU, D. WANG, J. H. GAO, Z. Y. HUANG and Y. M. CHEN	371	Effect of the number of grooves on a wick's surface on the heat transfer performance of loop heat pipe
R. AGARWAL and P. HRNJAK	378	Effect of sensible heat, condensation in superheated and subcooled region incorporated in unified model for heat rejection in condensers in horizontal round smooth tubes
J. BENAJES, P. OLMEDA, J. MARTÍN and R. CARREÑO	389	A new methodology for uncertainties characterization in combustion diagnosis and thermodynamic modelling
T. CUI, Q. LI and Y. XUAN	400	Characterization and application of engineered regular rough surfaces in thermal contact resistance
A. MAGHSOODI, E. AFSHARI and H. AHMADIKIA	410	Optimization of geometric parameters for design a high-performance ejector in the proton exchange membrane fuel cell system using artificial neural network and genetic algorithm