

A67/E



ELSEVIER

Volume 71, Issue 2, 22 October 2014

ISSN 1359-4311

# APPLIED THERMAL ENGINEERING

Editor-in-Chief: *David A. Reay*

Regional Editors: *J. J. Klemeš, S. Srinivasa Murthy, W.M. Worek, T.S. Zhao*

DESIGN . PROCESSES . EQUIPMENT . ECONOMICS

SPECIAL ISSUE: MICROGEN III: Promoting the transition to high efficiency distributed energy systems

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**ScienceDirect**

# APPLIED THERMAL ENGINEERING

DESIGN · PROCESSES · EQUIPMENT · ECONOMICS

Volume 71, Issue 2

22 October 2014

## CONTENTS

---

### Special Issue: MICROGEN III: Promoting the transition to high efficiency distributed energy systems

- M. SASSO and S. SIBILIO 627 Special issue: MICROGEN III, third international conference on microgeneration and related technologies
- Articles**
- G. ANGRISANI, M. CANELLI, A. ROSATO, C. ROSELLI, M. SASSO and S. SIBILIO 628 Load sharing with a local thermal network fed by a microcogenerator: Thermo-economic optimization by means of dynamic simulations
- L. MONGIBELLO, M. CAPEZZUTO and G. GRADITI 636 Technical and cost analyses of two different heat storage systems for residential micro-CHP plants
- C. R. RUIVO and G. ANGRISANI 643 The effectiveness method to predict the behaviour of a desiccant wheel: An attempt of experimental validation
- T. KATO and Y. SUZUOKI 652 Autonomous scheduling of heat-pump water heaters for mitigating voltage rise caused by photovoltaic power generation systems
- M. LA SCALA, A. VACCARO and A. F. ZOBAA 658 A goal programming methodology for multiobjective optimization of distributed energy hubs operation
- C. BRANDONI, M. RENZI, F. CARESANA and F. POLONARA 667 Simulation of hybrid renewable microgeneration systems for variable electricity prices
- H. RIBBERINK and E. ENTCHEV 677 Exploring the potential synergy between micro-cogeneration and electric vehicle charging
- A. M. PANTALEO, S. CAMPOREALE and N. SHAH 686 Natural gas–biomass dual fuelled microturbines: Comparison of operating strategies in the Italian residential sector
- E. ENTCHEV, L. YANG, M. GHORAB and E. J. LEE 697 Performance analysis of a hybrid renewable microgeneration system in load sharing applications
- F. ASCIONE, M. CANELLI, R. F. DE MASI, M. SASSO and G. P. VANOLI 705 Combined cooling, heating and power for small urban districts: An Italian case-study
- S. CAMPANARI, G. VALENTI, E. MACCHI, G. LOZZA and N. RAVIDÀ 714 Development of a micro-cogeneration laboratory and testing of a natural gas CHP unit based on PEM fuel cells
- B. THOMAS 721 Experimental determination of efficiency factors for different Micro-CHP units according to the standard DIN 4709

|   |     |  |
|---|-----|--|
| M. NOUSSAN, G. CERINO ABDIN,<br>A. POGGIO and R. ROBERTO  | 729 | Biomass-fired CHP and heat storage system simulations in existing district heating systems   |
| E. S. BARBIERI, Y. J. DAI,<br>M. MORINI, M. PINELLI,<br>P. R. SPINA, P. SUN and R. Z. WANG        | 736 | Optimal sizing of a multi-source energy plant for power heat and cooling generation  |
| A. ALGIERI and P. MORRONE   | 751 | Energetic analysis of biomass-fired ORC systems for micro-scale combined heat and power (CHP) generation. A possible application to the Italian residential sector |
| M. MUCCILLO and A. GIMELLI  | 760 | Experimental development, 1D CFD simulation and energetic analysis of a 15 kw micro-CHP unit based on reciprocating internal combustion engine                     |
| M. BIANCHI, A. DE PASCALE,<br>F. MELINO and A. PERETTO  | 771 | Performance prediction of micro-CHP systems using simple virtual operating cycles  |
| A. SCIACOVELLI, E. GUELPA and<br>V. VERDA   | 780 | Multi-scale modeling of the environmental impact and energy performance of open-loop groundwater heat pumps in urban areas   |
| D. SONAR, S. L. SONI and<br>D. SHARMA   | 790 | Micro-trigeneration for energy sustainability: Technologies, tools and trends  |
| S. YOU and H. SEGERBERG   | 797 | Integration of 100% micro-distributed energy resources in the low voltage distribution network: A Danish case study  |
| N. J. KELLY, P. G. TUOHY and<br>A. D. HAWKES  | 809 | Performance assessment of tariff-based air source heat pump load shifting in a UK detached dwelling featuring phase change-enhanced buffering                      |
| I. GONZÁLEZ-PINO,<br>A. CAMPOS-CELADOR,<br>E. PÉREZ-IRIBARREN,<br>J. TERÉS-ZUBIAGA and J. M. SALA | 821 | Parametric study of the operational and economic feasibility of Stirling micro-cogeneration devices in Spain   |
| E. POHL and D. DIARRA   | 830 | Assessment of primary energy savings by means of CHP systems in domestic energy supply   |
| L. SPITALNY, J. M. A. MYRZIK and<br>T. MEHLHORN   | 838 | Estimation of the economic addressable market of micro-CHP and heat pumps based on the status of the residential building sector in Germany                        |
| J. ZAPATA, J. VANDEWALLE and<br>W. D'HAESELEER  | 847 | A comparative study of imbalance reduction strategies for virtual power plant operation  |
| G. ANGRISANI, A. ROSATO,<br>C. ROSELLI, M. SASSO, S. SIBILIO<br>and A. UNICH                      | 858 | Influence of climatic conditions and control logic on NOx and CO emissions of a micro-cogeneration unit serving an Italian residential building                    |
| S. J. G. COOPER, G. P. HAMMOND,<br>M. C. MCMANUS and J. G. ROGERS                                 | 872 | Impact on energy requirements and emissions of heat pumps and micro-cogenerators participating in demand side management   |
| A. PIACENTINO, C. BARBARO and<br>F. CARDONA   | 882 | Promotion of polygeneration for buildings applications through sector- and user-oriented "high efficiency CHP" eligibility criteria                                |
| M. DE CARLI, A. GALGARO,<br>M. PASQUALETTO and<br>A. ZARRELLA                                     | 895 | Energetic and economic aspects of a heating and cooling district in a mild climate based on closed loop ground source heat pump                                    |

- S. CORDINER and V. MULONE 905 Experimental–numerical analysis of a biomass fueled microgeneration power-plant based on microturbine
- P. CAPALDI 913 A high efficiency 10 kWe microcogenerator based on an Atkinson cycle internal combustion engine
- A. COSTA and A. FICHERA 921 A mixed-integer linear programming (MILP) model for the evaluation of CHP system in the context of hospital structures