


174
B 60/Br



B B R C

Biochemical and Biophysical Research Communications





Volume 443, Issue 1, January 3, 2014

CONTENTS

Abstracted/Indexed in Biological Abstracts (BIOSIS), Chemical Abstracts, Current Contents/Life Sciences, EMBASE, *Index Medicus* (MEDLINE), Science Citation Index, and SCISEARCH. Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®.

REGULAR ARTICLES

- Mechanism-based inhibition of cancer metastasis with (–)-epigallocatechin gallate
Atsushi Takahashi, Tatsuro Watanabe, Anupom Mondal, Kaori Suzuki, Miki Kurusu-Kanno, Zhenghao Li, Takashi Yamazaki, Hirota Fujiki, Masami Suganuma 1
- The UbL protein UBTD1 stably interacts with the UBE2D family of E2 ubiquitin conjugating enzymes
Jay P. Uhler, Henrik Spåhr, Géraldine Farge, Stéphan Clavel, Nils-Göran Larsson, Maria Falkenberg, Tore Samuelsson, Claes M. Gustafsson 7
- Down-regulation of Fas-mediated apoptosis by plasma transglutaminase factor XIII that catalyzes fetal-specific cross-link of the Fas molecule
Hidehiko Kikuchi, Futoshi Kuribayashi, Shinobu Imajoh-Ohmi 13
- Molecular chaperone function of *Arabidopsis thaliana* phloem protein 2-A1, encodes a protein similar to phloem lectin
Jung Ro Lee, Kara A. Boltz, Sang Yeol Lee 18
- Upstream binding factor-dependent and pre-rRNA transcription-independent association of pre-rRNA processing factors with rRNA gene
Shuhei Ueshima, Kyosuke Nagata, Mitsuru Okuwaki 22
- Antitumour agents as inhibitors of tryptophan 2,3-dioxygenase
Georgios Pantouris, Christopher G. Mowat 28
- Small molecule glutaminase inhibitors block glutamate release from stimulated microglia
Ajit G. Thomas, Cliona M. O'Driscoll, Joseph Bressler, Walter E. Kaufmann, Camilo J. Rojas, Barbara S. Slusher 32
- Selection of DNA aptamers that bind to influenza A viruses with high affinity and broad subtype specificity
Ikuo Shiratori, Joe Akitomi, David A. Boltz, Katsunori Horii, Makio Furuichi, Iwao Waga 37
- CTRP3 plays an important role in the development of collagen-induced arthritis in mice
Masanori A. Murayama, Shigeru Kakuta, Takumi Maruhashi, Kenji Shimizu, Akimasa Seno, Sachiko Kubo, Nozomi Sato, Shinobu Saijo, Masahira Hattori, Yoichiro Iwakura 42
- Disturbance of DKK1 level is partly involved in survival of lung cancer cells via regulation of ROMO1 and γ -radiation sensitivity
In Gyu Kim, Seo Yoen Kim, Hyun A Kim, Jeong Yul Kim, Jae Ha Lee, Soo Im Choi, Jeong Ran Han, Kug Chan Kim, Eun Wie Cho 49

| | | |
|--|---|-----|
| The Ca ²⁺ channel TRPML3 specifically interacts with the mammalian ATG8 homologue GATE16 to regulate autophagy | Suzy Choi, Hyun Jin Kim | 56 |
| βTrCP-mediated ubiquitylation regulates protein stability of Mis18β in a cell cycle-dependent manner | Ik Soo Kim, Minkyung Lee, Joo Hyeon Park, Raok Jeon, Sung Hee Baek, Keun Il Kim | 62 |
| Activation of farnesoid X receptor attenuates hepatic injury in a murine model of alcoholic liver disease | Weibin Wu, Bo Zhu, Xiaomin Peng, Meiling Zhou, Dongwei Jia, Jianxin Gu | 68 |
| Saponin monomer 13 of dwarf lilyturf tuber (DT-13) protects serum withdrawal-induced apoptosis through PI3K/Akt in HUVEC | Cong Qiu, Levente Jozsef, Boyang Yu, Jun Yu | 74 |
| Validation of a simple and fast method to quantify <i>in vitro</i> mineralization with fluorescent probes used in molecular imaging of bone | Martiene J.C. Moester, Monique A.E. Schoeman, Ineke B. Oudshoorn, Mara M. van Beusekom, Isabel M. Mol, Eric L. Kaijzel, Clemens W.G.M. Löwik, Karien E. de Rooij | 80 |
| Ubiquitous distribution of phosphatidylinositol phosphate synthase and archaetidylinositol phosphate synthase in Bacteria and Archaea, which contain inositol phospholipid | Hiroyuki Morii, Midori Ogawa, Kazumasa Fukuda, Hatsumi Taniguchi | 86 |
| Prolyl oligopeptidase inhibition-induced growth arrest of human gastric cancer cells | Kanayo Suzuki, Minoru Sakaguchi, Satoshi Tanaka, Tadashi Yoshimoto, Masanori Takaoka | 91 |
| ATP binding to two sites is necessary for dimerization of nucleotide-binding domains of ABC proteins | Maria E. Zoghbi, Guillermo A. Altenberg | 97 |
| The human cathelicidin LL-37 enhances airway mucus production in chronic obstructive pulmonary disease | Yuke Zhang, Yuanyuan Jiang, Congcong Sun, Qin Wang, Zhihua Yang, Xiujie Pan, Maoxiang Zhu, Wei Xiao | 103 |
| The cataract-associated V41M mutant of human γS-crystallin shows specific structural changes that directly enhance local surface hydrophobicity | Somireddy Venkata Bharat, Alexander Shekhtman, Jayanti Pande | 110 |
| Synthetic embryonic lethality upon deletion of the ER cochaperone p58 ^{IPK} and the ER stress sensor ATF6α | Javier A. Gomez, Heather M. Tyra, Diane DeZwaan-McCabe, Alicia K. Olivier, D. Thomas Rutkowski | 115 |
| Hypoxia and hypoxia mimetic cooperate to counteract tumor cell resistance to glucose starvation preferentially in tumor cells with mutant p53 | Valery A. Chavez-Perez, Mary Strasberg-Rieber, Manuel Rieber | 120 |
| Peptides derived from human galectin-3 N-terminal tail interact with its carbohydrate recognition domain in a phosphorylation-dependent manner | M. Álvaro Berbís, Sabine André, F. Javier Cañada, Rüdiger Pipkorn, Hans Ippel, Kevin H. Mayo, Dieter Kübler, Hans-Joachim Gabius, Jesús Jiménez-Barbero | 126 |
| Tussilagone suppresses colon cancer cell proliferation by promoting the degradation of β-catenin | Hua Li, Hwa Jin Lee, Yeon Hwa Ahn, Hye Jin Kwon, Chang-Young Jang, Woo-Young Kim, Jae-Ha Ryu | 132 |
| Downregulation of dynamin-related protein 1 attenuates glutamate-induced excitotoxicity via regulating mitochondrial function in a calcium dependent manner in HT22 cells | Chi Zhang, Xian-rui Yuan, Hao-yu Li, Zi-jin Zhao, Yi-wei Liao, Xiang-yu Wang, Jun Su, Shu-shan Sang, Qing Liu | 138 |
| CB2 cannabinoid receptor is a novel target for third-generation selective estrogen receptor modulators bazedoxifene and lasofoxifene | Pritesh Kumar, Zhao-Hui Song | 144 |

Continued

| | | |
|--|---|-----|
| Nerve growth factor stimulates regeneration of perivascular nerve, and induces the maturation of microvessels around the injured artery | Akira Asanome, Jun-ichi Kawabe, Motoki Matsuki, Maki Kabara, Yoshiki Hira, Hiroki Bochimoto, Atsushi Yamauchi, Tatsuya Aonuma, Naofumi Takehara, Tsuyoshi Watanabe, Naoyuki Hasebe | 150 |
| Aberrant expression of SIRT3 is conversely correlated with the progression and prognosis of human gastric cancer | Bing Yang, Xueqiong Fu, Liang Shao, Yu Ding, Duan Zeng | 156 |
| Aquaporin 3 and 8 are down-regulated in TNBS-induced rat colitis | Guangxi Zhao, Jing Li, Jiyao Wang, Xizhong Shen, Jianyong Sun | 161 |
| Age-related disruption of autophagy in dermal fibroblasts modulates extracellular matrix components | Kanae Tashiro, Mayumi Shishido, Keiko Fujimoto, Yuko Hirota, Kazuyuki Yo, Takamasa Gomi, Yoshitaka Tanaka | 167 |
| Processing of glutathionylcobalamin by a bovine B ₁₂ trafficking chaperone bCbC involved in intracellular B ₁₂ metabolism | Jinju Jeong, Jihyun Park, Jeongho Park, Jihoe Kim | 173 |
| Active site proton delivery and the lyase activity of human CYP17A1 | Yogan Khatri, Michael C. Gregory, Yelena V. Grinkova, Iliia G. Denisov, Stephen G. Sligar | 179 |
| ¹ H NMR spectroscopic studies establish that heparanase is a retaining glycosidase | Jennifer C. Wilson, Andrew Elohim Laloo, Sanjesh Singh, Vito Ferro | 185 |
| Pre-pore oligomer formation by <i>Vibrio cholerae</i> cytolysin: Insights from a truncated variant lacking the pore-forming pre-stem loop | Karan Paul, Kausik Chattopadhyay | 189 |
| Purification and characterization of a carboxymethyl cellulase from <i>Artemia salina</i> | Hyun Woo Zin, Kwang-Hyun Park, Tae Jin Choi | 194 |
| Kinetic and equilibrium studies of acrylonitrile binding to cytochrome c peroxidase and oxidation of acrylonitrile by cytochrome c peroxidase compound I | Diana Chinchilla, Heather Kilheeneey, Lidia B. Vitello, James E. Erman | 200 |
| Midkine exacerbates pressure overload-induced cardiac remodeling | Shunsuke Netsu, Tetsuro Shishido, Tatsuro Kitahara, Yuki Honda, Akira Funayama, Taro Narumi, Shinpei Kadowaki, Hiroki Takahashi, Takuya Miyamoto, Takanori Arimoto, Satoshi Nishiyama, Tetsu Watanabe, Chang-Hoon Woo, Yasuchika Takeishi, Isao Kubota | 205 |
| Activation of farnesoid X receptor induces RECK expression in mouse liver | Xiaomin Peng, Weibin Wu, Bo Zhu, Zhichao Sun, Lingling Ji, Yuanyuan Ruan, Meiling Zhou, Lei Zhou, Jianxin Gu | 211 |
| Nuclear AXIN2 represses MYC gene expression | Sherri A. Rennoll, Wesley M. Konsavage Jr., Gregory S. Yochum | 217 |
| Hyperoxia inhibits glucose-induced insulin secretion and mitochondrial metabolism in rat pancreatic islets | Zuheng Ma, Noah Moruzzi, Sergiu-Bogdan Catrina, Valdemar Grill, Anneli Björklund | 223 |
| Characterization of vegetative storage protein (VSP) and low molecular proteins induced by water deficit in stolon of white clover | Bok-Rye Lee, Dong-Gi Lee, Jean-Christophe Avice, Tae-Hwan Kim | 229 |
| Human C-kit+CD45 ⁻ cardiac stem cells are heterogeneous and display both cardiac and endothelial commitment by single-cell qPCR analysis | Joakim Sandstedt, Marianne Jonsson, Göran Dellgren, Anders Lindahl, Anders Jeppsson, Julia Asp | 234 |
| EpCAM expression in the prostate cancer makes the difference in the response to growth factors | Go J. Yoshida, Hideyuki Saya | 239 |

Continued

| | | |
|--|---|-----|
| TNF α induces the expression of genes associated with endothelial dysfunction through p38MAPK-mediated down-regulation of miR-149 | Daniela Palmieri, Simona Capponi, Alessandro Geroldi, Marzia Mura, Paola Mandich, Domenico Palombo | 246 |
| Identification of a novel Ser/Thr protein phosphatase Ppq1 as a negative regulator of mating MAP kinase pathway in <i>Saccharomyces cerevisiae</i> | Eunyeong Shim, Sang-Hyun Park | 252 |
| Cell cycle-dependent SUMO-1 conjugation to nuclear mitotic apparatus protein (NuMA) | Jae Sung Seo, Ha Na Kim, Sun-Jick Kim, Jiyoung Bang, Eun-A Kim, Ki Sa Sung, Hyun-Joo Yoon, Hae Yong Yoo, Cheol Yong Choi | 259 |
| Perillyl alcohol suppresses antigen-induced immune responses in the lung | Mitsuru Imamura, Oh Sasaki, Katsuhide Okunishi, Kazuyuki Nakagome, Hiroaki Harada, Kimito Kawahata, Ryoichi Tanaka, Kazuhiko Yamamoto, Makoto Dohi | 266 |
| Understanding cross-communication between aboveground and belowground tissues via transcriptome analysis of a sucking insect whitefly-infested pepper plants | Yong-Soon Park, Choong-Min Ryu | 272 |
| Hallucinogenic 5-HT2AR agonists LSD and DOI enhance dopamine D2R protomer recognition and signaling of D2-5-HT2A heteroreceptor complexes | Dasiel O. Borroto-Escuela, Wilber Romero-Fernandez, Manuel Narvaez, Julia Oflijan, Luigi F. Agnati, Kjell Fuxe | 278 |
| supraHex: An R/Bioconductor package for tabular omics data analysis using a supra-hexagonal map | Hai Fang, Julian Gough | 285 |
| Molecular identification of <i>aiiA</i> homologous gene from endophytic <i>Enterobacter</i> species and in silico analysis of putative tertiary structure of AHL-lactonase | P.S. Rajesh, V. Ravishankar Rai | 290 |
| Nucleoprotein of influenza B virus binds to its type A counterpart and disrupts influenza A viral polymerase complex formation | Peera Jaru-ampornpan, Jaraspim Narkpuk, Asawin Wanitchang, Anan Jongkaewwattana | 296 |
| Bovine alpha-2-HS-glycoprotein functions as a booster antigen for efficiently stimulating humoral immune responses to CCR5 and SIVmac239 envelope glycoprotein | Yasuharu Otsubo, Seizo Yashiro, Kiyoteru Nozaki, Kaoru Matsuura, Kouhei Kiyonaga, Ryotarou Mitsumata, Yoshihiro Takahashi, Mitsuaki Masuyama, Atsunobu Muneoka, Nobutoki Takamune, Shozo Shoji, Shogo Misumi | 301 |
| Design and expression of a short peptide as an HIV detection probe | Jamie A. Lines, Zhiqiang Yu, Larisa M. Dedkova, Shengxi Chen | 308 |
| Transgenic mice expressing mutant Pinin exhibit muscular dystrophy, nebulin deficiency and elevated expression of slow-type muscle fiber genes | Hsu-Pin Wu, Shu-Yuan Hsu, Wen-Ai Wu, Ji-Wei Hu, Pin Ouyang | 313 |
| The calmodulin inhibitor and antipsychotic drug trifluoperazine inhibits voltage-dependent K ⁺ channels in rabbit coronary arterial smooth muscle cells | Da Hye Hong, Youn Kyoung Son, Hongliang Li, In Duk Jung, Yeong-Min Park, Won-Kyo Jung, Han Sol Kim, Il-Whan Choi, Won Sun Park | 321 |
| Luteolin exhibits anti-inflammatory effects by blocking the activity of heat shock protein 90 in macrophages | Dan Chen, Aijing Bi, Xiaoliang Dong, Yi Jiang, Bing Rui, Jinjiao Liu, Zhimin Yin, Lan Luo | 326 |
| ER stress-inducible ATF3 suppresses BMP2-induced ALP expression and activation in MC3T3-E1 cells | Jae-kyung Park, Hoon Jang, SeongSoo Hwang, Eun-Jung Kim, Dong-Ern Kim, Keon-Bong Oh, Dae-Jin Kwon, Jeong-Tae Koh, Kumi Kimura, Hiroshi Inoue, Won-Gu Jang, Jeong-Woong Lee | 333 |

Continued

Shikonin shortens the circadian period: Possible involvement of Top2 inhibition

**Yoshikatsu Ogawa, Yasuhiro Kawano,
Yoshimitsu Yamazaki, Yoshiaki Onishi**

339

CORRIGENDUM

Corrigendum to "TFEB activation promotes the recruitment of lysosomal glycohydrolases β -hexosaminidase and β -galactosidase to the plasma membrane" [Biochem. Biophys. Res. Commun. 440 (2013) 251–257]

**Alessandro Magini, Alice Polchi, Lorena Urbanelli,
Daniela Cesselli, Antonio Beltrami, Brunella Tancini,
Carla Emiliani**

344

A full and complete Guide for Authors can be found at: <http://authors.elsevier.com/locate/ybbrc>.

BBRC has no page charges