


Biogeochemistry



Biogeochemistry

An International Journal

Volume 118 · Numbers 1–3 · April 2014

Metabolism of a nitrogen-enriched coastal marine lagoon during the summertime

R.W. Howarth · M. Hayn · R.M. Marino · N. Ganju · K. Foreman · K. McGlathery · A.E. Giblin · P. Berg · J.D. Walker 1

Combined dynamics of mercury and terrigenous organic matter following impoundment of Churchill Falls Hydroelectric Reservoir, Labrador

R. Teisserenc · M. Lucotte · R. Canuel · M. Moingt · D. Obrist 21

Dissolved organic carbon and total dissolved nitrogen production by boreal soils and litter: the role of flooding, oxygen concentration, and temperature

Y. Kim · S. Ullah · T.R. Moore · N.T. Roulet 35

Enhanced dissolved organic carbon production in aquatic ecosystems in response to elevated atmospheric CO₂

C. Song · F. Ballantyne IV · V.H. Smith 49

Storm event patterns of particulate organic carbon (POC) for large storms and differences with dissolved organic carbon (DOC)

G.S. Dhillon · S. Inamdar 61

Partitioning the net ecosystem carbon balance of a semiarid steppe into biological and geological components

A. Rey · L. Belelli-Marchesini · G. Etiope · D. Papale · E. Canfora · R. Valentini · E. Pegoraro 83

Nitrogen-oxide emissions from tropical forest soils exposed to elevated nitrogen input strongly interact with rainfall quantity and seasonality

M.D. Corre · J.P. Sueta · E. Veldkamp 103

Influence of emergent vegetation on nitrate cycling in sediments of a groundwater-fed river

S. Ullah · H. Zhang · A.L. Heathwaite · C. Heppell · K. Lansdown · A. Binley · M. Trimmer 121

Are chemical oxidation methods relevant to isolate a soil pool of centennial carbon?

S. Lutfalla · C. Chenu · P. Barré 135

Biodiversity effects on nitrate concentrations in soil solution: a Bayesian model

S. Leimer · C. Wirth · Y. Oelmann · W. Wilcke 141

Restoration effects on water table depths and CO₂ fluxes from climatically marginal blanket bog

S.D. Dixon · S.M. Qassim · J.G. Rowson · F. Worrall · M.G. Evans · I.M. Boothroyd · A. Bonn 159

Enhanced greenhouse gas emissions and changes in plankton communities following an experimental increase in organic carbon loading to a humic lake

S. Peura · H. Nykänen · P. Kankaala · A. Eiler · M. Tirola · R.I. Jones 177

Synergistic soil response to nitrogen plus phosphorus fertilization in hardwood forests

M.C. Fisk · T.J. Ratliff · S. Goswami · R.D. Yanai 195

Compound-specific ¹³C and ¹⁴C measurements improve the understanding of soil organic matter dynamics

M. Mendez-Millan · T.T. Nguyen Tu · J. Balesdent · S. Derenne · D. Derrien · C. Egasse · A. Thongo M'Bou · B. Zeller · C. Hatté 205

Food and feed trade as a driver in the global nitrogen cycle: 50-year trends

L. Lassalle · G. Billen · B. Grizzetti · J. Garnier · A.M. Leach · J.N. Galloway 225

Mass balance of mercury for the Yellow Sea downwind and downstream of East Asia: the preliminary results, uncertainties and future research priorities

Z. Ci · X. Zhang · Z. Wang · C. Wang 243

Long-term organic carbon turnover rates in natural and semi-natural topsoils

R.T.E. Mills · E. Tipping · C.L. Bryant · B.A. Emmett 257

Stream water carbon controls in seasonally snow-covered mountain catchments: impact of inter-annual variability of water fluxes, catchment aspect and seasonal processes

J.N. Perdrial · J. McIntosh · A. Harpold · P.D. Brooks · X. Zapata-Rios · J. Ray · T. Meixner · T. Kanduc · M. Litvak · P.A. Troch · J. Chorover 273

Nitrogen isotope tracer acquisition in low and tall birch tundra plant communities: a 2 year test of the snow–shrub hypothesis

M.R. Vankoughnett · P. Grogan 291

Molecular assays advance understanding of sulfate reduction despite cryptic cycles

B.K. Reese · A.D. Witmer · S. Moller · J.W. Morse · H.J. Mills 307

Seasonal pattern of dissolved organic matter (DOM) in watershed sources: influence of hydrologic flow paths and autumn leaf fall

S. Singh · S. Inamdar · M. Mitchell · P. McHale 321

Latitudinal gradient of C₄ grass contribution to Black Soil organic carbon and correlation between $\delta^{13}\text{C}$ and the melanic index in Japanese forest stands

S. Ishizuka · K. Kawamuro · A. Imaya · A. Torii · K. Morisada 339

Calcium, strontium and barium biogeochemistry in a forested catchment and insight into elemental discrimination

S.A. Watmough 357

Interannual variability in the CO₂ balance of a boreal patterned fen, James Bay, Canada

N. Cliche Trudeau · M. Garneau · L. Pelletier 371

Silica fluxes in the inner Elbe Estuary, Germany

T. Amann · A. Weiss · J. Hartmann 389

The dynamics of calcium and magnesium inputs by throughfall in a forest ecosystem on base poor soil are very slow and conservative: evidence from an isotopic tracing experiment (²⁶Mg and ⁴⁴Ca)

G. van der Heijden · A. Legout · B. Pollier · J. Ranger · E. Dambrine 413

Glacial flours as a potential source of Fe(II) and Fe(III) to polar waters

M.J. Hopwood · P.J. Statham · M. Tranter · J.L. Wadham 443

An exploratory analysis of phosphorus transformations in tropical soils using structural equation modeling

A.C. Gama-Rodrigues · M.V.S. Sales · P.S.D. Silva · N.B. Comerford · W.P. Cropper · E.F. Gama-Rodrigues 453

The roles of microorganisms in litter decomposition and soil formation

S. Hobara · T. Osono · D. Hirose · K. Noro · M. Hirota · R. Benner 471

Erratum 487

Cover Image: West Falmouth Harbor and its location adjoining Buzzards Bay on Cape Cod. Deployment sites for measurement of DO and pH shown by *circles* in Snug Harbor and the Outer Harbor. Snug Harbor receives a large N load from contaminated groundwater flowing from a wastewater treatment facility. West Falmouth Harbor exchanges water with Buzzards Bay through a single outlet on the western edge of the Outer Harbor.