


BIORESOURCE TECHNOLOGY

applied microbiology ■ bioconversion/biocatalysis ■ biofuels ■
biological engineering ■ biological waste treatment ■ biomass ■
bioprocesses ■ thermo-chemical treatment



Available online at www.sciencedirect.com

SciVerse ScienceDirect



0960-8524(201305)136:C;1-H

(Abstracted/Indexer in: AGRICOLA database; Agricultural Engineering Abstracts; Analytical Abstracts (Royal Society of Chemistry Information Services); BIOSIS (Biological Abstracts); CAB Abstracts database; Elsevier BIOBASE/Current Awareness in Biological Sciences; Cambridge Scientific Abstracts; Chemical Abstracts; Current Contents/Agriculture, Biology and Environmental Sciences; Ecological Abstracts; Energy from Biomass and Municipal Wastes; Energy Information Abstracts; Engineering Index; Environmental Periodicals Bibliography; EMBASE/Excerpta Medica; Forestry Abstracts; Fuel and Energy Abstracts; Gas Abstracts; GEOBASE; Science Citation Index; SciSearch; Selected Water Resources Abstracts). Also covered in the abstract and citation database SciVerse Scopus®. Full text available on SciVerse ScienceDirect®.

For a full and complete Guide for Authors, please refer to *BITE*, Vol 121C. The instructions can also be found at:
<http://www.elsevier.com/locate/biotech>

CONTENTS

Volume 136, May 2013

Full Length Articles

Biological Waste Treatment

- 1 Archaeal community dynamics and abiotic characteristics in a mesophilic anaerobic co-digestion process treating fruit and vegetable processing waste sludge with chopped fresh artichoke waste
M. ROS (Spain), I. H. FRANKE-WHITTLE (Austria), A. B. MORALES (Spain), H. INSAM (Austria), M. AYUSO & J. A. PASCUAL (Spain)
- 58 Stoichiometry and kinetic of the aerobic oxidation of phenolic compounds by activated sludge
C. C. LOBO, N. C. BERTOLA & E. M. CONTRERAS (Argentina)
- 73 Thermophilic co-digestion of cattle manure and food waste supplemented with crude glycerin in induced bed reactor (IBR)
L. CASTRILLÓN, E. MARAÑÓN, Y. FERNÁNDEZ-NAVA, P. ORMAECHEA & G. QUIROGA (Spain)
- 94 Hydraulic characteristics simulation of an innovative self-agitation anaerobic baffled reactor (SA-ABR)
W.-K. QI, T. HOJO & Y.-Y. LI (Japan)
- 109 Energy-environmental benefits and economic feasibility of anaerobic codigestion of Iberian pig slaughterhouse and tomato industry wastes in Extremadura (Spain)
A. GONZÁLEZ-GONZÁLEZ, F. CUADROS, A. RUIZ-CELMA & F. LÓPEZ-RODRÍGUEZ (Spain)
- 148 Short-cut nitrification in biological aerated filters with modified zeolite and nitrifying sludge
Q. LI, S. SUN, T. GUO, C. YANG, C. SONG, W. GENG, W. ZHANG, J. FENG & S. WANG (China)
- 155 Systematic analysis of biomass characteristics associated membrane fouling during start-up of a hybrid membrane bioreactor using worm reactor for sludge reduction
Z. LI, Y. TIAN, Y. DING & Y. LU (China)
- 169 Characterization of the retained sludge in a down-flow hanging sponge (DHS) reactor with emphasis on its low excess sludge production
T. ONODERA, K. MATSUNAGA, K. KUBOTA, R. TANIGUCHI, H. HARADA, K. SYUTSUBO, T. OKUBO, S. UEMURA, N. ARAKI, M. YAMADA, M. YAMAUCHI & T. YAMAGUCHI (Japan)

(Continued on inside back cover)

For further information about *Bioresource Technology* or other Elsevier products, why not access the COMPLETE ELSEVIER CATALOGUE via the INTERNET?

WWW: <http://www.elsevier.com>



CONTENTS (*continued from outside back cover*)

- 182 Mercury adsorption of modified mulberry twig chars in a simulated flue gas
T. SHU, P. LU & N. HE (China)
- 196 A Combined Activated Sludge Anaerobic Digestion Model (CASADM) to understand the role of anaerobic sludge recycling in wastewater treatment plant performance
M. N. YOUNG, A. K. MARCUS & B. E. RITTMANN (USA)
- 244 Removal of copper from acid wastewater of bioleaching by adsorption onto ramie residue and uptake by *Trichoderma viride*
B. WANG & K. WANG (PR China)
- 251 Thermophilic anaerobic co-digestion of poultry litter and thin stillage
D. SHARMA (United States), T. ESPINOSA-SOLARES (United States, Mexico) & D. H. HUBER (United States)
- 295 Sorption of phthalic acid esters in two kinds of landfill leachates by the carbonaceous sorbents
B. GAO, P. WANG, H. ZHOU (China), Z. ZHANG (USA), F. WU, J. JIN, M. KANG & K. SUN (China)
- 401 Treatment of drainage solution from hydroponic greenhouse production with microalgae
M. HULTBERG, A. S. CARLSSON & S. GUSTAFSSON (Sweden)
- 413 Enhanced bioremediation of heavy metal from effluent by sulfate-reducing bacteria with copper–iron bimetallic particles support
Q. ZHOU, Y. CHEN, M. YANG, W. LI & L. DENG (PR China)
- 437 Dye adsorption of mesoporous activated carbons produced from NaOH-pretreated rice husks
L. LIN, S.-R. ZHAI, Z.-Y. XIAO, Y. SONG, Q.-D. AN & X.-W. SONG (China)
- 444 Nitrous oxide emission in low-oxygen simultaneous nitrification and denitrification process: Sources and mechanisms
W. JIA, S. LIANG, J. ZHANG (China), H. H. NGO, W. GUO (Australia), Y. YAN & Y. ZOU (China)
- 488 The membrane fouling characteristics of MBRs with different aerobic granular sludges at high flux
Y. WANG, C. ZHONG, D. HUANG, Y. WANG & J. ZHU (China)
- 502 The influence of the pig manure separation system on the energy production potentials
R. WNETRZAK, W. KWAPINSKI (Ireland), K. PETERS, S. G. SOMMER, L. S. JENSEN (Denmark) & J. J. LEAHY (Ireland)
- 535 Effects of dissolved organic matter size fractions on trihalomethanes formation in MBR effluents during chlorine disinfection
D. MA, B. GAO, S. SUN, Y. WANG, Q. YUE & Q. LI (China)
- 574 Reactor performance and microbial community dynamics during solid-state anaerobic digestion of corn stover at mesophilic and thermophilic conditions
J. SHI, Z. WANG, J. A. STIVERSON, Z. YU & Y. LI (USA)
- 588 Impact of Fe and Ni/Fe nanoparticles on biodegradation of phenol by the strain *Bacillus fusiformis* (BFN) at various pH values
Y. KUANG, Y. ZHOU, Z. CHEN (China), M. MEGHARAJ & R. NAIDU (Australia)
- 604 Chromate tolerance and accumulation in *Chlorella vulgaris* L.: Role of antioxidant enzymes and biochemical changes in detoxification of metals
U. N. RAI, N. K. SINGH, A. K. UPADHYAY & S. VERMA (India)
- 635 Biosorption of Ni(II) from aqueous solutions by *Litchi chinensis* seeds
J. G. FLORES-GARNICA, L. MORALES-BARRERA, G. PINEDA-CAMACHO & E. CRISTIANI-URBINA (Mexico)
- 654 Innovative combination of electrolysis and Fe(II)-activated persulfate oxidation for improving the dewaterability of waste activated sludge
G.-Y. ZHEN, X.-Q. LU (PR China, Japan), Y.-Y. LI (Japan) & Y.-C. ZHAO (PR China)

(Continued on facing page)

CONTENTS (continued from inside back cover)

- 664 The fate of antagonistic microorganisms and antimicrobial substances during anaerobic digestion of pig and dairy manure
Y. CAO, Z. CHANG, J. WANG, Y. MA & G. FU (China)
- 680 Effect of nitrite, limited reactive settler and plant design configuration on the predicted performance of simultaneous C/N/P removal WWTPs
J. GUERRERO (Denmark, Spain), X. FLORES-ALSINA (Sweden), A. GUIASOLA, J. A. BAEZA (Spain) & K. V. GERNAEY (Denmark)

Biofuels and Biorefineries

- 8 Two-step *in situ* biodiesel production from microalgae with high free fatty acid content
T. DONG, J. WANG, C. MIAO, Y. ZHENG & S. CHEN (USA)
- 24 Biodiesel production from hydrolysate of *Cyperus esculentus* waste by *Chlorella vulgaris*
W. WANG, W. ZHOU, J. LIU, Y. LI & Y. ZHANG (PR China)
- 78 Biodiesel and biohydrogen production from cotton-seed cake in a biorefinery concept
I. A. PANAGIOTOPoulos (Greece, The Netherlands), S. PASIAS (Greece), R. R. BAKKER, T. DE VRIJE (The Netherlands), N. PAPAYANNAKOS (Greece), P. A. M. CLAASSEN (The Netherlands) & E. G. KOUKIOS (Greece)
- 102 Investigation of gas stripping and pervaporation for improved feasibility of two-stage butanol production process
M. SETLHAKU, S. HEITMANN, A. GÓRAK & R. WICHMANN (Germany)
- 126 Petrodiesel-like straight chain alkane and fatty alcohol production by the Microalga *Chlorella sorokiniana*
X. YANG, X. DAI, H. GUO (China), S. GENG & G. WANG (China, USA)
- 140 Wastewater from the soft drinks industry as a source for bioethanol production
M. A. ISLA, R. N. COMELLI & L. G. SELUY (Argentina)
- 176 Role of electricity production in the anaerobic decolorization of dye mixture by exoelectrogenic bacterium *Shewanella oneidensis* MR-1
D.-M. CAO, X. XIAO, Y.-M. WU, X.-B. MA, M.-N. WANG, Y.-Y. WU & D.-L. DU (China)
- 205 Comparison of various microalgae liquid biofuel production pathways based on energetic, economic and environmental criteria
F. DELRUE, Y. LI-BEISSON, P.-A. SETIER, C. SAHUT, A. ROUBAUD, A.-K. FROMENT & G. PELTIER (France)
- 213 Bioethanol production from pretreated *Melaleuca leucadendron* shedding bark – Simultaneous saccharification and fermentation at high solid loading
I. N. AHMED, P. L. T. NGUYEN (Taiwan), L. H. HUYNH (Viet Nam), S. ISMADJI (Indonesia) & Y.-H. JU (Taiwan)
- 273 Enhanced anaerobic digestion of organic contaminants containing diverse microbial population by combined microbial electrolysis cell (MEC) and anaerobic reactor under Fe(III) reducing conditions
J. ZHANG, Y. ZHANG, X. QUAN, S. CHEN & S. AFZAL (China)
- 309 Efficient ethanol production from corncob residues by repeated fermentation of an adapted yeast
C. FAN, K. QI, X.-X. XIA & J.-J. ZHONG (China)
- 316 *In situ* investigation of tubular microbial fuel cells deployed in an aeration tank at a municipal wastewater treatment plant
F. ZHANG, Z. GE, J. GRIMAUD, J. HURST & Z. HE (United States)
- 322 Treatability studies on different refinery wastewater samples using high-throughput microbial electrolysis cells (MECs)
L. REN, M. SIEGERT, I. IVANOV, J. M. PISCIOTTA & B. E. LOGAN (USA)
- 377 Energy consumption evaluation of fuel bioethanol production from sweet potato
M. D. FERRARI, M. GUIGOU & C. LAREO (Uruguay)

(continued on previous page)

CONTENTS (*continued from last page*)

- 407 Comparison of anodic metabolisms in bioelectricity production during treatment of dairy wastewater in Microbial Fuel Cell
E. ELAKKIYA & M. MATHESWARAN (India)
- 425 Mustard tuber wastewater treatment and simultaneous electricity generation using microbial fuel cells
F. GUO, G. FU, Z. ZHANG & C. ZHANG (China)
- 475 Sequential co-production of biodiesel and bioethanol with spent coffee grounds
E. E. KWON, H. YI & Y. J. JEON (South Korea)
- 509 Long-term investigation of microbial fuel cells treating primary sludge or digested sludge
Z. GE, F. ZHANG, J. GRIMAUD, J. HURST & Z. HE (United States)
- 556 Process improvements for the supercritical in situ transesterification of carbonized algal biomass
R. B. LEVINE, A. BOLLAS & P. E. SAVAGE (USA)
- 610 Nernst-ping-pong model for evaluating the effects of the substrate concentration and anode potential on the kinetic characteristics of bioanode
S. PENG, D.-W. LIANG, P. DIAO, Y. LIU, F. LAN, Y. YANG, S. LU & Y. XIANG (PR China)
- 617 Microalgae-based biodiesel: Economic analysis of downstream process realistic scenarios
S. D. RÍOS, C. M. TORRES, C. TORRAS, J. SALVADÓ, J. M. MATEO-SANZ & L. JIMÉNEZ (Spain)
- 644 Microalgae mediated bio-electrocatalytic fuel cell facilitates bioelectricity generation through oxygenic photomixotrophic mechanism
G. VENKATA SUBHASH, R. CHANDRA & S. VENKATA MOHAN (India)

Biomass and Feedstock Utilization

- 41 Enzymatic hybridization of α -lipoic acid with bioactive compounds in ionic solvents
A. A. PAPADOPOULOU, M. H. KATSOURA, A. CHATZIKONSTANTINOU, E. KYRIAKOU, A. C. POLYDERA, A. G. TZAKOS & H. STAMATIS (Greece)
- 49 Impact of biodegradation of organic matters on ammonia oxidation in compost
Y. ZENG, A. DE GUARDIA, C. ZIEBAL, F. J. DE MACEDO & P. DABERT (France)
- 131 Development of an efficient pretreatment process for enzymatic saccharification of Eastern redcedar
K. D. RAMACHANDRIYA, M. R. WILKINS, S. HIZIROGLU, N. T. DUNFORD & H. K. ATIYEH (USA)
- 281 Impact of fly ash and phosphatic rock on metal stabilization and bioavailability during sewage sludge vermicomposting
L. WANG, Y. ZHANG, J. LIAN, J. CHAO, Y. GAO, F. YANG & L. ZHANG (PR China)
- 302 Effect of initial pH on mesophilic hydrolysis and acidification of swine manure
L. LIN, C. WAN (China), X. LIU, D.-J. LEE (China, Taiwan), Z. LEI (China, Japan), Y. ZHANG & J. H. TAY (China)
- 385 New insights into the interactions between carbon dioxide and ammonia emissions during sewage sludge composting
Y. LI, W. LI, C. WU & K. WANG (China)
- 672 Alkaline polyol pulping and enzymatic hydrolysis of hardwood: Effect of pulping severity and pulp composition on cellulase activity and overall sugar yield
M. HUNDT, K. SCHNITZLEIN (Germany) & M. G. SCHNITZLEIN (Austria)

Bioprocesses

- 16 Bioleaching of rare earth and radioactive elements from red mud using *Penicillium tricolor* RM-10
Y. QU & B. LIAN (China)
- 30 Microtiter plates versus stirred mini-bioreactors in biocatalysis: A scalable approach
M. A. P. NUNES, P. C. B. FERNANDES & M. H. L. RIBEIRO (Portugal)

(continued on previous page)

CONTENTS (*continued from following page*)

- 267 Efficiency of CO₂ fixation by microalgae in a closed raceway pond
S. LI, S. LUO & R. GUO (PR China)
- 337 Algae biofilm growth and the potential to stimulate lipid accumulation through nutrient starvation
P. J. SCHNURR, G. S. ESPIE & D. G. ALLEN (Canada)
- 351 Optimization of continuous hydrogen production from co-fermenting molasses with liquid swine manure in an anaerobic sequencing batch reactor
X. WU, H. LIN & J. ZHU (USA)
- 360 Increased lipid productivity and TAG content in *Nannochloropsis* by heavy-ion irradiation mutagenesis
Y. MA, Z. WANG, M. ZHU, C. YU, Y. CAO, D. ZHANG & G. ZHOU (China)
- 418 Enhanced lipid productivity of *Chlorella pyrenoidosa* through the culture strategy of semi-continuous cultivation with nitrogen limitation and pH control by CO₂
F. HAN, J. HUANG, Y. LI, W. WANG, M. WAN, G. SHEN & J. WANG (PR China)
- 452 Selective carboxylate production by controlling hydrogen, carbon dioxide and substrate concentrations in mixed culture fermentation
D. ARSLAN (Belgium, The Netherlands), K. J. J. STEINBUSCH (The Netherlands), L. DIELS, H. DE EVER (Belgium), H. V. M. HAMELERS & C. J. N. BUISMAN (The Netherlands)
- 461 Effects of various LED light wavelengths and intensities on microalgae-based simultaneous biogas upgrading and digestate nutrient reduction process
Y. ZHAO, J. WANG, H. ZHANG, C. YAN & Y. ZHANG (PR China)
- 481 Bioconversion of un-pretreated lignocellulosic materials by a microbial consortium XDC-2
W. HUI (China, Japan), L. JIAJIA, L. YUCAI, G. PENG, W. XIAOFEN (China), M. KAZUHIRO (Japan) & C. ZONGJUN (China)
- 496 Mutate *Chlorella* sp. by nuclear irradiation to fix high concentrations of CO₂
J. CHENG, Y. HUANG, J. FENG, J. SUN, J. ZHOU & K. CEN (China)
- 522 Microbial utilization of aqueous co-products from hydrothermal liquefaction of microalgae *Nannochloropsis oculata*
M. NELSON, L. ZHU, A. THIEL, Y. WU, M. GUAN, J. MINTY, H. Y. WANG & X. N. LIN (USA)
- 529 Pre-hydrolysis with carbohydrases facilitates the release of protein from brewer's spent grain
P. NIEMI, D. MARTINS, J. BUCHERT & C. B. FAULDS (Finland)
- 689 Modeling microalgal growth in an airlift-driven raceway reactor
B. KETHEESAN & N. NIRMALAKHANDAN (USA)

Microbial Products

- 329 Microbial production of 2,3 butanediol from seaweed hydrolysate using metabolically engineered *Escherichia coli*
S. MAZUMDAR, J. LEE & M.-K. OH (Republic of Korea)
- 550 Continual production of glycerol from carbon dioxide by *Dunaliella tertiolecta*
Y. Y. S. CHOW, S. J. M. GOH, Z. SU, D. H. P. NG, C. Y. LIM, N. Y. N. LIM, H. LIN, L. FANG & Y. K. LEE (Singapore)

Physico-Chemical and Thermo-Chemical Processes for Biomass

- 66 Low strength ultrasonication positively affects the methanogenic granules toward higher AD performance. Part I: Physico-chemical characteristics
S.-K. CHO (Republic of Korea), Y.-H. HWANG (Republic of Korea, Denmark), D.-H. KIM, I.-S. JEONG, H.-S. SHIN & S.-E. OH (Republic of Korea)
- 87 Effects of pH and metal ions on oxytetracycline sorption to maize-straw-derived biochar
M. JIA, F. WANG, Y. BIAN, X. JIN, Y. SONG (PR China), F. O. KENGARA (PR China, Kenya), R. XU & X. JIANG (PR China)

(continued on previous page)

CONTENTS (*continued from following page*)

- 117 Thermocatalytic treatment of biomass tar model compounds via radio frequency
S. ANIS (Malaysia, Indonesia), Z. A. ZAINAL & M. Z. A. BAKAR (Malaysia)
- 163 Preparation and characterization of activated carbon from acorn shell by physical activation with H₂O-CO₂ in two-step pretreatment
Ö. ŞAHİN & C. SAKA (Turkey)
- 188 Hydrothermal microwave processing of microalgae as a pre-treatment and extraction technique for bio-fuels and bio-products
P. BILLER, C. FRIEDMAN & A. B. ROSS (UK)
- 222 Production of aromatics through current-enhanced catalytic conversion of bio-oil tar
P. BI, Y. YUAN, M. FAN, P. JIANG, Q. ZHAI & Q. LI (PR China)
- 230 Integrated pulping and biorefining of palm residues based on semichemical cooking and fiber fractionation
H. LIU, N. LI, S. FU (China) & S. CHEN (USA)
- 237 Hydrolysis, acidification and dewaterability of waste activated sludge under alkaline conditions: Combined effects of NaOH and Ca(OH)₂
G. SU, M. HUO (China), Z. YUAN (China, Australia), S. WANG & Y. PENG (China)
- 257 Combined alkali and acid pretreatment of spent mushroom substrate for reducing sugar and biofertilizer production
H.-J. ZHU, J.-H. LIU, L.-F. SUN, Z.-F. HU & J.-J. QIAO (China)
- 288 Association of wet disk milling and ozonolysis as pretreatment for enzymatic saccharification of sugarcane bagasse and straw
R. D. R. O. DE BARROS, R. DE SOUSA PAREDES (Brazil), T. ENDO (Japan), E. P. DA SILVA BON (Brazil) & S.-H. LEE (Japan, Republic of Korea)
- 345 Synergistic benefits of ionic liquid and alkaline pretreatments of poplar wood. Part 2: Characterization of lignin and hemicelluloses
T.-Q. YUAN, T.-T. YOU, W. WANG, F. XU & R.-C. SUN (PR China)
- 368 Detoxification of lignocellulosic hydrolysates using sodium borohydride
A. CAVKA & L. J. JÖNSSON (Sweden)
- 394 Efficient catalytic system for the conversion of fructose into 5-ethoxymethylfurfural
H. WANG, T. DENG, Y. WANG, Y. QI, X. HOU & Y. ZHU (People's Republic of China)
- 431 Catalytic pyrolysis of mandarin residue from the mandarin juice processing industry
J. W. KIM, S. H. PARK, J. JUNG, J.-K. JEON, C. H. KO, K.-E. JEONG & Y.-K. PARK (Republic of Korea)
- 469 Significantly enhancing enzymatic hydrolysis of rice straw after pretreatment using renewable ionic liquid–water mixtures
X.-D. HOU, N. LI & M.-H. ZONG (China)
- 515 Solid acids as catalysts for the conversion of D-xylose, xylan and lignocelluloses into furfural in ionic liquid
L. ZHANG, H. YU & P. WANG (PR China)
- 542 Selection of the best chemical pretreatment for lignocellulosic substrate *Prosopis juliflora*
S. NASEERUDDIN, K. SRILEKHA YADAV, L. SATEESH, A. MANIKYAM, S. DESAI & L. VENKATESWAR RAO (India)
- 565 Microwave assisted biodiesel production from *Jatropha curcas* L. seed by two-step in situ process: Optimization using response surface methodology
H. JALILIANNOSRATI, N. A. S. AMIN, A. TALEBIAN-KIAKALAIIEH (Malaysia) & I. NOSHADI (United States)
- 582 High temperature and low acid pretreatment and agarase treatment of agarose for the production of sugar and ethanol from red seaweed biomass
H. T. KIM, E. J. YUN, D. WANG, J. H. CHUNG, I.-G. CHOI & K. H. KIM (Republic of Korea)

(continued on previous page)

CONTENTS (*continued from following page*)

- 595 CO₂ co-gasification of lower sulphur petroleum coke and sugar cane bagasse via TG-FTIR analysis technique
E. M. A. EDREIS (China, Sudan), G. LUO, A. LI, C. CHAO, H. HU, S. ZHANG, B. GUI, L. XIAO, K. XU, P. ZHANG & H. YAO (China)
- 626 Non-catalytic hydropyrolysis of microalgae to produce liquid biofuels
P. DUAN, X. BAI, Y. XU, A. ZHANG, F. WANG, L. ZHANG & J. MIAO (PR China)

Review

- 697 Unconventional approaches to isolation and enrichment of functional microbial consortium – A review
D.-J. LEE (China, Taiwan), K.-Y. SHOW & A. WANG (China)

Short Communications

- 707 Effect of shear rate on the response of microbial fuel cell toxicity sensor to Cu(II)
Y. SHEN, M. WANG (Singapore), I. S. CHANG (Republic of Korea) & H. Y. NG (Singapore)
- 711 Electron acceptor dependence of electron shuttle secretion and extracellular electron transfer by *Shewanella oneidensis* MR-1
C. WU, Y.-Y. CHENG, B.-B. LI, W.-W. LI, D.-B. LI & H.-Q. YU (China)
- 715 High rate heptanoate production from propionate and ethanol using chain elongation
T. I. M. GROOTSCHOLTEN, K. J. J. STEINBUSCH, H. V. M. HAMELERS & C. J. N. BUISMAN (The Netherlands)
- 719 A comparative study of aerobically digested and undigested sludge in preparation of magnetic chars and their application in 1-diazo-2-naphthol-4-sulfonic acid adsorption
L. GU, N. ZHU, D. ZHANG, Z. LOU, H. YUAN & P. ZHOU (PR China)
- 725 Sweetpotato vines hydrolysate induces glycerol to be an effective substrate for lipid production of *Trichosporon fermentans*
Q. SHEN, H. LIN, J. ZHAN, Q. WANG & Y. ZHAO (People's Republic of China)
- 730 Transesterification of rapeseed oil for biodiesel production in trickle-bed reactors packed with heterogeneous Ca/Al composite oxide-based alkaline catalyst
Y.-L. MENG, S.-J. TIAN, S.-F. LI, B.-Y. WANG & M.-H. ZHANG (China)
- 735 Improving medium chain fatty acid productivity using chain elongation by reducing the hydraulic retention time in an upflow anaerobic filter
T. I. M. GROOTSCHOLTEN, K. J. J. STEINBUSCH, H. V. M. HAMELERS & C. J. N. BUISMAN (The Netherlands)
- 739 Microwave-assisted dissolution and delignification of wood in 1-ethyl-3-methylimidazolium acetate
H. WANG, M. L. MAXIM, G. GURAU & R. D. ROGERS (USA)
- 743 Coupling reactions of trehalose synthase from *Pyrococcus horikoshii*: Cost-effective synthesis and anti-adhesive activity of α -galactosyl oligosaccharides using a one-pot three-enzyme system with trehalose
S.-I. RYU, J.-B. WOO & S.-B. LEE (Republic of Korea)
- 747 Method for assessing the impact of emission gasses on physiology and productivity in biological methanogenesis
A. H. SEIFERT, S. RITTMANN, S. BERNACCHI & C. HERWIG (Austria)
- 752 Bioreduction and precipitation of uranium in ionic liquid aqueous solution by *Clostridium* sp.
C. ZHANG (United States, China), C. J. DODGE, S. V. MALHOTRA (United States) & A. J. FRANCIS (United States, South Korea)
- 757 Surface characterizations of bamboo substrates treated by hot water extraction
X. J. MA, S. L. CAO, L. LIN, X. L. LUO, L. H. CHEN & L. L. HUANG (PR China)

(continued on previous page)

CONTENTS (*continued from following page*)

- 761 Regulation of aromatics biodegradation by *rhl* quorum sensing system through induction of catechol meta-cleavage pathway
Y.-C. YONG & J.-J. ZHONG (China)
- 766 Biotransformation of polydatin to resveratrol in *Polygonum cuspidatum* roots by highly immobilized edible *Aspergillus niger* and Yeast
S. JIN, M. LUO, W. WANG, C.-J. ZHAO, C.-B. GU, C.-Y. LI, Y.-G. ZU, Y.-J. FU & Y. GUAN (PR China)
- 771 Biodiesel transesterification kinetics monitored by pH measurement
W. M. CLARK, N. J. MEDEIROS, D. J. BOYD & J. R. SNELL (United States)
- 775 Succinic acid production by *Actinobacillus succinogenes* NJ113 using corn steep liquor powder as nitrogen source
Y.-L. XI, K.-Q. CHEN, W.-Y. DAI, J.-F. MA, M. ZHANG, M. JIANG, P. WEI & P.-K. OUYANG (China)

Cover figure: The linear regressions of the predicted and observed values for all parameters; (a) biogas production rate (L/d); (b) H₂ production rate (L/d/L); (c) H₂ yield (mol-H₂/mol-sugar); (d) H₂ content (%). See the article "Optimization of continuous hydrogen production from co-fermenting molasses with liquid swine manure in an anaerobic sequencing batch reactor" by X. Wu et al.