




BIORESOURCE TECHNOLOGY

applied microbiology ■ bioconversion/biocatalysis ■ biofuels ■
 biological engineering ■ biological waste treatment ■ biomass ■
 bioprocesses ■ thermo-chemical treatment



Available online at www.sciencedirect.com

SciVerse ScienceDirect



(Abstracted/Indexed in: AGRICOLA database; Agricultural Engineering Abstracts; Analytical Abstracts (Royal Society of Chemistry Information Services); BIOSIS (Biological Abstracts); CAB Abstracts database; Elsevier BIOBASE/Current Awareness in Biological Sciences; Cambridge Scientific Abstracts; Chemical Abstracts; Current Contents/Agriculture, Biology and Environmental Sciences; Ecological Abstracts; Energy from Biomass and Municipal Wastes; Energy Information Abstracts; Engineering Index; Environmental Periodicals Bibliography; EMBASE/Excerpta Medica; Forestry Abstracts; Fuel and Energy Abstracts; Gas Abstracts; GEOBASE; Science Citation Index; SciSearch; Selected Water Resources Abstracts). Also covered in the abstract and citation database SciVerse Scopus®. Full text available on SciVerse ScienceDirect®.

For a full and complete Guide for Authors, please refer to *BITE*, Vol 121C. The instructions can also be found at:
<http://www.elsevier.com/locate/biortech>

CONTENTS

Volume 140, July 2013

Full Length Articles

Biological Waste Treatment

- 1 Surface modification of PVDF hollow fiber membrane and its application in membrane aerated biofilm reactor (MABR)
F. HOU, B. LI, M. XING, Q. WANG, L. HU & S. WANG (PR China)
- 15 Characterization of pyrene degradation by *Pseudomonas* sp. strain Jpyr-1 isolated from active sewage sludge
J. MA, L. XU & L. JIA (China)
- 22 Study the catalyzing mechanism of dissolved redox mediators on bio-denitrification by metabolic inhibitors
Z. XI, J. GUO, J. LIAN, H. LI, L. ZHAO, X. LIU, C. ZHANG & J. YANG (PR China)
- 28 Comparison of high pressure and ambient pressure aerobic granulation sequential batch reactor processes
Y.-M. LIANG, Y.-L. YANG, Y.-W. CHANG, J.-Y. CHEN, C.-W. LI, J.-H. YU & S.-S. CHEN (Taiwan)
- 80 The potential of oxygen to improve the stability of anaerobic reactors during unbalanced conditions: Results from a pilot-scale digester treating sewage sludge
I. RAMOS & M. FDZ-POLANCO (Spain)
- 111 Fouling potential evaluation of soluble microbial products (SMP) with different membrane surfaces in a hybrid membrane bioreactor using worm reactor for sludge reduction
Z. LI, Y. TIAN, Y. DING (China), L. CHEN (Singapore) & H. WANG (China)
- 126 The stability of aerobic granular sludge under 4-chloroaniline shock in a sequential air-lift bioreactor (SABR)
L. ZHU, M.-L. LV, X. DAI, J.-H. ZHOU & X.-Y. XU (China)
- 131 Comparison of sludge digestion under aerobic and anaerobic conditions with a focus on the degradation of proteins at mesophilic temperature
L. SHAO, T. WANG, T. LI, F. LÜ & P. HE (PR China)
- 187 Alkaline post-treatment for improved sludge anaerobic digestion
H. LI, S. ZOU, C. LI & Y. JIN (China)
- 192 Microaerobic DO-induced microbial mechanisms responsible for enormous energy saving in upflow microaerobic sludge blanket reactor
S. ZHENG, C. CUI, Y. QUAN & J. SUN (China)

(Continued on inside back cover)

For further information about *Bioresource Technology* or other Elsevier products, why not access the COMPLETE ELSEVIER CATALOGUE via the INTERNET?

WWW: <http://www.elsevier.com>



ELSEVIER

CONTENTS (continued from outside back cover)

- 211 Organic loading rate shock impact on operation and microbial communities in different anaerobic fixed-bed reactors
H. ZHAO, J. LI, J. LI, X. YUAN, R. PIAO, W. ZHU, H. LI, X. WANG & Z. CUI (China)
- 227 Rheology of a primary and secondary sewage sludge mixture: Dependency on temperature and solid concentration
S. BAROUTIAN (New Zealand), N. ESHTIAGHI (Australia) & D. J. GAPES (New Zealand)
- 234 Monitoring methanogenic population dynamics in a full-scale anaerobic digester to facilitate operational management
J. WILLIAMS, H. WILLIAMS, R. DINSDALE, A. GUWY & S. ESTEVES (UK)
- 243 Biodegradation of nicosulfuron by a *Talaromyces flavus* LZM1
J. SONG, J. GU, Y. ZHAI, W. WU, H. WANG, Z. RUAN, Y. SHI & Y. YAN (China)
- 249 Biochemical methane potential of two-phase olive mill solid waste: Influence of thermal pretreatment on the process kinetics
B. RINCÓN, L. BUJALANCE, F. G. FERMOSE, A. MARTÍN & R. BORJA (Spain)
- 312 Role of carbon substrates in facilitating energy reduction and resource recovery in a traditional activated sludge process: Investigation from a biokinetics modeling perspective
X. WANG, J. LIU, B. QU, N.-Q. REN & J. QU (PR China)
- 319 Self-adaption of methane-producing communities to pH disturbance at different acetate concentrations by shifting pathways and population interaction
L. HAO, F. LÜ, L. LI, Q. WU, L. SHAO & P. HE (PR China)
- 342 Anaerobic digestion of crude glycerol from biodiesel manufacturing using a large-scale pilot plant: Methane production and application of digested sludge as fertilizer
Y. BABA, C. TADA, R. WATANABE, Y. FUKUDA, N. CHIDA & Y. NAKAI (Japan)
- 349 Low-temperature anaerobic treatment of low-strength pentachlorophenol-bearing wastewater
J. LOPEZ, V. M. MONSALVO, D. PUYOL, A. F. MOHEDANO & J. J. RODRIGUEZ (Spain)
- 376 Effects of side-stream, low temperature phosphorus recovery on the performance of anaerobic/anoxic/oxic systems integrated with sludge pretreatment
S. E. RAJ, J. R. BANU, S. KALIAPPAN (India), I.-T. YEOM (Republic of Korea) & S. ADISH KUMAR (India)

Biofuels and Biorefineries

- 146 Efficient bifunctional catalyst lipase/organophosphonic acid-functionalized silica for biodiesel synthesis by esterification of oleic acid with ethanol
P. YIN, W. CHEN, W. LIU, H. CHEN, R. QU, X. LIU, Q. TANG & Q. XU (PR China)
- 158 *Scenedesmus incrassatulus* CLHE-SiO₁: A potential source of renewable lipid for high quality biodiesel production
M. T. ARIAS-PEÑARANDA, E. CRISTIANI-URBINA, C. MONTES-HORCASITAS, F. ESPARZA-GARCÍA (Mexico), G. TORZILLO (Italy) & R. O. CAÑIZARES-VILLANUEVA (Mexico)
- 172 Purification of triacylglycerols for biodiesel production from *Nannochloropsis* microalgae by membrane technology
F. GIORNO, R. MAZZEI & L. GIORNO (Italy)
- 179 Microalgae harvesting and subsequent biodiesel conversion
D.-T. TRAN, B.-H. LE, D.-J. LEE, C.-L. CHEN, H.-Y. WANG & J.-S. CHANG (Taiwan)
- 269 The two stage immobilized column reactor with an integrated solvent recovery module for enhanced ABE production
S. B. BANKAR, S. A. SURVASE, H. OJAMO & T. GRANSTRÖM (Finland)
- 277 Control of power sourced from a microbial fuel cell reduces its start-up time and increases bioelectrochemical activity
H. C. BOGHANI, J. R. KIM, R. M. DINSDALE, A. J. GUWY & G. C. PREMIER (UK)
- 337 Biodiesel production using alkaline ionic liquid and adopted as lubricity additive for low-sulfur diesel fuel
H. LUO, W. FAN, Y. LI & G. NAN (China)
- 363 Effect of lignocellulosic composition and structure on the bioethanol production from different poplar lines
X. DUAN, C. ZHANG, X. JU, Q. LI, S. CHEN, J. WANG & Z. LIU (PR China)

(Continued on facing page)

CONTENTS (continued from inside back cover)

- 399 Optimization of membrane stack configuration for efficient hydrogen production in microbial reverse-electrodialysis electrolysis cells coupled with thermolytic solutions
X. LUO (PR China), J.-Y. NAM (Republic of Korea), F. ZHANG, X. ZHANG (USA), P. LIANG, X. HUANG (PR China) & B. E. LOGAN (PR China, USA)

Biomass and Feedstock Utilization

- 263 Characterization of phenolics, *in vitro* reducing capacity and anti-glycation activity of red grape skins recovered from winemaking by-products
P. S. C. SRI HARSHA, C. GARDANA, P. SIMONETTI, G. SPIGNO & V. LAVELLI (Italy)
- 306 Influence of pretreatment condition on the fermentable sugar production and enzymatic hydrolysis of dilute acid-pretreated mixed softwood
W.-S. LIM & J.-W. LEE (Republic of Korea)
- 368 Correlating denitrifying catabolic genes with N₂O and N₂ emissions from swine slurry composting
G. ANGNES, R. S. NICOLOSO, M. L. B. DA SILVA, P. A. V. DE OLIVEIRA, M. M. HIGARASHI, M. P. MEZZARI & P. R. M. MILLER (Brazil)

Bioprocesses

- 97 Continuous bioproduction of short-chain fatty acids from sludge enhanced by the combined use of surfactant and alkaline pH
Y. CHEN, K. LIU, Y. SU, X. ZHENG & Q. WANG (China)
- 103 Robust nanobioconjugates of *Candida antarctica* lipase B – Multiwalled carbon nanotubes: Characterization and application for multiple usages in non-aqueous biocatalysis
T. RAGHAVENDRA, A. BASAK, L. M. MANOCHA, A. R. SHAH & D. MADAMWAR (India)
- 120 Enhancement effect of ethanol on lipid and fatty acid accumulation and composition of *Scenedesmus* sp.
C. WU, W. WANG, L. YUE, Z. YANG, Q. FU & Q. YE (China)
- 286 Biodegradation of wool waste and keratinase production in scale-up fermenter with different strategies by *Stenotrophomonas maltophilia* BBE11-1
Z. FANG, J. ZHANG, B. LIU, G. DU & J. CHEN (China)
- 357 Biomass characterization by dielectric monitoring of viability and oxygen uptake rate measurements in a novel membrane bioreactor
F. PAJOU M SHARIATI (Iran, France), M. HERAN (France), M. H. SARRAFZADEH, M. R. MEHRNIA (Iran), G. SARZANA, C. GHOMMIDH & A. GRASMICK (France)
- 392 Use of artificial neural network (ANN) for the development of bioprocess using *Pinus roxburghii* fallen foliage for the release of polyphenols and reducing sugars
S. VATS & S. NEGI (India)
- 421 Biotransformation of 5-hydroxymethylfurfural (HMF) by *Scheffersomyces stipitis* during ethanol fermentation of hydrolysate of the seaweed *Gelidium amansii*
C. H. RA, G.-T. JEONG, M. K. SHIN & S.-K. KIM (Republic of Korea)

Microbial Products

- 73 Metabolomics-based component profiling of *Halomonas* sp. KM-1 during different growth phases in poly(3-hydroxybutyrate) production
Y.-X. JIN, L.-H. SHI & Y. KAWATA (Japan)
- 328 Dynamic synthesis of polyhydroxyalkanoates by bacterial consortium from simulated excess sludge fermentation liquid
Q. JIA, H. WANG & X. WANG (China)

(continued on previous page)

CONTENTS (continued from last page)

Physico-Chemical and Thermo-Chemical Processes for Biomass

- 10 Potential of *Ceiba pentandra* (L.) Gaertn. (kapok) fiber as a resource for second generation bioethanol: Parametric optimization and comparative study of various pretreatments prior enzymatic saccharification for sugar production
Y. Y. TYE, K. T. LEE, W. N. WAN ABDULLAH & C. P. LEH (Malaysia)
- 36 Pretreatment of the macroalgae *Chaetomorpha linum* for the production of bioethanol – Comparison of five pretreatment technologies
N. SCHULTZ-JENSEN, A. THYGESEN, F. LEIPOLD, S. T. THOMSEN (Denmark), C. ROSLANDER (Sweden), H. LILHOLT & A. B. BJERRE (Denmark)
- 43 Assessment of syngas composition variability in a pilot-scale downdraft biomass gasifier by an extended equilibrium model
M. SIMONE, F. BARONTINI, C. NICOLELLA & L. TOGNOTTI (Italy)
- 53 Mechanical cell disruption for lipid extraction from microalgal biomass
R. HALIM, T. W. T. RUPASINGHE, D. L. TULL & P. A. WEBLEY (Australia)
- 64 Separation of galactose, 5-hydroxymethylfurfural and levulinic acid in acid hydrolysate of agarose by nanofiltration and electro dialysis
J. H. KIM, J.-G. NA, J.-W. YANG & Y. K. CHANG (Korea)
- 86 A facile and efficient pretreatment of corncob for bioproduction of butanol
W. LUO, J. WANG, X. LIU, H. LI, H. PAN, Q. GU & X. YU (PR China)
- 90 Effect of dimethyl sulfoxide on ionic liquid 1-ethyl-3-methylimidazolium acetate pretreatment of eucalyptus wood for enzymatic hydrolysis
L. WU (Japan), S.-H. LEE (Republic of Korea) & T. ENDO (Japan)
- 138 Synthesis gas production through biomass direct chemical looping conversion with natural hematite as an oxygen carrier
Z. HUANG, F. HE, Y. FENG, K. ZHAO, A. ZHENG, S. CHANG & H. LI (China)
- 152 Thermogravimetric and kinetic analysis of *Spirulina* wastes under nitrogen and air atmospheres
L. LI, N. ZHAO, X. FU, M. SHAO & S. QIN (China)
- 165 Quantitative evaluation of the ease of rupture of industrially promising microalgae by high pressure homogenization
E. M. SPIDEN, B. H. J. YAP, D. R. A. HILL, S. E. KENTISH, P. J. SCALES & G. J. O. MARTIN (Australia)
- 199 Combustion of peanut and tamarind shells in a conical fluidized-bed combustor: A comparative study
V. I. KUPRIANOV & P. ARROMDEE (Thailand)
- 220 The characteristic and evaluation method of fast pyrolysis of microalgae to produce syngas
Z. HU, X. MA & L. LI (China)
- 256 Biomass catalytic pyrolysis to produce olefins and aromatics with a physically mixed catalyst
H. ZHANG, R. XIAO, B. JIN, G. XIAO & R. CHEN (PR China)
- 292 Dilute sulfuric acid pretreatment of sunflower stalks for sugar production
E. RUIZ, I. ROMERO, M. MOYA, C. CARA, J. D. VIDAL & E. CASTRO (Spain)
- 299 Prediction of hot-water-soluble extractive, pentosan and cellulose content of various wood species using FT-NIR spectroscopy
W. HE & H. HU (China)
- 385 Chemical looping combustion of biomass-derived syngas using ceria-supported oxygen carriers
H. B. HUANG (Hong Kong, China), L. AISYAH, P. J. ASHMAN (Australia), Y. C. LEUNG (Hong Kong) & C. W. KWONG (Australia)

(continued on previous page)

CONTENTS (continued from following page)

- 406 Biochars prepared from anaerobic digestion residue, palm bark, and eucalyptus for adsorption of cationic methylene blue dye: Characterization, equilibrium, and kinetic studies
L. SUN, S. WAN & W. LUO (PR China)
- 414 A novel alkaline oxidation pretreatment for spruce, birch and sugar cane bagasse
A. KALLIOINEN, M. HAKOLA, T. RIEKKOLA, T. REPO, M. LESKELÄ, N. VON WEYMARN & M. SIIKA-AHO (Finland)

Short Communications

- 426 Effect of corn stover compositional variability on minimum ethanol selling price (MESP)
L. TAO, D. W. TEMPLETON, D. HUMBERT & A. ADEN (United States)
- 431 Lignin isolated from steam-exploded eucalyptus wood chips by phase separation and its affinity to *Trichoderma reesei* cellulase
H. NONAKA, A. KOBAYASHI & M. FUNAOKA (Japan)
- 435 Production of biodiesel from non-edible herbaceous vegetable oil: *Xanthium sibiricum* Patr
F. CHANG (China), M. A. HANNA (USA), D.-J. ZHANG, H. LI, Q. ZHOU, B.-A. SONG & S. YANG (China)
- 439 Invasive plants as feedstock for biochar and bioenergy production
R. LIAO, B. GAO & J. FANG (USA)
- 443 Efficient secretion of (*R*)-3-hydroxybutyric acid from *Halomonas* sp. KM-1 cultured with saccharified Japanese cedar under microaerobic conditions
Y. KAWATA, Y.-X. JIN & M. NOJIRI (Japan)

Publisher's Note

- 446 Corrigendum to "One-step production of biodiesel from *Jatropha* oil with high-acid value in ionic liquids" [Bioresour. Technol. 102 (2011) 6469–6472]
F. GUO, Z. FANG, X.-F. TIAN, Y.-D. LONG & L.-Q. JIANG (China)

Corrigendum

- 447 "One-step production of biodiesel from *Jatropha* oil with high-acid value in ionic liquids" [Bioresour. Technol. 102 (11) (2011)]
F. GUO, Z. FANG, X.-F. TIAN, Y.-D. LONG & L.-Q. JIANG (China)

Cover figure: Operating conditions (a) and reactor performance (b) in the long-term continuous experiment at different upward flow rate (UFR). PCP conversion (squares), COD consumption (spheres) and methane production (bars) efficiencies. Vertical dash-dot lines indicate changes in operating conditions. See the article "Low-temperature anaerobic treatment of low-strength pentachlorophenol-bearing wastewater" by J. Lopez et al.