


# BIORESOURCE TECHNOLOGY

applied microbiology ■ bioconversion/biocatalysis ■ biofuels ■  
biological engineering ■ biological waste treatment ■ biomass ■  
bioprocesses ■ thermo-chemical treatment



Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

ScienceDirect



0960-8524(201310)146:C;1-G

(Abstracted/Indexd in: AGRICOLA database; Agricultural Engineering Abstracts; Analytical Abstracts (Royal Society of Chemistry Information Services); BIOSIS (Biological Abstracts); CAB Abstracts database; Elsevier BIOBASE/Current Awareness in Biological Sciences; Cambridge Scientific Abstracts; Chemical Abstracts; Current Contents/Agriculture, Biology and Environmental Sciences; Ecological Abstracts; Energy from Biomass and Municipal Wastes; Energy Information Abstracts; Engineering Index; Environmental Periodicals Bibliography; EMBASE/Excerpta Medica; Forestry Abstracts; Fuel and Energy Abstracts; Gas Abstracts; GEOBASE; Science Citation Index; SciSearch; Selected Water Resources Abstracts). Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®.

For a full and complete Guide for Authors, please go to: <http://www.elsevier.com/locate/biotech>

## CONTENTS

### Volume 146, October 2013

#### Review

- 721 Insight into metabolic and cometabolic activities of autotrophic and heterotrophic microorganisms in the biodegradation of emerging trace organic contaminants  
N. H. TRAN (Singapore), T. URASE (Japan), H. H. NGO (Australia), J. HU & S. L. ONG (Singapore)

#### Full Length Articles

##### *Biological Waste Treatment*

- 15 Microbial community acclimation enhances waste hydrolysis rates under elevated ammonia and salinity conditions  
L. P. WILSON, L. H. LOETSCHER, S. E. SHARVELLE & S. K. DE LONG (USA)
- 27 A novel approach to stimulate the biphenyl-degrading potential of bacterial community from PCBs-contaminated soil of e-waste recycling sites  
X. SU, H. SHEN, X. YAO, L. DING, C. YU & C. SHEN (China)
- 44 Ammonium removal by a novel oligotrophic *Acinetobacter* sp. Y16 capable of heterotrophic nitrification-aerobic denitrification at low temperature  
X. HUANG, W. LI, D. ZHANG & W. QIN (PR China)
- 51 Production and flocculating performance of sludge bioflocculant from biological sludge  
X. ZHANG, J. SUN, X. LIU & J. ZHOU (China)
- 57 Bioaugmentation with an acetate-oxidising consortium as a tool to tackle ammonia inhibition of anaerobic digestion  
I. A. FOTIDIS, D. KARAKASHEV & I. ANGELIDAKI (Denmark)
- 101 Effects of inoculum to substrate ratio, substrate mix ratio and inoculum source on batch co-digestion of grass and pig manure  
S. DECHRUGSA, D. KANTACHOTE & S. CHAIKRAPAT (Thailand)
- 109 Optimisation of single-phase dry-thermophilic anaerobic digestion under high organic loading rates of industrial municipal solid waste: Population dynamics  
S. ZAHEDI, D. SALES, L. I. ROMERO & R. SOLERA (Spain)
- 135 Treatment of azo dye-containing synthetic textile dye effluent using sulfidogenic anaerobic baffled reactor  
S. OZDEMIR, K. CIRIK, D. AKMAN, E. SAHINKAYA (Turkey) & O. CINAR (Turkey, Bosnia & Herzegovina)

(Continued on inside back cover)

For further information about *Bioresource Technology* or other Elsevier products, why not access the COMPLETE ELSEVIER CATALOGUE via the INTERNET?

WWW: <http://www.elsevier.com>



## CONTENTS (continued from outside back cover)

- 169 Influence of pH and natural organic matter on zinc biosorption in a model lignocellulosic biofuel biorefinery effluent  
A. J. PALUMBO, C. J. DAUGHNEY, A. H. SLADE & C. N. GLOVER (New Zealand)
- 223 Microbial community shifts and biogas conversion computation during steady, inhibited and recovered stages of thermophilic methane fermentation on chicken manure with a wide variation of ammonia  
Q. NIU (Japan), W. QIAO (Japan, China), H. QIANG (China) & Y.-Y. LI (Japan, PR China)
- 240 A full scale anaerobic-anoxic-aerobic process coupled with low-dose ozonation for performance improvement  
X. MENG, D. LIU, K. YANG, X. SONG, G. ZHANG, J. YU, J. ZHANG, Y. TANG & K. LI (China)
- 330 Disintegration of aerobic granules: Role of second messenger cyclic di-GMP  
C. WAN, P. ZHANG (China), D.-J. LEE (China, Taiwan), X. YANG, X. LIU, S. SUN & X. PAN (China)
- 336 Enricher reactor – Permeable reactive biobarrier approach for removing a mixture of contaminants with substrate interactions  
M. KASI, T. WADHAWAN, H. SIMSEK, J. MCEVOY, G. PADMANABHAN, D. SLETTEN & E. KHAN (USA)
- 363 Removal and factors influencing removal of sulfonamides and trimethoprim from domestic sewage in constructed wetlands  
DAN A, Y. YANG, Y.-N. DAI, C.-X. CHEN, S.-Y. WANG & R. TAO (China)
- 408 Anaerobic digestion of wheat straw – Performance of continuous solid-state digestion  
M. POHL, K. HEEG & J. MUMME (Germany)
- 416 Linking nitrifying biofilm characteristics and nitrification performance in moving-bed biofilm reactors for polluted raw water pretreatment  
S. ZHANG, Y. WANG, W. HE, M. XING, M. WU, J. YANG, N. GAO, G. SHENG, D. YIN & S. LIU (China)
- 426 Bioremediation of reject water from anaerobically digested waste water sludge with macroalgae (*Ulva lactuca*, *Chlorophyta*)  
S. SODE, A. BRUHN, T. J. S. BALSBY, M. M. LARSEN, A. GOTFREDSEN & M. B. RASMUSSEN (Denmark)
- 451 Removal of dimethyl sulfide by the combination of non-thermal plasma and biological process  
Z. S. WEI, H. Q. LI, J. C. HE, Q. H. YE, Q. R. HUANG & Y. W. LUO (China)
- 494 Two-stage anaerobic membrane bioreactor for the treatment of sugarcane vinasse: Assessment on biological activity and filtration performance  
V. T. MOTA, F. S. SANTOS & M. C. S. AMARAL (Brazil)
- 512 Sulfonated modification of cotton linter and its application as adsorbent for high-efficiency removal of lead(II) in effluent  
C. DONG, H. ZHANG, Z. PANG, Y. LIU & F. ZHANG (China)
- 519 Removal of Ni (II) ions from aqueous solutions using modified rice straw in a fixed bed column  
R. SHARMA & B. SINGH (India)
- 525 How to ascertain the importance of autotrophic denitrification process in a bioelectrochemical system  
B. HUANG, H. FENG, M. WANG, N. LI, Y. CONG & D. SHEN (China)
- 537 Use of low frequency and density ultrasound to stimulate partial nitrification and simultaneous nitrification and denitrification  
M. ZHENG, Y.-C. LIU, K.-N. XU, C.-W. WANG, H. HE, W. ZHU & Q. DONG (China)
- 556 Effects of organic loading rate and effluent recirculation on the performance of two-stage anaerobic digestion of vegetable waste  
Z. ZUO, S. WU, W. ZHANG & R. DONG (PR China)
- 562 The combined effect of bacteria and *Chlorella vulgaris* on the treatment of municipal wastewaters  
P. J. HE, B. MAO, F. LÜ, L. M. SHAO (China), D. J. LEE & J. S. CHANG (Taiwan)
- 591 The enhancement of completely autotrophic nitrogen removal over nitrite (CANON) by N<sub>2</sub>H<sub>4</sub> addition  
Z.-B. YAO, Q. CAI, D.-J. ZHANG, P.-Y. XIAO & P.-L. LU (PR China)

**CONTENTS** (continued from inside back cover)

- 619 Anaerobic digestion of municipal solid waste composed of food waste, wastepaper, and plastic in a single-stage system: Performance and microbial community structure characterization  
S. WAN, L. SUN (PR China), Y. DOUIEB (France), J. SUN & W. LUO (PR China)
- 649 Enhancement stabilization of heavy metals (Zn, Pb, Cr and Cu) during vermicfiltration of liquid-state sludge  
J. YANG, C. ZHAO, M. XING & Y. LIN (China)
- 656 Evaluation of nutrient removal efficiency and microbial enzyme activity in a baffled subsurface-flow constructed wetland system  
L. CUI (P.R. China), Y. OUYANG (USA), W. GU, W. YANG, Q. XU (P.R. China)
- 689 Novel physico-biological treatment for the remediation of textile dyes-containing industrial effluents  
M. S. ÁLVAREZ, F. MOSCOSO, A. RODRÍGUEZ, M. A. SANROMÁN & F. J. DEIVE (Spain)
- 713 Adsorptive removal of fluoride from aqueous medium using a fixed bed column packed with Zr(IV) loaded dried orange juice residue  
H. PAUDYAL, B. PANGENI, K. INOUE, H. KAWAKITA, K. OHTO (Japan) & S. ALAM (Canada)

**Biofuels and Biorefineries**

- 1 Simultaneous carbon removal, denitrification and power generation in a membrane-less microbial fuel cell  
G. ZHU (China, USA), T. ONODERA (USA, Japan), M. TANDUKAR & S. G. PAVLOSTATIS (USA)
- 63 Performance of a semi-pilot tubular microbial electrolysis cell (MEC) under several hydraulic retention times and applied voltages  
L. GIL-CARRERA, A. ESCAPA, B. CARRACEDO, A. MORÁN & X. GÓMEZ (Spain)
- 70 Effects of fluid and light dynamics on H<sub>2</sub> production in a mechanically stirred photobioreactor  
T. ZHANG (USA)
- 161 Removal of ammonia nitrogen from wastewater using an aerobic cathode microbial fuel cell  
X. ZHANG, F. ZHU, L. CHEN, Q. ZHAO & G. TAO (China)
- 200 Felled oil palm trunk as a renewable source for biobutanol production by *Clostridium* spp.  
I. KOMONKIAT & B. CHEIRSILP (Thailand)
- 208 Influence of delignification efficiency with alkaline peroxide on the digestibility of furfural residues for bioethanol production  
K. WANG, H. YANG, Q. CHEN & R.-C. SUN (China)
- 234 Performance and microbial community analysis of the anaerobic reactor with coke oven gas biomethanation and in situ biogas upgrading  
W. WANG (PR China, Denmark), L. XIE (PR China), G. LUO (Denmark), Q. ZHOU (PR China) & I. ANGELIDAKI (Denmark)
- 247 Parameter estimation and characterization of a single-chamber microbial fuel cell for dairy wastewater treatment  
R. SEDAQATVAND, M. NASR ESFAHANY, T. BEHZAD (Iran), M. MOHSENI (Canada) & M. M. MARDANPOUR (Iran)
- 261 Ethanol production from macaúba (*Acrocomia aculeata*) presscake hemicellulosic hydrolysate by *Candida boidinii* UFMG14  
D. B. GONÇALVES, A. F. BATISTA, M. Q. R. B. RODRIGUES, K. M. V. NOGUEIRA & V. L. SANTOS (Brazil)
- 267 Simultaneous saccharification and fermentation of *Agave tequilana* fructans by *Kluyveromyces marxianus* yeasts for bioethanol and tequila production  
J.-A. FLORES, A. GSCHAEDLER, L. AMAYA-DELGADO, E. J. HERRERA-LÓPEZ, M. ARELLANO & J. ARRIZON (Mexico)
- 282 Prediction of biogas yield and its kinetics in reed canary grass using near infrared reflectance spectroscopy and chemometrics  
T. P. KANDEL, R. GISLUM, U. JØRGENSEN & P. E. LÆRKE (Denmark)

(continued on previous page)

**CONTENTS (continued from last page)**

- 317 Hydrogen and methane production by co-digestion of waste activated sludge and food waste in the two-stage fermentation process: Substrate conversion and energy yield  
X. LIU, R. LI, M. JI & L. HAN (China)
- 386 Systematic screening of carbon-based anode materials for microbial fuel cells with *Shewanella oneidensis* MR-1  
E. KIPF, J. KOCH, B. GEIGER, J. ERBEN, K. RICHTER, J. GESCHER, R. ZENGERLE & S. KERZENMACHER (Germany)
- 436 Improvement of the energy conversion efficiency of *Chlorella pyrenoidosa* biomass by a three-stage process comprising dark fermentation, photofermentation, and methanogenesis  
A. XIA, J. CHENG, L. DING, R. LIN, R. HUANG, J. ZHOU & K. CEN (China)
- 530 Ammonium recovery from reject water combined with hydrogen production in a bioelectrochemical reactor  
X. WU, O. MODIN (Sweden)
- 628 Ecophysiological characteristics and biogas production of cadmium-contaminated crops  
H. ZHANG, Y. TIAN, L. WANG, L. ZHANG (China) & L. DAI (Canada)
- 637 Competitive migration behaviors of multiple ions and their impacts on ion-exchange resin packed microbial desalination cell  
K. ZUO, L. YUAN, J. WEI, P. LIANG & X. HUANG (PR China)
- 696 Relative effect of bioaugmentation with electrochemically active and non-active bacteria on bioelectrogenesis in microbial fuel cell  
S. V. RAGHAVULU, J. A. MODESTRA, K. AMULYA, C. N. REDDY & S. VENKATA MOHAN (India)

**Biomass and Feedstock Utilization**

- 144 An efficient process for the saccharification of wood chips by combined ionic liquid pretreatment and enzymatic hydrolysis  
J. VIELL, H. WULFHORST, T. SCHMIDT, U. COMMANDEUR, R. FISCHER, A. SPIESS & W. MARQUARDT (Germany)
- 288 Enzymatic hydrolysis, adsorption, and recycling during hydrolysis of bagasse sulfite pulp  
J. OUYANG, B. LIU, M. ZHANG, Z. ZHENG & H. YU (People's Republic of China)
- 345 Dynamics of microbial communities related to biochemical parameters during vermicomposting and maturation of agroindustrial lignocellulose wastes  
J. M. CASTILLO, E. ROMERO & R. NOGALES (Spain)
- 393 Comparison of the enzymatic digestibility of physically and chemically pretreated selected line of diploid-*Miscanthus sinensis* Shiozuka and triploid-*M. × giganteus*  
A. HIDENO, A. KAWASHIMA, K. G. ANZOUA & T. YAMADA (Japan)
- 478 Reducing non-productive adsorption of cellulase and enhancing enzymatic hydrolysis of lignocelluloses by noncovalent modification of lignin with lignosulfonate  
H. LOU, M. WANG, H. LAI, X. LIN, M. ZHOU, D. YANG & X. QIU (China)
- 574 Tracking organic matter and microbiota dynamics during the stages of lignocellulosic waste composting  
J. A. LÓPEZ-GONZÁLEZ, M. J. LÓPEZ, M. C. VARGAS-GARCÍA, F. SUÁREZ-ESTRELLA, M. JURADO & J. MORENO (Spain)

**Bioprocesses**

- 7 Thermodynamic analysis of membrane fouling in a submerged membrane bioreactor and its implications  
H. HONG, W. PENG, M. ZHANG, J. CHEN, Y. HE, F. WANG, X. WENG, H. YU & H. LIN (PR China)
- 23 Continuous lipid extraction of microalgae using high-pressure carbon dioxide  
K.-T. CHEN, C.-H. CHENG, Y.-H. WU, W.-C. LU, Y.-H. LIN & H.-T. LEE (Taiwan, ROC)
- 89 A model for customising biomass composition in continuous microalgae production  
A. J. KLOK, J. A. VERBAANDERD, P. P. LAMERS, D. E. MARTENS, A. RINZEMA & R. H. WIJFFELS (The Netherlands)

(continued on previous page)

**CONTENTS** (continued from following page)

- 118 Effect of temperature on lignin-derived inhibition studied with three structurally different cellobiohydrolases  
J. L. RAHIKAINEN, U. MOILANEN, S. NURMI-RANTALA (Finland), A. LAPPAS (Greece), A. KOIVULA, L. VIIKARI & K. KRUUS (Finland)
- 192 Induction of lipids and resultant FAME profiles of microalgae from coastal waters of Pearl River Delta  
M. DAROCH, C. SHAO, Y. LIU, S. GENG (China) & J. J. CHENG (China, USA)
- 301 Enhancement of lipid productivity of *Rhodosporidium toruloides* in distillery wastewater by increasing cell density  
J. LING, S. NIP & H. SHIM (China)
- 310 Triacylglycerol profiling of microalgae *Chlamydomonas reinhardtii* and *Nannochloropsis oceanica*  
B. LIU, A. VIELER, C. LI, A. DANIEL JONES & C. BENNING (USA)
- 400 High lipid productivity of an *Ankistrodesmus–Rhizobium* artificial consortium  
M. DO NASCIMENTO, M. D. L. A. DUBLAN, J. C. F. ORTIZ-MARQUEZ & L. CURATTI (Argentina)
- 604 Biological abatement of cellulase inhibitors  
G. CAO (United States, China), E. XIMENES, N. N. NICHOLS, L. ZHANG & M. LADISCH (United States)
- 643 Inhibitory effects of soluble algae products (SAP) released by *Scenedesmus* sp. LX1 on its growth and lipid production  
T.-Y. ZHANG, Y. YU, Y.-H. WU & H.-Y. HU (PR China)
- 663 Salinity manipulation as an effective method for enhanced starch production in the marine microalga *Tetraselmis subcordiformis*  
C.-H. YAO, J.-N. AI, X.-P. CAO & S. XUE (China)
- 682 Modelling of multi-nutrient interactions in growth of the dinoflagellate microalga *Protoceratium reticulatum* using artificial neural networks  
L. LÓPEZ-ROSALES, J. J. GALLARDO-RODRÍGUEZ, A. SÁNCHEZ-MIRÓN, A. CONTRERAS-GÓMEZ, F. GARCÍA-CAMACHO & E. MOLINA-GRIMA (Spain)

**Microbial Products**

- 35 Production of L- and D-lactic acid from waste *Curcuma longa* biomass through simultaneous saccharification and cofermentation  
C. M. NGUYEN, J.-S. KIM (Republic of Korea), T. N. NGUYEN (Viet Nam), S. K. KIM, G. J. CHOI, Y. H. CHOI, K. S. JANG & J.-C. KIM (Republic of Korea)
- 215 Cell growth and accumulation of polyhydroxyalkanoates from CO<sub>2</sub> and H<sub>2</sub> of a hydrogen-oxidizing bacterium, *Cupriavidus eutrophus* B-10646  
T. G. VOLOVA, E. G. KISELEV, E. I. SHISHATSKAYA, N. O. ZHILA, A. N. BOYANDIN, D. A. SYRVACHEVA, O. N. VINOGRADOVA, G. S. KALACHEVA, A. D. VASILIEV & I. V. PETERSON (Russian Federation)
- 274 Production of 2,3-butanediol by engineered *Saccharomyces cerevisiae*  
S.-J. KIM (South Korea), S.-O. SEO, Y.-S. JIN (USA) & J.-H. SEO (South Korea)
- 379 Optimization of pullulanase production in *Escherichia coli* by regulation of process conditions and supplement with natural osmolytes  
X. DUAN, J. CHEN & J. WU (China)
- 543 High-level extracellular production of alkaline polygalacturonate lyase in *Bacillus subtilis* with optimized regulatory elements  
J. ZHANG, Z. KANG, Z. LING, W. CAO, L. LIU, M. WANG, G. DU & J. CHEN (China)
- 549 Novel method utilizing microbial treatment for cleaner production of diosgenin from *Dioscorea zingiberensis* C.H. Wright (DZW)  
M. WEI, Y. BAI, M. AO, W. JIN, P. YU, M. ZHU & L. YU (China)

(continued on previous page)

**CONTENTS** (*continued from following page*)

- 597 Increased production of cellulases and xylanases by *Penicillium echinulatum* S1M29 in batch and fed-batch culture  
L. DOS REIS, R. C. FONTANA, P. DA SILVA DELABONA, D. J. DA SILVA LIMA, M. CAMASSOLA, J. G. DA CRUZ PRADELLA & A. J. P. DILLON (Brazil)
- 672 A novel production process for optically pure L-lactic acid from kitchen refuse using a bacterial consortium at high temperatures  
Y. TASHIRO, H. MATSUMOTO, H. MIYAMOTO, Y. OKUGAWA, P. PRAMOD, H. MIYAMOTO & K. SAKAI (Japan)

**Physico-Chemical and Thermo-Chemical Processes for Biomass**

- 82 Preparation, characterization and optimization of nanocellulose whiskers by simultaneously ultrasonic wave and microwave assisted  
Z. LU, L. FAN, H. ZHENG, Q. LU, Y. LIAO & B. HUANG (China)
- 126 Microwave-assisted chemical oxidation of biological waste sludge: Simultaneous micropollutant degradation and sludge solubilization  
N. BILGIN ONCU & I. AKMEHMET BALCIOGLU (Turkey)
- 152 Biomass torrefaction characteristics in inert and oxidative atmospheres at various superficial velocities  
W.-H. CHEN, K.-M. LU, S.-H. LIU, C.-M. TSAI, W.-J. LEE & T.-C. LIN (Taiwan, ROC)
- 176 Fractionation and delignification of empty fruit bunches with low reaction severity for high sugar recovery  
J. Y. HONG, Y. S. KIM & K. K. OH (Republic of Korea)
- 184 Rapid analysis of purified cellulose extracted from perennial ryegrass (*Lolium perenne*) by instrumental analysis  
G. A. LYONS, C. MCROBERTS, H. S. SHARMA, R. MCCORMACK, E. CARMICHAEL & R. D. MCCALL (UK)
- 254 Influence of different demineralization treatments on physicochemical structure and thermal degradation of biomass  
L. JIANG, S. HU, L.-S. SUN, S. SU, K. XU, L.-M. HE & J. XIANG (China)
- 294 Transformation and removal of wood extractives from pulp mill sludge using wet oxidation and thermal hydrolysis  
S. BAROUTIAN, M. ROBINSON, A.-M. SMIT, S. WIJYEKOON & D. GAPES (New Zealand)
- 324 Catalytic pyrolysis of sugarcane bagasse by using microwave heating  
W.-H. KUAN, Y.-F. HUANG, C.-C. CHANG & S.-L. LO (Taiwan)
- 355 Influence of ultrasonic pretreatment on the yield of bio-oil prepared by thermo-chemical conversion of rice husk in hot-compressed water  
W. SHI, J. JIA, Y. GAO & Y. ZHAO (China)
- 371 A comparison of thermal behaviors of raw biomass, pyrolytic biochar and their blends with lignite  
Z. LIU & R. BALASUBRAMANIAN (Singapore)
- 444 Effect of dilute acid pretreatment on the conversion of barley straw with grains to fermentable sugars  
M. YANG, S. KUITTINEN (Finland), J. ZHANG (China), M. KEINÄNEN & A. PAPPINEN (Finland)
- 457 Preparation and characterization of a hierarchical porous char from sewage sludge with superior adsorption capacity for toluene by a new two-step pore-fabricating process  
L. KONG, Y. XIONG, S. TIAN, R. LUO, C. HE & H. HUANG (PR China)
- 463 Influence of strain-specific parameters on hydrothermal liquefaction of microalgae  
D. LÓPEZ BARREIRO, C. ZAMALLOA, N. BOON, W. VYVERMAN, F. RONSSE (Belgium), W. BRILMAN (The Netherlands) & W. PRINS (Belgium)
- 472 Preparation and upgrading of hydrocarbon oil from deoxy-liquefaction of oil crop  
Y. CHEN, F. WANG & Z. YANG (China)

(continued on previous page)

**CONTENTS** (continued from following page)

- 485 Investigation of thermodynamic parameters in the pyrolysis conversion of biomass and manure to biochars using thermogravimetric analysis  
Y. XU & B. CHEN (China)
- 504 High temperature aqueous ammonia pretreatment and post-washing enhance the high solids enzymatic hydrolysis of corn stover  
L. QIN, Z.-H. LIU (PR China), M. JIN (USA), B.-Z. LI & Y.-J. YUAN (PR China)
- 569 Production of aviation fuel via catalytic hydrothermal decarboxylation of fatty acids in microalgae oil  
C. YANG, R. NIE, J. FU, Z. HOU & X. LU (China)
- 585 The influence of thermochemical treatments on the lignocellulosic structure of wheat straw as studied by natural abundance  $^{13}\text{C}$  NMR  
S. HABETS, P. J. DE WILD, W. J. J. HUIJGEN & E. R. H. VAN ECK (The Netherlands)
- 611 The thermal behaviour of the co-combustion between paper sludge and rice straw  
Z. XIE & X. MA (PR China)
- 704 Modeling and investigation of the channeling phenomenon in downdraft stratified gasifiers  
G. ALLESINA, S. PEDRAZZI & P. TARTARINI (Italy)

**Short Communications**

- 732 Optimisation of culture parameters for exopolysaccharides production by the microalga *Rhodella violacea*  
A. VILLAY, C. LAROCHE, D. RORIZ, H. EL ALAOUI, F. DELBAC & P. MICHAUD (France)
- 736 Supplementation of medium with diammonium hydrogen phosphate enhanced the  $\alpha$ -lactate dehydrogenase levels leading to increased  $\alpha$ -lactic acid productivity  
M. SINGHVI, A. JADHAV & D. GOKHALE (India)
- 740 Accelerated azo dye removal by biocathode formation in single-chamber biocatalyzed electrolysis systems  
Y.-Z. WANG, A.-J. WANG, W.-Z. LIU, D.-Y. KONG, W.-B. TAN & C. LIU (PR China)
- 744 Green microalga *Scenedesmus acutus* grown on municipal wastewater to couple nutrient removal with lipid accumulation for biodiesel production  
M. SACRISTÁN DE ALVA, V. M. LUNA-PABELLO, E. CADENA & E. ORTÍZ (Mexico)
- 749 Development of a UBFC biocatalyst fuel cell to generate power and treat industrial wastewaters  
C. SUKKASEM & S. LAEHLAH (Thailand)
- 754 Pretreatment of macroalgae for volatile fatty acid production  
T. N. PHAM, Y. UM & H. H. YOON (Republic of Korea)
- 758 Effect of endogenous hydrolytic enzymes pretreatment on the anaerobic digestion of sludge  
S. YU, G. ZHANG, J. LI, Z. ZHAO & X. KANG (China)
- 762 Effect of dissimilatory Fe(III) reducers on bio-reduction and nickel–cobalt recovery from Sukinda chromite-overburden  
J. ESTHER, S. PANDA, S. K. BEHERA, L. B. SUKLA, N. PRADHAN & B. K. MISHRA (India)
- 767 A microalgae residue based carbon solid acid catalyst for biodiesel production  
X. FU, D. LI, J. CHEN, Y. ZHANG, W. HUANG, Y. ZHU, J. YANG & C. ZHANG (China)
- 771 Design and modeling of sustainable bioethanol supply chain by minimizing the total ecological footprint in life cycle perspective  
J. REN (Italy, China), A. MANZARDO, S. TONIOLI, A. SCIPIONI (Italy), S. TAN, L. DONG & S. GAO (China)

(continued on previous page)

**CONTENTS** (continued from following page)

- 775 Elucidating acetogenic H<sub>2</sub> consumption in dark fermentation using flux balance analysis  
J. A. LALMAN, S. R. CHAGANTI, C. MOON (Canada) & D.-H. KIM (Republic of Korea)
- 779 Preparation of sewage sludge based activated carbon by using Fenton's reagent and their use in 2-Naphthol adsorption  
L. GU, Y. WANG, N. ZHU, D. ZHANG, S. HUANG, H. YUAN, Z. LOU & M. WANG (PR China)
- 785 Biodiesel fuel production from waste cooking oil by the inclusion complex of heteropoly acid with bridged bis-cyclodextrin  
C. ZOU, P. ZHAO, L. SHI, S. HUANG & P. LUO (PR China)
- 789 Rapid analysis of barley straw before and after dilute sulfuric acid pretreatment by photoluminescence  
S. B. KIM, C. CUI, J. H. LEE, S. J. LEE, D. J. AHN, C. PARK, J. S. KIM & S. W. KIM (Republic of Korea)
- 794 Ultrasonication and steam-explosion as chitin pretreatments for chitin oligosaccharide production by chitinases of *Lecanicillium lecanii*  
G. VILLA-LERMA, H. GONZÁLEZ-MÁRQUEZ, M. GIMENO, A. LÓPEZ-LUNA, E. BÁRZANA & K. SHIRAI (Mexico)
- 799 Removal of antimony (Sb(V)) from Sb mine drainage: Biological sulfate reduction and sulfide oxidation–precipitation  
H. WANG, F. CHEN, S. MU (China), D. ZHANG (Taiwan), X. PAN (China), D.-J. LEE & J.-S. CHANG (Taiwan)
- 803 Bioleaching of heavy metal from woody biochar using *Acidithiobacillus ferrooxidans* and activation for adsorption  
B. WANG, C. LI & H. LIANG (PR China)
- 807 Preparation and characterization of stable cross-linked enzyme aggregates of novel laccase enzyme from *Shewanella putrefaciens* and using malachite green decolorization  
Z. A. SINIRLIOGLU, D. SINIRLIOGLU & F. AKBAS (Turkey)
- 812 Enhancing charge harvest from microbial fuel cells by controlling the charging and discharging frequency of capacitors  
S. REN, X. XIA, L. YUAN, P. LIANG & X. HUANG (PR China)

Cover figure: Predicted growth relative to the control culture ( $C_{\text{relative}}^p$ ) versus measured values ( $C_{\text{relative}}^o$ ). The groups of plots A-D and E-G correspond to use of the training functions LM and BR in the FBN model, respectively. BR does not require that a validation data set be separate from the training data set. See the article "Modelling of multi-nutrient interactions in growth of the dinoflagellate microalga *Protoceratium reticulatum* using artificial neural networks" by L. López-Rosales et al.