



BIORESOURCE TECHNOLOGY

applied microbiology ■ bioconversion/biocatalysis ■ biofuels ■
biological engineering ■ biological waste treatment ■ biomass ■
bioprocesses ■ thermo-chemical treatment





0960-8524(201312)149:C;1-B

(Abstracted/Indexed in: AGRICOLA database; Agricultural Engineering Abstracts; Analytical Abstracts (Royal Society of Chemistry Information Services); BIOSIS (Biological Abstracts); CAB Abstracts database; Elsevier BIOBASE/Current Awareness in Biological Sciences; Cambridge Scientific Abstracts; Chemical Abstracts; Current Contents/Agriculture, Biology and Environmental Sciences; Ecological Abstracts; Energy from Biomass and Municipal Wastes; Energy Information Abstracts; Engineering Index; Environmental Periodicals Bibliography; EMBASE/Excerpta Medica; Forestry Abstracts; Fuel and Energy Abstracts; Gas Abstracts; GEOBASE; Science Citation Index; SciSearch; Selected Water Resources Abstracts). Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®.

For a full and complete Guide for Authors, please go to: <http://www.elsevier.com/locate/biotech>

CONTENTS**Volume 149, December 2013****Full Length Articles*****Biological Waste Treatment***

- 8 Biodegradation of decabromodiphenyl ether (BDE-209) by a metal resistant strain, *Bacillus cereus* JP12
M. LU, Z.-Z. ZHANG, X.-J. WU, Y.-X. XU, X.-L. SU, M. ZHANG & J.-X. WANG (China)
- 22 Study on biodesorption and biodegradation of petroleum hydrocarbons by a microbial consortium
N. XU, M. BAO, P. SUN & Y. LI (China)
- 38 Synergetic decolorization of reactive blue 13 by zero-valent iron and anaerobic sludge
W.-W. LI, Y. ZHANG, J.-B. ZHAO, Y.-L. YANG, R. J. ZENG, H.-Q. LIU & Y.-J. FENG (China)
- 51 Validation of accumulation models for inorganic suspended solids of different particle size in an activated sludge system
L. HE, F.-Y. JI, X.-L. HE, W.-W. ZHOU, X. XU & M.-S. LAI (China)
- 92 Long-term stability of thermophilic co-digestion submerged anaerobic membrane reactor encountering high organic loading rate, persistent propionate and detectable hydrogen in biogas
W. QIAO (PR China, Japan), K. TAKAYANAGI, Q. NIU, M. SHOFIE & Y. Y. LI (Japan)
- 111 Immobilization of horseradish peroxidase on electrospun microfibrous membranes for biodegradation and adsorption of bisphenol A
R. XU, C. CHI, F. LI & B. ZHANG (PR China)
- 142 Removal and fate of endocrine disruptors chemicals under lab-scale posttreatment stage. Removal assessment using light, oxygen and microalgae
M. R. ABARGUES, J. FERRER, A. BOUZAS & A. SECO (Spain)
- 155 Biosorption of uranium by melanin: Kinetic, equilibrium and thermodynamic studies
A. S. SAINI & J. S. MELO (India)
- 177 Comparative performance of mesophilic and thermophilic anaerobic digestion for high-solid sewage sludge
T. HIDAKA, F. WANG, T. TOGARI, T. UCHIDA & Y. SUZUKI (Japan)

(Continued on inside back cover)

For further information about *Bioresource Technology* or other Elsevier products, why not access the COMPLETE ELSEVIER CATALOGUE via the INTERNET?

WWW: <http://www.elsevier.com>



CONTENTS (*continued from outside back cover*)

- 184 NO_x removal in chemical absorption–biological reduction integrated system: Process rate and rate-limiting step
Y.-F. XIA, B.-H. LU, N. LIU, Q.-L. CHEN, S.-J. LI & W. LI (China)
- 200 Characterization of nitrifying microbial community in a submerged membrane bioreactor at short solids retention times
L. DUAN (PR China, USA), Y. SONG, S. XIA (PR China) & S. W. HERMANOWICZ (USA, PR China)
- 225 Effect of dosing time on the ammonium nitrogen disinhibition in autothermal thermophilic aerobic digestion for sewage sludge by chemical precipitation
C. XU, H. YUAN, Z. LOU, G. ZHANG, J. GONG & N. ZHU (PR China)
- 244 The effects of the antibiotics ampicillin, florfenicol, sulfamethazine, and tylosin on biogas production and their degradation efficiency during anaerobic digestion
S. M. MITCHELL, J. L. ULLMAN, A. L. TEEL, R. J. WATTS & C. FREAR (USA)
- 276 Simultaneous removal of phosphorus and nitrogen from sewage using a novel combo system of fluidized bed reactor–membrane bioreactor (FBR–MBR)
A. GUADIE, S. XIA, Z. ZHANG (China), W. GUO, H. H. NGO (Australia) & S. W. HERMANOWICZ (United States, China)
- 292 Anaerobic membrane bioreactor (AnMBR) for bamboo industry wastewater treatment
W. WANG, Q. YANG, S. ZHENG & D. WU (PR China)
- 310 Performance of the ANAMMOX process using multi- and single-fed upflow anaerobic sludge blanket reactors
B.-S. XING, T.-Y. QIN, S.-X. CHEN, J. ZHANG, L.-X. GUO & R.-C. JIN (PR China)
- 318 Biokinetic and molecular studies of methanogens in phased anaerobic digestion systems
M. ZAMANZADEH, W. J. PARKER, Y. VERASTEGUI & J. D. NEUFELD (Canada)
- 327 Assessment of N₂O emission from a photobioreactor treating ammonia-rich swine wastewater digestate
M. P. MEZZARI, M. L. B. DA SILVA, R. S. NICOLOSO, A. M. G. IBELLI, M. BORTOLI, A. VIANCELLI & H. M. SOARES (Brazil)
- 346 Responses of anaerobic granule and flocculent sludge to ceria nanoparticles and toxic mechanisms
J. MA, X. QUAN, X. SI & Y. WU (PR China)
- 359 Enhancement of Taihu blue algae anaerobic digestion efficiency by natural storage
H. MIAO, M. LU, M. ZHAO, Z. HUANG, H. REN, Q. YAN & W. RUAN (China)
- 398 Recirculation or artificial aeration in vertical flow constructed wetlands: A comparative study for treating high load wastewater
P. FOLADORI, J. RUABEN & A. R. C. ORTIGARA (Italy)
- 420 Utilization of rice husks modified by organomultiphasphonic acids as low-cost biosorbents for enhanced adsorption of heavy metal ions
M. XU, P. YIN, X. LIU, Q. TANG, R. QU & Q. XU (PR China)
- 439 Engineering bacteria for bioremediation of persistent organochlorine pesticide lindane (gamma-hexachlorocyclohexane)
A. K. CHAURASIA (India, South Korea), T. K. ADHYA & S. K. APTE (India)
- 474 Start-up of the SHARON and ANAMMOX process in landfill bioreactors using aerobic and anaerobic ammonium oxidising biomass
S. SRI SHALINI & K. JOSEPH (India)
- 486 The study of organic removal efficiency and halophilic bacterial mixed liquor characteristics in a membrane bioreactor treating hypersaline produced water at varying organic loading rates
E. ABDOLLAHZADEH SHARGHI & B. BONAKDARPOUR (Iran)
- 532 Environmental impact of submerged anaerobic MBR (SAnMBR) technology used to treat urban wastewater at different temperatures
R. PRETEL, A. ROBLES, M. V. RUANO, A. SECO & J. FERRER (Spain)

CONTENTS (*continued from inside back cover*)***Biofuels and Biorefineries***

- 16 Simultaneous hydrolysis-esterification of wet microalgal lipid using acid
K. TAKISAWA, K. KANEMOTO, M. KARTIKAWATI & Y. KITAMURA (Japan)
- 44 Kinetics of substrate degradation and electricity generation in anodic denitrification microbial fuel cell (AD-MFC)
J. ZHANG, P. ZHENG, M. ZHANG, H. CHEN, T. CHEN, Z. XIE, J. CAI & G. ABBAS (China)
- 65 Effect of coagulant/flocculants on bioproducts from microalgae
R. J. ANTHONY, J. T. ELLIS, A. SATHISH, A. RAHMAN, C. D. MILLER & R. C. SIMS (United States)
- 117 Experimental and theoretical characterization of microbial bioanodes formed in pulp and paper mill effluent in electrochemically controlled conditions
S. F. KETEP, E. FOUREST & A. BERGEL (France)
- 163 In situ investigation of processing property in combination with integration of microbial fuel cell and tubular membrane bioreactor
J. WANG, Y. ZHENG, H. JIA & H. ZHANG (China)
- 232 Biogas production from wheat straw and manure – Impact of pretreatment and process operating parameters
K. RISBERG, L. SUN, L. LEVÉN (Sweden), S. J. HORN (Norway) & A. SCHNÜRER (Sweden)
- 268 Characterization of the biofuel potential of a newly isolated strain of the microalga *Botryococcus braunii* Kützing from Assam, India
J. TALUKDAR, M. C. KALITA & B. C. GOSWAMI (India)
- 353 Alkaline pretreatment for enhancement of biogas production from banana stem and swine manure by anaerobic codigestion
C. ZHANG, J. LI, C. LIU, X. LIU, J. WANG, S. LI, G. FAN & L. ZHANG (PR China)
- 390 Predicting kinetic model of biogas production and biodegradability organic materials: Biogas production from vinasse at variation of COD/N ratio
I. SYAICHURROZI, BUDIYONO & S. SUMARDIONO (Indonesia)
- 406 Biogas production from co-digestion of corn stover and chicken manure under anaerobic wet, hemi-solid, and solid state conditions
Y. LI (China), R. ZHANG (China, United States), C. CHEN, G. LIU, Y. HE & X. LIU (China)
- 425 The potential for biomethane from grass and slurry to satisfy renewable energy targets
D. M. WALL, P. O'KIELY & J. D. MURPHY (Ireland)
- 452 Bioelectricity production from food waste leachate using microbial fuel cells: Effect of NaCl and pH
X. M. LI (Hong Kong), K. Y. CHENG (Australia) & J. W. C. WONG (Hong Kong)
- 459 Bioelectricity generation in continuously-fed microbial fuel cell: Effects of anode electrode material and hydraulic retention time
D. AKMAN, K. CIRIK, S. OZDEMIR, B. OZKAYA (Turkey) & O. CINAR (Turkey, Bosnia & Herzegovina)
- 470 Impact of sweet sorghum cuticular waxes (SSCW) on acetone–butanol–ethanol fermentation using *Clostridium acetobutylicum* ABE1201
D. CAI, Z. CHANG, C. WANG, W. REN, Z. WANG, P. QIN & T. TAN (PR China)

Biomass and Feedstock Utilization

- 58 Membrane-based recovery of glucose from enzymatic hydrolysis of ionic liquid pretreated cellulose
C. ABELS, K. THIMM, H. WULFHORST, A. C. SPIESS & M. WESSLING (Germany)

(continued on previous page)

CONTENTS (continued from following page)

- 191 Use of an extruder for pre-mixing enhances xylanase action on wheat bran at low water content
O. SANTALA, E. NORDLUND & K. POUTANEN (Finland)
- 375 Effects of green liquor pretreatment on the chemical composition and enzymatic digestibility of rice straw
F. GU, W. WANG, L. JING & Y. JIN (China)

Bioprocesses

- 71 Synergistic bioleaching of chalcopyrite and bornite in the presence of *Acidithiobacillus ferrooxidans*
H. ZHAO, J. WANG, M. HU, W. QIN, Y. ZHANG & G. QIU (PR China)
- 77 Expression of fatty acid desaturase genes and fatty acid accumulation in *Chlamydomonas* sp. ICE-L under salt stress
M. AN, S. MOU, X. ZHANG, Z. ZHENG, N. YE, D. WANG, W. ZHANG & J. MIAO (China)
- 261 A solid state fungal fermentation-based strategy for the hydrolysis of wheat straw
N. PENSUPA, M. JIN, M. KOKOLSKI, D. B. ARCHER & C. DU (United Kingdom)
- 286 Simultaneously concentrating and pretreating of microalgae *Chlorella* spp. by three-phase partitioning
Z. LI, F. JIANG, Y. LI, X. ZHANG & T. TAN (PR China)
- 333 A novel whole-phase succinate fermentation strategy with high volumetric productivity in engineered *Escherichia coli*
Y. LI, M. LI, X. ZHANG, P. YANG, Q. LIANG & Q. QI (People's Republic of China)
- 367 Rapid synthesis of propyl caffeate in ionic liquid using a packed bed enzyme microreactor under continuous-flow conditions
J. WANG, S.-S. GU, H.-S. CUI, L.-Q. YANG & X.-Y. WU (PR China)
- 432 Phenotypic spectrum of *Parachlorella kessleri* (*Chlorophyta*) mutants produced by heavy-ion irradiation
S. OTA, T. MATSUDA, T. TAKESHITA, T. YAMAZAKI, Y. KAZAMA, T. ABE & S. KAWANO (Japan)
- 503 Quinone-mediated microbial synthesis of reduced graphene oxide with peroxidase-like activity
G. LIU, X. ZHANG, J. ZHOU, A. WANG, J. WANG, R. JIN & H. LV (China)
- 516 An expansin from the marine bacterium *Hahella chejuensis* acts synergistically with xylanase and enhances xylan hydrolysis
H. J. LEE, I. J. KIM, J. F. KIM, I.-G. CHOI & K. H. KIM (Republic of Korea)
- 525 Continuous co-fermentation of cellobiose and xylose by engineered *Saccharomyces cerevisiae*
S.-J. HA (USA, Republic of Korea), S. R. KIM, H. KIM, J. DU, J. H. D. CATE & Y.-S. JIN (USA)

Microbial Products

- 84 Efficient succinic acid production from lignocellulosic biomass by simultaneous utilization of glucose and xylose in engineered *Escherichia coli*
R. LIU, L. LIANG, F. LI, M. WU, K. CHEN, J. MA, M. JIANG, P. WEI & P. OUYANG (China)
- 169 *Bacillus* sp. strain P38: An efficient producer of L-lactate from cellulosic hydrolysate, with high tolerance for 2-furfural
L. PENG, L. WANG, C. CHE, G. YANG, B. YU & Y. MA (China)
- 238 Production of acetol from glycerol using engineered *Escherichia coli*
H. ZHU, X. YI, Y. LIU, H. HU (China), T. K. WOOD (USA) & X. ZHANG (China)
- 301 Polyhydroxybutyrate production by direct use of waste activated sludge in phosphorus-limited fed-batch culture
L. CAVAILLÉ, E. GROUSSEAU, M. POCQUET, A.-S. LEPEUPLE, J.-L. URIBELARREA, G. HERNANDEZ-RAQUET & E. PAUL (France)
- 413 Direct and efficient xylitol production from xylan by *Saccharomyces cerevisiae* through transcriptional level and fermentation processing optimizations
Z. LI, H. QU, C. LI & X. ZHOU (PR China)

(continued on previous page)

CONTENTS (*continued from following page*)***Physico-Chemical and Thermo-Chemical Processes for Biomass***

- 1 Pyrolysis decomposition of tamarind seed for alternative fuel
M. A. KADER, M. R. ISLAM (Bangladesh), M. PARVEEN, H. HANIU & K. TAKAI (Japan)
- 31 Preparation of activated carbon hollow fibers from ramie at low temperature for electric double-layer capacitor applications
X. DU, W. ZHAO, Y. WANG, C. WANG, M. CHEN, T. QI, C. HUA & M. MA (PR China)
- 103 Co-liquefaction of micro- and macroalgae in subcritical water
B. JIN, P. DUAN, Y. XU, F. WANG & Y. FAN (PR China)
- 126 Effects of hydrothermal liquefaction on the fate of bioactive contaminants in manure and algal feedstocks
M. PHAM, L. SCHIDEMAN, B. K. SHARMA, Y. ZHANG & W.-T. CHEN (United States)
- 136 Enhancing methane production of *Chlorella vulgaris* via thermochemical pretreatments
L. MENDEZ (Spain), A. MAHDY (Spain, Egypt), R. A. TIMMERS, M. BALLESTEROS & C. GONZÁLEZ-FERNÁNDEZ (Spain)
- 149 Monomeric carbohydrates production from olive tree pruning biomass: Modeling of dilute acid hydrolysis
J. G. PUENTES, S. MATEO (Spain), B. G. FONSECA, I. C. ROBERTO (Brazil), S. SÁNCHEZ & A. J. MOYA (Spain)
- 208 Impact of blend ratio on the co-firing of a commercial torrefied biomass and coal via analysis of oxidation kinetics
J. L. GOLDFARB & C. LIU (United States)
- 216 Kinetics of levulinic acid and furfural production from *Miscanthus × giganteus*
K. DUSSAN (Ireland), B. GIRISUTA (Singapore), D. HAVERTY, J. J. LEAHY & M. H. B. HAYES (Ireland)
- 253 Secondary amines as switchable solvents for lipid extraction from non-broken microalgae
Y. DU (China, The Netherlands), B. SCHUUR (The Netherlands), C. SAMORÌ, E. TAGLIAVINI (Italy) & D. W. F. BRILMAN (The Netherlands)
- 341 Selective production of chemicals from biomass pyrolysis over metal chlorides supported on zeolite
S. LENG, X. WANG, Q. CAI, F. MA, Y. LIU & J. WANG (PR China)
- 383 Activated carbon from biochar: Influence of its physicochemical properties on the sorption characteristics of phenanthrene
J. PARK, I. HUNG, Z. GAN (United States), O. J. ROJAS (United States, Finland), K. H. LIM & S. PARK (United States)
- 446 Catalytic hydrothermal upgradation of wheat husk
R. SINGH, T. BHASKAR, S. DORA & B. BALAGURUMURTHY (India)
- 465 Evaluation of humic fractions potential to produce bio-oil through catalytic hydroliquefaction
L. LEMÉE, L. PINARD, R. BEAUCHET & D. KPOGBEMABOU (France)
- 496 Synergistic effect of rice husk addition on hydrothermal treatment of sewage sludge: Fate and environmental risk of heavy metals
W. SHI (Japan, China), C. LIU, Y. SHU (Japan), C. FENG (China), Z. LEI & Z. ZHANG (Japan)
- 509 Hydrothermal liquefaction of *Litsea cubeba* seed to produce bio-oils
F. WANG, Z. CHANG, P. DUAN, W. YAN, Y. XU, L. ZHANG, J. MIAO & Y. FAN (PR China)
- 520 Glucose content in the liquid hydrolysate after dilute acid pretreatment is affected by the starch content in rice straw
H. TERAMURA, T. OSHIMA, F. MATSUDA, K. SASAKI, C. OGINO, M. YAMASAKI (Japan) & A. KONDO (Japan, Republic of Korea)

(continued on previous page)

CONTENTS (continued from following page)

Short Communications

- 541 Evaluation of nonionic adsorbent resins for removal of inhibitory compounds from corncob hydrolysate for ethanol fermentation
K.-I. HATANO, N. AOYAGI, T. MIYAKAWA, M. TANOKURA & K. KUBOTA (Japan)
- 546 Subcritical CO₂ pretreatment of sugarcane bagasse and its enzymatic hydrolysis for sugar production
H. ZHANG & S. WU (PR China)
- 551 Use of cellobiohydrolase-free cellulase blends for the hydrolysis of microcrystalline cellulose and sugarcane bagasse pretreated by either ball milling or ionic liquid [Emim][Ac]
R. SPOSINA SOBRAL TEIXEIRA, A. SANT'ANA DA SILVA (Brazil), H.-W. KIM, K. ISHIKAWA, T. ENDO (Japan), S.-H. LEE (Japan, South Korea) & E. P. S. BON (Brazil)
- 556 Economic and environmental assessment of propionic acid production by fermentation using different renewable raw materials
P. TUFVESSON, A. EKMAN, R. R. R. SARDARI, K. ENGDAHL & L. TUFVESSON (Sweden)
- 565 Comparison of methane production potential, biodegradability, and kinetics of different organic substrates
Y. LI (China), R. ZHANG (China, United States), G. LIU, C. CHEN, Y. HE & X. LIU (China)
- 570 Achieving partial denitrification with sludge fermentation liquid as carbon source: The effect of seeding sludge
S. CAO, S. WANG, Y. PENG, C. WU, R. DU, L. GONG & B. MA (China)
- 575 Magnetophoretic harvesting of oleaginous *Chlorella* sp. by using biocompatible chitosan/magnetic nanoparticle composites
K. LEE, S. Y. LEE, J.-G. NA, S. G. JEON, R. PRAVEENKUMAR, D.-M. KIM, W.-S. CHANG & Y.-K. OH (Republic of Korea)
- 579 Cationic surfactant-based method for simultaneous harvesting and cell disruption of a microalgal biomass
W.-C. HUANG & J.-D. KIM (Republic of Korea)
- 582 Extrusion of xyans extracted from corn cobs into biodegradable polymeric materials
E. BAHCEGUL, B. AKINALAN, H. E. TORAMAN, D. ERDEMIR, N. OZKAN & U. BAKIR (Turkey)
- 586 Isolation and heterotrophic cultivation of mixotrophic microalgae strains for domestic wastewater treatment and lipid production under dark condition
T.-Y. ZHANG, Y.-H. WU, S.-F. ZHU, F.-M. LI & H.-Y. HU (PR China)
- 590 Improved volatile fatty acid and biomethane production from lipid removed microalgal residue (LRμAR) through pretreatment
A. SURESH, C. SEO, H. N. CHANG & Y.-C. KIM (Republic of Korea)

Cover figure: Concentration of xylose and furfural during the acid hydrolysis of *Miscanthus* under different conditions (initial xylan concentration 0.15 M): ■ 150 °C, 0.102 M H₂SO₄; ● 150 °C, 0.206 M H₂SO₄; ▲ 150 °C, 0.526 M H₂SO₄; ▼ 175 °C, 0.102 M H₂SO₄; ♦ 175 °C, 0.206 M H₂SO₄; ◀ 175 °C, 0.526 M H₂SO₄; 200 °C, 0.102 M H₂SO₄; ● 200 °C, 0.206 M H₂SO₄. See the article "Kinetics of levulinic acid and furfural production from *Miscanthus × giganteus*" by K. Dussan et al.