




ELSEVIER

BIORESOURCE TECHNOLOGY

applied microbiology ■ bioconversion/biocatalysis ■ biofuels ■
biological engineering ■ biological waste treatment ■ biomass ■
bioprocesses ■ thermo-chemical treatment



Including Special Section:
Special Section on Life-cycle Assessment of Bioproducts

Available online at www.sciencedirect.com

ScienceDirect



(Abstracted/Indexed in: *AGRICOLA database; Agricultural Engineering Abstracts; Analytical Abstracts (Royal Society of Chemistry Information Services); BIOSIS (Biological Abstracts); CAB Abstracts database; Elsevier BIOBASE/Current Awareness in Biological Sciences; Cambridge Scientific Abstracts; Chemical Abstracts; Current Contents/Agriculture, Biology and Environmental Sciences; Ecological Abstracts; Energy from Biomass and Municipal Wastes; Energy Information Abstracts; Engineering Index; Environmental Periodicals Bibliography; EMBASE/Excerpta Medica; Forestry Abstracts; Fuel and Energy Abstracts; Gas Abstracts; GEOBASE; Science Citation Index; SciSearch; Selected Water Resources Abstracts*). Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®.

For a full and complete Guide for Authors, please go to: <http://www.elsevier.com/locate/biortech>

CONTENTS

Volume 150, December 2013

Full Length Articles

Biological Waste Treatment

- 9 Effect of trace tetracycline concentrations on the structure of a microbial community and the development of tetracycline resistance genes in sequencing batch reactors
W. ZHANG, M.-H. HUANG, F.-F. QI (China), P.-Z. SUN & S. W. VAN GINKEL (USA)
- 28 Inhibitory effects and biotransformation potential of ciprofloxacin under anoxic/anaerobic conditions
Z. LIU, P. SUN, S. G. PAVLOSTATHIS, X. ZHOU & Y. ZHANG (USA)
- 42 Feasibility of iron loaded 'okara' for biosorption of phosphorous in aqueous solutions
T. A. H. NGUYEN, H. H. NGO, W. S. GUO (Australia), J. ZHANG, S. LIANG (PR China) & K. L. TUNG (Taiwan)
- 113 Autotrophic nitrogen removal from domestic sewage in MBR-CANON system and the biodiversity of functional microbes
X. ZHANG, D. LI, Y. LIANG, Y. HE, Y. ZHANG & J. ZHANG (China)
- 149 Direct membrane filtration of municipal wastewater with chemically enhanced backwash for recovery of organic matter
S. K. LATEEF, B. Z. SOH & K. KIMURA (Japan)
- 156 The strengthening effect of a static magnetic field on activated sludge activity at low temperature
C. NIU, J. GENG, H. REN, L. DING, K. XU & W. LIANG (PR China)
- 187 Feasibility of grass co-digestion in an agricultural digester, influence on process parameters and residue composition
S. DE MOOR, F. VELGHE, I. WIERINCK, E. MICHELS, B. RYCKAERT, A. DE VOCHT, W. VERBEKE & E. MEERS (Belgium)
- 210 Effect of enzyme secreting bacterial pretreatment on enhancement of aerobic digestion potential of waste activated sludge interceded through EDTA
S. KAVITHA, S. ADISH KUMAR, K. N. YOGALAKSHMI, S. KALIAPPAN & J. RAJESH BANU (India)
- 242 Removal of metal from acid mine drainage using a hybrid system including a pipes inserted microalgae reactor
Y.-T. PARK, H. LEE, H.-S. YUN, K.-G. SONG, S.-H. YEOM & J. CHOI (South Korea)
- 249 Thermophilic anaerobic digestion of coffee grounds with and without waste activated sludge as co-substrate using a submerged AnMBR: System amendments and membrane performance
W. QIAO (PR China, Japan), K. TAKAYANAGI, M. SHOFIE, Q. NIU (China), H. Q. YU (PR China) & Y.-Y. LI (Japan)

(Continued on inside back cover)

For further information about *Bioresource Technology* or other Elsevier products, why not access the COMPLETE ELSEVIER CATALOGUE via the INTERNET?

WWW: <http://www.elsevier.com>



ELSEVIER

CONTENTS (continued from outside back cover)

- 259 Co-metabolic biodegradation of acetamiprid by *Pseudoxanthomonas* sp. AAP-7 isolated from a long-term acetamiprid-polluted soil
G. WANG, Y. ZHAO, H. GAO, W. YUE, M. XIONG, F. LI, H. ZHANG & W. GE (PR China)
- 287 Osmotic membrane bioreactor for wastewater treatment and the effect of salt accumulation on system performance and microbial community dynamics
G. QIU & Y.-P. TING (Singapore)
- 307 Simultaneous nitrification and *p*-nitrophenol removal using aerobic granular biomass in a continuous airlift reactor
Z. JEMAAT, M. E. SUÁREZ-OJEDA, J. PÉREZ & J. CARRERA (Spain)
- 314 Bioaugmentation of biological contact oxidation reactor (BCOR) with phenol-degrading bacteria for coal gasification wastewater (CGW) treatment
F. FANG, H. HAN, Q. ZHAO, C. XU & L. ZHANG (China)
- 338 Isolation and identification of methanethiol-utilizing bacterium CZ05 and its application in bio-trickling filter of biogas
C.-Z. ZHANG, W.-J. ZHANG & J. XU (PR China)
- 344 Evaluation of sludge reduction and carbon source recovery from excess sludge by the advanced Sludge reduction, Inorganic solids separation, Phosphorus recovery, and Enhanced nutrient Removal (SIPER) wastewater treatment process
P. YAN, F. JI, J. WANG, J. FAN, W. GUAN & Q. CHEN (China)
- 387 Enhancing methane production during the anaerobic digestion of crude glycerol using Japanese cedar charcoal
R. WATANABE, C. TADA, Y. BABA, Y. FUKUDA & Y. NAKAI (Japan)

Biofuels and Biorefineries

- 1 Microbial recycling of glycerol to biodiesel
L. YANG, Z. ZHU, W. WANG & X. LU (China)
- 50 In situ self-catalyzed reactive extraction of germinated oilseed with short-chained dialkyl carbonates for biodiesel production
Y. JIANG, D. LI, Y. LI, J. GAO, L. ZHOU & Y. HE (China)
- 55 Biodiesel synthesis by TiO₂-ZnO mixed oxide nanocatalyst catalyzed palm oil transesterification process
R. MADHUVILAKKU & S. PIRAMAN (India)
- 60 Effect of substrate and cation requirement on anaerobic volatile fatty acid conversion rates at elevated biogas pressure
R. E. F. LINDEBOOM (The Netherlands), I. FERRER (Spain), J. WEIJMA & J. B. VAN LIER (The Netherlands)
- 106 Enzymatic hydrolysis and production of bioethanol from common macrophytic green alga *Ulva fasciata* Delile
N. TRIVEDI, V. GUPTA, C. R. K. REDDY & B. JHA (India)
- 163 Scenario optimization modeling approach for design and management of biomass-to-biorefinery supply chain system
B. SHARMA, R. G. INGALLS, C. L. JONES, R. L. HUHNEKE & A. KHANCHI (United States)
- 172 Enhanced performance of sulfate reducing bacteria based biocathode using stainless steel mesh on activated carbon fabric electrode
M. SHARMA, P. JAIN, J. L. VARANASI, B. LAL (India), J. RODRÍGUEZ (Spain, United Arab Emirates), J. M. LEMA (Spain) & P. M. SARMA (India)
- 220 Overliming detoxification of pyrolytic sugar syrup for direct fermentation of levoglucosan to ethanol
Z. CHI, M. ROVER, E. JUN, M. DEATON, P. JOHNSTON, R. C. BROWN, Z. WEN & L. R. JARBOE (USA)
- 271 Electrosorption driven by microbial fuel cells to remove phenol without external power supply
J. YANG, M. ZHOU, Y. ZHAO, C. ZHANG & Y. HU (China)

Biomass and Feedstock Utilization

- 228 Harnessing the hydrolytic potential of phytopathogenic fungus *Phoma exigua* ITCC 2049 for saccharification of lignocellulosic biomass
R. TIWARI, S. SINGH, P. K. S. NAIN, S. RANA, A. SHARMA, K. PRANAW & L. NAIN (India)

CONTENTS (continued from inside back cover)

- 235 Changes of bacterial and fungal community compositions during vermicomposting of vegetable wastes by *Eisenia foetida*
K. HUANG, F. LI, Y. WEI (Japan), X. CHEN & X. FU (China)
- 393 Dynamic modeling and validation of a lignocellulosic enzymatic hydrolysis process – A demonstration scale study
R. M. PRUNESCU & G. SIN (Denmark)

Bioprocesses

- 79 Rubisco-based engineered *Escherichia coli* for *in situ* carbon dioxide recycling
Z.-Y. ZHUANG & S.-Y. LI (Taiwan)
- 195 Development of a rotating algal biofilm growth system for attached microalgae growth with *in situ* biomass harvest
M. GROSS, W. HENRY, C. MICHAEL & Z. WEN (USA)
- 377 Characterization of three *Chlorella sorokiniana* strains in anaerobic digested effluent from cattle manure
N. KOBAYASHI, E. A. NOEL, A. BARNES, A. WATSON, J. N. ROSENBERG, G. ERICKSON & G. A. OYLER (United States)

Microbial Products

- 121 Halo-alkalitolerant and thermostable cellulases with improved tolerance to ionic liquids and organic solvents from *Paenibacillus tarimensis* isolated from the Chott El Fejej, Sahara desert, Tunisia
N. RADDADI (Italy), A. CHERIF (Tunisia), D. DAFFONCHIO & F. FAVA (Italy)
- 202 Conversion of grass biomass into fermentable sugars and its utilization for medium chain length polyhydroxy-alkanoate (mcl-PHA) production by *Pseudomonas* strains
R. DAVIS, R. KATARIA, F. CERRONE, T. WOODS, S. KENNY, A. O'DONOVAN, M. GUZIK, H. SHAIKH, G. DUANE, V. K. GUPTA, M. G. TUOHY, R. B. PADAMATTI, E. CASEY & K. E. O'CONNOR (Ireland)
- 266 Fatty acid ethyl esters production in aqueous phase by the oleaginous yeast *Rhodospiridium toruloides*
G. JIN, Y. ZHANG, H. SHEN, X. YANG, H. XIE & Z. K. ZHAO (PR China)
- 298 Characterization of a new oxygen-insensitive azoreductase from *Brevibacillus laterosporus* TISTR1911: Toward dye decolorization using a packed-bed metal affinity reactor
W. LANG (Japan), S. SIRISANSANEYAKUL (Thailand), L. NGIWSARA (Japan), S. MENDES, L. O. MARTINS (Portugal), M. OKUYAMA & A. KIMURA (Japan)

Physico-Chemical and Thermo-Chemical Processes for Biomass

- 15 Thermogravimetric study of the combustion of *Tetraselmis suecica* microalgae and its blend with a Victorian brown coal in O₂/N₂ and O₂/CO₂ atmospheres
A. TAHMASEBI (PR China), M. A. KASSIM (Australia), J. YU (PR China) & S. BHATTACHARYA (Australia)
- 36 Topochemistry of alkaline, alkaline-peroxide and hydrotropic pretreatments of common reed to enhance enzymatic hydrolysis efficiency
H. Y. MOU, E. HEIKKILÄ (Finland) & P. FARDIM (Finland, Saudi Arabia)
- 67 Dynamic microstructures and fractal characterization of cell wall disruption for microwave irradiation-assisted lipid extraction from wet microalgae
J. CHENG, J. SUN, Y. HUANG, J. FENG, J. ZHOU & K. CEN (China)
- 73 Enhancement of eucalypt chips' enzymolysis efficiency by a combination method of alkali impregnation and refining pretreatment
D. HUO, G. FANG, Q. YANG, S. HAN, Y. DENG, K. SHEN & Y. LIN (China)
- 89 Is biomass fractionation by Organosolv-like processes economically viable? A conceptual design study
J. VIELL, A. HARWARDT, J. SEILER & W. MARQUARDT (Germany)

(continued on previous page)

CONTENTS (continued from following page)

- 98 Chemical and morphological changes in hydrochars derived from microcrystalline cellulose and investigated by chromatographic, spectroscopic and adsorption techniques
M. DIAKITÉ, A. PAUL, C. JÄGER, J. PIELERT & J. MUMME (Germany)
- 129 Impact of the lignocellulosic material on fast pyrolysis yields and product quality
M. CARRIER, J.-E. JOUBERT, S. DANJE, T. HUGO, J. GÖRGENS & J. (H). KNOETZE (South Africa)
- 139 Thermogravimetric and kinetic analysis of thermal decomposition characteristics of low-lipid microalgae
C. GAI (PR China, USA), Y. ZHANG, W.-T. CHEN, P. ZHANG (USA) & Y. DONG (China)
- 181 Catalytic reforming of nitrogen-containing volatiles evolved through pyrolysis of composted pig manure
S. MEESUK, K. SATO, J.-P. CAO, A. HOSHINO, K. UTSUMI & T. TAKARADA (Japan)
- 278 Fractionation of bamboo culms by autohydrolysis, organosolv delignification and extended delignification: Understanding the fundamental chemistry of the lignin during the integrated process
J.-L. WEN, S.-N. SUN, T.-Q. YUAN, F. XU & R.-C. SUN (PR China)
- 321 Alkaline hydrogen peroxide pretreatment of softwood: Hemicellulose degradation pathways
C. ALVAREZ-VASCO & X. ZHANG (United States)
- 328 Upgrading producer gas quality from rubber wood gasification in a radio frequency tar thermocatalytic treatment reactor
S. ANIS (Malaysia) & Z.A. ZAINAL (Indonesia)
- 352 Ionic liquid pretreatment to enhance the anaerobic digestion of lignocellulosic biomass
J. GAO, L. CHEN, K. YUAN, H. HUANG & Z. YAN (PR China)
- 359 Fast pyrolysis of potassium impregnated poplar wood and characterization of its influence on the formation as well as properties of pyrolytic products
H. HWANG, S. OH, T.-S. CHO, I.-G. CHOI & J. W. CHOI (Republic of Korea)
- 367 A techno-economic analysis of using mobile distributed pyrolysis facilities to deliver a forest residue resource
D. BROWN, A. ROWE & P. WILD (Canada)
- Special Section on Life-cycle Assessment of Bioproducts**
- 405 Preface
E. GNANSOUNOU (Switzerland)
- 407 Life cycle assessment of ethanol derived from sawdust
P. ROY & A. DUTTA (Canada)
- 412 A comparative LCA of rice straw utilization for fuels and fertilizer in Thailand
T. SILALERTRUKSA & S. H. GHEEWALA (Thailand)
- 420 Life cycle assessment of mobility options using wood based fuels – Comparison of selected environmental effects and costs
J. WEINBERG & M. KALTSCHMITT (Germany)
- 429 Comparative life cycle assessment of biodiesel from algae and jatropha: A case study of India
A. AJAYEBI, E. GNANSOUNOU & J. KENTHORAI RAMAN (Switzerland)
- 438 Life cycle environmental impacts of a prospective palm-based biorefinery in Pará State-Brazil
M. KAMI DELIVAND & E. GNANSOUNOU (Switzerland)
- 447 Life-cycle analysis of bio-based aviation fuels
J. HAN, A. ELGOWAINY, H. CAI & M. Q. WANG (United States)

(continued on previous page)

CONTENTS (continued from following page)

- 457 Implications of the biofuels policy mandate in Thailand on water: The case of bioethanol
S. H. GHEEWALA, T. SILALERTRUKSA, P. NILSALAB, R. MUNGKUNG, S. R. PERRET & N. CHAIYAWANNAKARN (Thailand)
- 466 Life cycle assessment of biohydrogen production as a transportation fuel in Germany
C. WULF & M. KALTSCHMITT (Germany)
- 476 Energy intensity, life-cycle greenhouse gas emissions, and economic assessment of liquid biofuel pipelines
B. STROGEN, A. HORVATH & D. ZILBERMAN (USA)
- 486 Development and validation of a technoeconomic analysis tool for early-stage evaluation of bio-based chemical production processes
J. T. CLAYPOOL & D. R. RAMAN (United States)
- 496 A Life Cycle Assessment of integrated dairy farm-greenhouse systems in British Columbia
S. ZHANG, X. T. BI (Canada) & R. CLIFT (United Kingdom)
- 506 Environmental performance of biological nutrient removal processes from a life cycle perspective
G. A. ONTIVEROS & E. A. CAMPANELLA (Argentina)
- 513 The environmental sustainability of microalgae as feed for aquaculture: A life cycle perspective
S. E. TAELEMAN, S. DE MEESTER, L. ROEF, M. MICHIELS & J. DEWULF (Belgium)

Cover figure: Polarization-Power density curves recorded at varying resistances (100 k Ω -10 Ω) during stable performance of MFCs. See the article "Enhanced performance of sulfate reducing bacteria based biocathode using stainless steel mesh on activated carbon fabric electrode" by M. Sharma et al.