


BIORESOURCE TECHNOLOGY

applied microbiology ■ bioconversion/biocatalysis ■ biofuels ■
biological engineering ■ biological waste treatment ■ biomass ■
bioprocesses ■ thermo-chemical treatment



Available online at www.sciencedirect.com

ScienceDirect



0960-8524 (201401) 152:C;1-I

(Abstracted/Indexed in: AGRICOLA database; Agricultural Engineering Abstracts; Analytical Abstracts (Royal Society of Chemistry Information Services); BIOSIS (Biological Abstracts); CAB Abstracts database; Elsevier BIOBASE/Current Awareness in Biological Sciences; Cambridge Scientific Abstracts; Chemical Abstracts; Current Contents/Agriculture, Biology and Environmental Sciences; Ecological Abstracts; Energy from Biomass and Municipal Wastes; Energy Information Abstracts; Engineering Index; Environmental Periodicals Bibliography; EMBASE/Excerpta Medica; Forestry Abstracts; Fuel and Energy Abstracts; Gas Abstracts; GEOBASE; Science Citation Index; SciSearch; Selected Water Resources Abstracts). Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®.

For a full and complete Guide for Authors, please go to: <http://www.elsevier.com/locate/biotech>

CONTENTS

Volume 152, January 2014

Full Length Articles

Biological Waste Treatment

- 1 Partial nitrification of wastewaters with high NaCl concentrations by aerobic granules in continuous-flow reactor
C. WAN, X. YANG (China), D.-J. LEE (China, Taiwan), X. LIU, S. SUN & C. CHEN (China)
- 7 Membrane fouling in a submerged membrane bioreactor: Effect of pH and its implications
Y. ZHANG, M. ZHANG, F. WANG, H. HONG, A. WANG, J. WANG, X. WENG & H. LIN (PR China)
- 53 The effect of quorum sensing and extracellular proteins on the microbial attachment of aerobic granular activated sludge
J. LV, Y. WANG, C. ZHONG, Y. LI, W. HAO & J. ZHU (China)
- 59 Performance evaluation of anaerobic hybrid reactors with different packing media for treating wastewater of mild alkali treated rice straw in ethanol fermentation process
M. NARRA, V. BALASUBRAMANIAN, H. MEHTA, G. DIXIT, D. MADAMWAR & A. R. SHAH (India)
- 66 Mesophilic batch anaerobic co-digestion of fruit-juice industrial waste and municipal waste sludge: Process and cost-benefit analysis
E. HOSSEINI KOUPAIE, M. BARRANTES LEIVA, C. ESKICIÖGLU & C. DUTIL (Canada)
- 74 Strong influence of medium pH condition on gas-phase biofilter ammonia removal, nitrous oxide generation and microbial communities
L. YANG, X. WANG & T. L. FUNK (United States)
- 93 Development of a sixth-generation down-flow hanging sponge (DHS) reactor using rigid sponge media for post-treatment of UASB treating municipal sewage
T. ONODERA, M. TANDUKAR, D. SUGIYANA, S. UEMURA, A. OHASHI & H. HARADA (Japan)
- 101 Effects of suspended titanium dioxide nanoparticles on cake layer formation in submerged membrane bioreactor
L. ZHOU, Z. ZHANG, S. XIA, W. JIANG, B. YE, X. XU, Z. GU (China), W. GUO, H.-H. NGO (Australia), X. MENG, J. FAN & J. ZHAO (China)
- 116 Effects of quinoid redox mediators on the activity of anammox biomass
S. QIAO, T. TIAN & J. ZHOU (PR China)

(Continued on inside back cover)

For further information about *Bioresource Technology* or other Elsevier products, why not access the COMPLETE ELSEVIER CATALOGUE via the INTERNET?

WWW: <http://www.elsevier.com>



CONTENTS (*continued from outside back cover*)

- 124 Volatile fatty acids (VFAs) accumulation and microbial community structure of excess sludge (ES) at different pHs
W. JIE, Y. PENG, N. REN & B. LI (China)
- 185 Performance and microbial community of completely autotrophic nitrogen removal over nitrite (CANON) process in two membrane bioreactors (MBR) fed with different substrate levels
X. ZHANG, D. LI, Y. LIANG, H. ZENG, Y. HE, Y. ZHANG & J. ZHANG (China)
- 202 Comparison of mesophilic and thermophilic anaerobic digestion of sugar beet pulp: Performance, dewaterability and foam control
S. SUHARTINI (UK, Indonesia), S. HEAVEN & C. J. BANKS (UK)
- 212 Comparison between a fixed bed hybrid membrane bioreactor and a conventional membrane bioreactor for municipal wastewater treatment: A pilot-scale study
L. RODRÍGUEZ-HERNÁNDEZ, A. L. ESTEBAN-GARCÍA & I. TEJERO (Spain)
- 307 Ammonia removal in food waste anaerobic digestion using a side-stream stripping process
A. SERNA-MAZA, S. HEAVEN & C. J. BANKS (UK)
- 347 *Methanosarcina* spp., the key to relieve the start-up of a thermophilic anaerobic digestion suffering from high acetic acid loads
P. LINS, C. REITSCHULER & P. ILLMER (Austria)
- 393 Thermal steam explosion pretreatment to enhance anaerobic biodegradability of the solid fraction of pig manure
L. C. FERREIRA, T. S. O. SOUZA, F. FDZ-POLANCO & S. I. PÉREZ-ELVIRA (Spain)
- 399 Removal of dorzolamide from biomedical wastewaters with adsorption onto graphite oxide/poly(acrylic acid) grafted chitosan nanocomposite
G. Z. KYZAS, D. N. BIKIARIS (Greece), M. SEREDYCH, T. J. BANDOSZ (USA) & E. A. DELIYANNI (Greece)
- 414 Flootation of granular sludge and its mechanism: A key approach for high-rate denitrifying reactor
W. LI, P. ZHENG, J. JI, M. ZHANG, J. GUO, J. ZHANG (China) & G. ABBAS (China, Pakistan)
- 420 A comparison of microbial characteristics between the thermophilic and mesophilic anaerobic digesters exposed to elevated food waste loadings
X. GUO, C. WANG, F. SUN, W. ZHU & W. WU (China)
- 457 Packed bed column studies on lead(II) removal from industrial wastewater by modified *Agaricus bisporus*
Y. LONG, D. LEI, J. NI, Z. REN, C. CHEN & H. XU (China)
- 477 Inhibition of biomass activity in the via nitrite nitrogen removal processes by veterinary pharmaceuticals
T. ALVARINO (Spain), E. KATSOU, S. MALAMIS (Italy), S. SUAREZ, F. OMIL (Spain) & F. FATONE (Italy)
- 484 Nutrient removal from agricultural drainage water using algal turf scrubbers and solar power
P. KANGAS & W. MULBRY

Biofuels and Biorefineries

- 15 Integrating multimodal transport into cellulosic biofuel supply chain design under feedstock seasonality with a case study based on California
F. XIE, Y. HUANG & S. EKSIOLLU (United States)
- 24 Potential of bioethanol production from olive mill solid wastes
H. ABU TAYEH, N. NAJAMI, C. DOSORETZ, A. TAFESH & H. AZAIZEH (Israel)
- 46 Treating refinery wastewaters in microbial fuel cells using separator electrode assembly or spaced electrode configurations
F. ZHANG, Y. AHN & B. E. LOGAN (USA)
- 107 Suitability of giant reed (*Arundo donax* L.) for anaerobic digestion: Effect of harvest time and frequency on the biomethane yield potential
G. RAGAGLINI, F. DRAGONI, M. SIMONE & E. BONARI (Italy)
- 140 Biohydrogen production from sugarcane bagasse by integrating dark- and photo-fermentation
P. K. RAI, S. P. SINGH, R. K. ASTHANA & S. SINGH (India)

CONTENTS (*continued from inside back cover*)

- 220 Enhancement of bioelectricity generation by manipulation of the electron shuttles synthesis pathway in microbial fuel cells
X.-Y. YONG, D.-Y. SHI, Y.-L. CHEN, F. JIAO, X. LIN, J. ZHOU, S.-Y. WANG, Y.-C. YONG, Y.-M. SUN, P.-K. OUYANG & T. ZHENG (China)
- 241 Effect of phosphorus on biodiesel production from *Scenedesmus obliquus* under nitrogen-deficiency stress
F.-F. CHU, P.-N. CHU, X.-F. SHEN (PR China), P. K. S. LAM (PR China, Hong Kong) & R. J. ZENG (PR China)
- 407 An investigation of ultrasound effect on microalgal cell integrity and lipid extraction efficiency
U. D. KERIS-SEN, U. SEN, G. SOYDEMIR & M. D. GUROL (Turkey)
- 450 Organosolv pretreatment of rice straw for efficient acetone, butanol, and ethanol production
H. AMIRI, K. KARIMI & H. ZILOUEI (Iran)
- 464 The purification of crude glycerol derived from biodiesel manufacture and its use as a substrate by *Rhodopseudomonas palustris* to produce hydrogen
R. W. M. POTT, C. J. HOWE & J. S. DENNIS (UK)
- 511 Environmental assessment of biofuel pathways in Ile de France based on ecosystem modeling
B. GABRIELLE, N. GAGNAIRE, R. S. MASSAD, K. DUFOSSÉ & C. BESSOU (France)

Biomass and Feedstock Utilization

- 38 Probing the nature of AFEX-pretreated corn stover derived decomposition products that inhibit cellulase activity
J. F. HUMPULA, N. UPPUGUNDLA, R. VISMEH, L. SOUSA, S. P. S. CHUNDAWAT, A. D. JONES, V. BALAN, B. E. DALE & A. M. CHEH (USA)
- 259 Enzymatic hydrolysis of autohydrolyzed wheat straw followed by refining to produce fermentable sugars
M. ERTAS (Turkey), Q. HAN, H. JAMEEL & H.-M. CHANG (USA)
- 329 Application of a recyclable plastic bulking agent for sewage sludge composting
H.-B. ZHOU, C. MA, D. GAO, T.-B. CHEN, G.-D. ZHENG, J. CHEN & T.-H. PAN (PR China)
- 377 Dual substrate strategy to enhance butanol production using high cell inoculum and its efficient recovery by pervaporation
S. YADAV, G. RAWAT, P. TRIPATHI & R. K. SAXENA (India)

Bioprocesses

- 80 Pretreatment of e-waste and mutation of alkali-tolerant cyanogenic bacteria promote gold biorecovery
G. NATARAJAN & Y.-P. TING (Singapore)
- 154 Effect of outdoor conditions on *Nannochloropsis salina* cultivation in artificial seawater using nutrients from anaerobic digestion effluent
J. P. SHEETS, X. GE, S. Y. PARK & Y. LI (USA)
- 177 Significance evaluation of the effects of environmental factors on the lipid accumulation of *Chlorella minutissima* UTEX 2341 under low-nutrition heterotrophic condition
J. CAO, H. YUAN, B. LI & J. YANG (China)
- 225 Carbon dioxide sequestration from industrial flue gas by *Chlorella sorokiniana*
K. KUMAR, D. BANERJEE & D. DAS (India)
- 234 The relationship of oxygen uptake rate and k_La with rheological properties in high cell density cultivation of docosahexaenoic acid by *Schizochytrium* sp. S31
G. CHANG, J. WU, C. JIANG, G. TIAN, Q. WU, M. CHANG & X. WANG (China)

(continued on previous page)

CONTENTS (continued from following page)

- 247 Development of lipid productivities under different CO₂ conditions of marine microalgae *Chlamydomonas* sp. JSC4
A. NAKANISHI, S. AIKAWA, S.-H. HO (Japan), C.-Y. CHEN, J.-S. CHANG (Taiwan), T. HASUNUMA (Japan) & A. KONDO (Japan, Republic of Korea)
- 253 An improved TCF sequence for biobleaching kenaf pulp: Influence of the hexenuronic acid content and the use of xylanase
G. ANDREU & T. VIDAL (Spain)
- 283 A growth inhibitory model with SO_x influenced effective growth rate for estimation of algal biomass concentration under flue gas atmosphere
S. R. RONDA, C. KETHINENI, L. C. P. PARUPUDI, V. B. S. C. THUNUGUNTLA, S. VEMULA, V. S. SETTALURI, P. R. ALLU, S. K. GRANDE (India), S. SHARMA & C. V. KANDALA (USA)
- 292 Metabolic changes of starch and lipid triggered by nitrogen starvation in the microalga *Chlorella zofingiensis*
S. ZHU, W. HUANG, J. XU, Z. WANG, J. XU & Z. YUAN (China)
- 299 pH-upshock yields more lipids in nitrogen-starved *Neochloris oleoabundans*
A. M. SANTOS, R. H. WIJFFELS & P. P. LAMERS (The Netherlands)
- 321 Impact of changes in broth composition on *Chlorella vulgaris* cultivation in a membrane photobioreactor (MPBR) with permeate recycle
V. DISCART, M. R. BILAD, L. MARBELIA & I. F. J. VANKELECOM (Belgium)
- 337 Mixed culture syngas fermentation and conversion of carboxylic acids into alcohols
K. LIU, H. K. ATIYEH, B. S. STEVENSON, R. S. TANNER, M. R. WILKINS & R. L. HUHNKE (USA)
- 355 Implications of sludge liquor addition for wastewater-based open pond cultivation of microalgae for biofuel generation and pollutant remediation
O. OSUNDEKO & J. K. PITTMAN (UK)
- 371 Relationship of trehalose accumulation with ethanol fermentation in industrial *Saccharomyces cerevisiae* yeast strains
P.-M. WANG, D.-Q. ZHENG, X.-Q. CHI, O. LI, C.-D. QIAN, T.-Z. LIU, X.-Y. ZHANG, F.-G. DU, P.-Y. SUN, A.-M. QU & X.-C. WU (China)
- 384 Degradation of high loads of crystalline cellulose and of unpretreated plant biomass by the thermophilic bacterium *Caldicellulosiruptor bescii*
M. BASEN, A. M. RHAESA, I. KATAEVA, C. J. PRYBOL, I. M. SCOTT, F. L. POOLE & M. W. W. ADAMS (USA)
- 429 Isolation of *Bacillus* sp. strains capable of decomposing alkali lignin and their application in combination with lactic acid bacteria for enhancing cellulase performance
Y.-C. CHANG (Japan), D. CHOI (Republic of Korea), K. TAKAMIZAWA & S. KIKUCHI (Japan)
- 437 Anaerobic digestate as substrate for microalgae culture: The role of ammonium concentration on the microalgae productivity
E. UGETTI, B. SIALVE, E. LATRILLE & J.-P. STEYER (France)
- 471 Mixotrophic growth and biochemical analysis of *Chlorella vulgaris* cultivated with diluted monosodium glutamate wastewater
Y. JI, W. HU, X. LI, G. MA, M. SONG & H. PEI (China)

Microbial Products

- 162 Enhanced production of Fumigaclavine C in liquid culture of *Aspergillus fumigatus* under a two-stage process
Y.-X. ZHU, L.-Y. YAO, R.-H. JIAO, Y.-H. LU & R.-X. TAN (PR China)
- 169 Effects of pH and fermentation strategies on 2,3-butanediol production with an isolated *Klebsiella* sp. Zmd30 strain
C.-L. WONG, H.-W. YEN, C.-L. LIN & J.-S. CHANG (Taiwan)

(continued on previous page)

CONTENTS (continued from following page)

- 192 Xylitol production at high temperature by engineered *Kluyveromyces marxianus*
J. ZHANG, B. ZHANG, D. WANG (PR China), X. GAO (PR China, USA) & J. HONG (PR China)
- 275 Enhancing lutein productivity of an indigenous microalga *Scenedesmus obliquus* FSP-3 using light-related strategies
S.-H. HO (Japan, Taiwan), M.-C. CHAN, C.-C. LIU, C.-Y. CHEN, W.-L. LEE, D.-J. LEE & J.-S. CHANG (Taiwan)
- 490 Preparation and characteristics of bacterial polymer using pre-treated sludge from swine wastewater treatment plant
J. GUO, C. YANG & L. PENG (China)
- 499 Heading for an economic industrial upgrading of crude glycerol from biodiesel production to 1,3-propanediol by
Lactobacillus diolivorans
S. PFLÜGL, H. MARX, D. MATTANOVICH & M. SAUER (Austria)
- 505 Utilization of glycerin byproduct derived from soybean oil biodiesel as a carbon source for heterologous protein
production in *Pichia pastoris*
G. S. ANASTÁCIO, K. O. SANTOS, P. A. Z. SUAREZ, F. A. G. TORRES, J. L. DE MARCO & N. S. PARACHIN (Brazil)

Physico-Chemical and Thermo-Chemical Processes for Biomass

- 31 Specific lignin precipitation for oligosaccharides recovery from hot water wood extract
X. CHEN, Z. WANG, Y. FU, Z. LI & M. QIN (China)
- 86 Investigation on cotton stalk and bamboo sawdust carbonization for barbecue charcoal preparation
S. XIONG, S. ZHANG, Q. WU, X. GUO, A. DONG & C. CHEN (PR China)
- 130 Hydrothermal liquefaction of mixed-culture algal biomass from wastewater treatment system into bio-crude oil
W.-T. CHEN, Y. ZHANG (USA), J. ZHANG (USA, China), G. YU, L. C. SCHIDEMAN, P. ZHANG & M. MINARICK (USA)
- 147 Effects of chemical form of sodium on the product characteristics of alkali lignin pyrolysis
D.-L. GUO, H.-Y. YUAN, X.-L. YIN, C.-Z. WU, S.-B. WU & Z.-Q. ZHOU (PR China)
- 267 Thermogravimetric investigation on the degradation properties and combustion performance of bio-oils
X. REN (USA, PR China), J. MENG, A. M. MOORE (USA), J. CHANG, J. GOU (PR China) & S. PARK (USA)
- 316 Enhanced glucose yield and structural characterization of corn stover by sodium carbonate pretreatment
I. KIM, M. S. U. REHMAN & J.-I. HAN (Republic of Korea)
- 364 Pretreatment of corn stover for sugar production using dilute hydrochloric acid followed by lime
S. ZU, W.-Z. LI, M. ZHANG, Z. LI (People's Republic of China), Z. WANG, H. JAMEEL & H.-M. CHANG (USA)
- 444 Improvement of the fermentability of oxalic acid hydrolysates by detoxification using electrodialysis and adsorption
S.-Y. JEONG, L. T. P. TRINH, H.-J. LEE & J.-W. LEE (South Korea)

Short Communications

- 519 Improved propionic acid production from glycerol with metabolically engineered *Propionibacterium jensenii* by
integrating fed-batch culture with a pH-shift control strategy
X. ZHUGE, L. LIU (China), H.-D. SHIN (USA), J. LI, G. DU & J. CHEN (China)
- 526 Production and purification of xylooligosaccharides from oil palm empty fruit bunch fibre by a non-isothermal
process
A. L. HO (United Kingdom), F. CARVALHEIRO, L. C. DUARTE, L. B. ROSEIRO (Portugal), D. CHARALAMPOPOULOS &
R. A. RASTALL (United Kingdom)
- 530 Electrode as sole electrons donor for enhancing decolorization of azo dye by an isolated *Pseudomonas* sp. WYZ-2
Y.-Z. WANG, A.-J. WANG, A.-J. ZHOU, W.-Z. LIU, L.-P. HUANG, M.-Y. XU & H.-C. TAO (PR China)
- 534 Concurrent extraction and reaction for the production of biodiesel from wet microalgae
H. IM, H. LEE (Republic of Korea), M. S. PARK (Republic of Korea, USA), J.-W. YANG & J. W. LEE (Republic of Korea)

(continued on previous page)

CONTENTS (continued from following page)

- 538 Biochar-supported zerovalent iron for removal of various contaminants from aqueous solutions
Y. ZHOU (China, United States), B. GAO, A. R. ZIMMERMAN, H. CHEN, M. ZHANG (United States) & X. CAO (China)
- 543 Enzymatic hydrolysis of pretreated waste paper – Source of raw material for production of liquid biofuels
V. BRUMMER, T. JURENA, V. HLAVACEK, J. OMELKOVA, L. BEBAR, P. GABRIEL & P. STEHLIK (Czech Republic)
- 548 Flocculation of high purity wheat straw soda lignin
G. J. PIAZZA, J. H. LORA & R. A. GARCIA (USA)
- 552 Lipid fermentation of corncob residues hydrolysate by oleaginous yeast *Trichosporon cutaneum*
Q. GAO, Z. CUI, J. ZHANG & J. BAO (China)
- 557 Aerobic granulation of aggregating consortium X9 isolated from aerobic granules and role of cyclic di-GMP
C. WAN, X. YANG (China), D.-J. LEE (China, Taiwan), X.-Y. WANG (Taiwan), Q. YANG & X. PAN (China)
- 562 Effect of barium ferrite particle size on detachment efficiency in magnetophoretic harvesting of oleaginous *Chlorella* sp.
J. Y. SEO, K. LEE, S. Y. LEE, S. G. JEON, J.-G. NA, Y.-K. OH & S. B. PARK (Republic of Korea)
- 567 Impact of bioaugmentation on biochemical methane potential for wheat straw with addition of *Clostridium cellulolyticum*
X. PENG (Sweden, PR China), R. A. BÖRNER, I. A. NGES & J. LIU (Sweden)
- 572 Effect of nitrogen concentration on lipid productivity and fatty acid composition of *Monoraphidium* sp.
S. DHUP & V. DHAWAN (India)

Cover figure: Time courses for (A) temperature, (B) suspended solids (SS), (C) biochemical oxygen demand (BOD), and (D) total Kjeldahl nitrogen (TKN). See the article “Development of a sixth-generation down-flow hanging sponge (DHS) reactor using rigid sponge media for post-treatment of UASB treating municipal sewage” by T. Onodera et al.