


BIORESOURCE TECHNOLOGY

applied microbiology ■ bioconversion/biocatalysis ■ biofuels ■
 biological engineering ■ biological waste treatment ■ biomass ■
 bioprocesses ■ thermo-chemical treatment



Available online at www.sciencedirect.com

ScienceDirect



(Abstracted/Indexed in: *AGRICOLA* database; *Agricultural Engineering Abstracts*; *Analytical Abstracts* (Royal Society of Chemistry Information Services); *BIOSIS* (Biological Abstracts); *CAB Abstracts* database; *Elsevier BIOBASE/Current Awareness in Biological Sciences*; *Cambridge Scientific Abstracts*; *Chemical Abstracts*; *Current Contents/Agriculture, Biology and Environmental Sciences*; *Ecological Abstracts*; *Energy from Biomass and Municipal Wastes*; *Energy Information Abstracts*; *Engineering Index*; *Environmental Periodicals Bibliography*; *EMBASE/Excerpta Medica*; *Forestry Abstracts*; *Fuel and Energy Abstracts*; *Gas Abstracts*; *GEOBASE*; *Science Citation Index*; *SciSearch*; *Selected Water Resources Abstracts*). Also covered in the abstract and citation database *Scopus*[®]. Full text available on *ScienceDirect*[®].

For a full and complete Guide for Authors, please go to: <http://www.elsevier.com/locate/biortech>

CONTENTS

Volume 153, February 2014

Review

- 351 Nutrients removal and recovery in bioelectrochemical systems: A review
P. T. KELLY & Z. HE (USA)

Full Length Articles

Biological Waste Treatment

- 1 Foam formation in a downstream digester of a cascade running full-scale biogas plant: Influence of fat, oil and grease addition and abundance of the filamentous bacterium *Microthrix parvicella*
T. LIENEN, A. KLEYBÖCKER (Germany), W. VERSTRAETE (Belgium) & H. WÜRDEMANN (Germany)
- 8 Anaerobic fermentation of biogas liquid pretreated maize straw by rumen microorganisms in vitro
W. JIN, X. XU, Y. GAO, F. YANG & G. WANG (China)
- 30 Unprecedented development of anammox in presence of organic carbon using seed biomass from a tannery Common Effluent Treatment Plant (CETP)
G. ANJALI & P. C. SABUMON (India)
- 39 The robustness of ANAMMOX process under the transient oxytetracycline (OTC) shock
Q.-Q. ZHANG, H. CHEN, J.-H. LIU, B.-E. YANG, W.-M. NI & R.-C. JIN (PR China)
- 55 Biodegradation of polyacrylamide by anaerobic digestion under mesophilic condition and its performance in actual dewatered sludge system
X. DAI, F. LUO, J. YI, Q. HE & B. DONG (PR China)
- 62 Ammonium removal from anaerobically treated effluent by *Chlamydomonas acidophila*
A. ESCUDERO, F. BLANCO, A. LACALLE & M. PINTO (Spain)
- 79 Sequential anaerobic-aerobic treatment of pharmaceutical wastewater with high salinity
X. SHI, O. LEFEBVRE, K. K. NG & H. Y. NG (Singapore)
- 87 Inoculation and alkali coeffect in volatile fatty acids production and microbial community shift in the anaerobic fermentation of waste activated sludge
L. HUANG, B. CHEN, M. PISTOLOZZI, Z. WU & J. WANG (PR China)
- 95 Hydroxylation and hydrolysis: Two main metabolic ways of spiramycin I in anaerobic digestion
P. ZHU, D. CHEN, W. LIU, J. ZHANG, L. SHAO, J.-A. LI & J. CHU (PR China)

(Continued on inside back cover)

For further information about *Bioresource Technology* or other Elsevier products, why not access the COMPLETE ELSEVIER CATALOGUE via the INTERNET?

WWW: <http://www.elsevier.com>



ELSEVIER

CONTENTS (continued from outside back cover)

- 116 A new hybrid treatment system of bioreactors and electrocoagulation for superior removal of organic and nutrient pollutants from municipal wastewater
D. D. NGUYEN (Republic of Korea), H. H. NGO (Australia) & Y. S. YOON (Republic of Korea)
- 131 Digestion and dewatering characteristics of waste activated sludge treated by an anaerobic biofilm system
T. WANG, L. SHAO, T. LI, F. LÜ & P. HE (PR China)
- 137 Mining and assessment of catabolic pathways in the metagenome of a common effluent treatment plant to induce the degradative capacity of biomass
R. P. MORE (India), S. MITRA (Singapore), S. C. RAJU, A. KAPLEY & H. J. PUROHIT (India)
- 160 New insight into the biological treatment by activated sludge: The role of adsorption process
X. ZHANG, X. LI, Q. ZHANG, Q. PENG, W. ZHANG & F. GAO (PR China)
- 216 Performance of a haloalkaliphilic bioreactor under different $\text{NO}_3^-/\text{SO}_4^{2-}$ ratios
J.-M. ZHOU, Z.-Y. SONG, D.-J. YAN, Y.-L. LIU, M.-H. YANG, H.-B. CAO & J.-M. XING (PR China)
- 284 Prevalence and persistence of potentially pathogenic and antibiotic resistant bacteria during anaerobic digestion treatment of cattle manure
J. A. RESENDE, V. L. SILVA, T. L. R. DE OLIVEIRA, S. DE OLIVEIRA FORTUNATO, J. DA COSTA CARNEIRO, M. H. OTENIO & C. G. DINIZ (Brazil)
- 333 Effective water content reduction in sewage wastewater sludge using magnetic nanoparticles
R. LAKSHMANAN & G. KUTTUVA RAJARAO (Sweden)

Biofuels and Biorefineries

- 47 Bioethanol production from the nutrient stress-induced microalga *Chlorella vulgaris* by enzymatic hydrolysis and immobilized yeast fermentation
K. H. KIM, I. S. CHOI, H. M. KIM, S. G. WI & H.-J. BAE (Republic of Korea)
- 101 Ethanol production from glucose and xylose obtained from steam exploded water-extracted olive tree pruning using phosphoric acid as catalyst
M. J. NEGRO, C. ALVAREZ, I. BALLESTEROS, I. ROMERO, M. BALLESTEROS, E. CASTRO, P. MANZANARES, M. MOYA & J. M. OLIVA (Spain)
- 108 Process energy comparison for the production and harvesting of algal biomass as a biofuel feedstock
M. K. WESCHLER, W. J. BARR, W. F. HARPER & A. E. LANDIS (United States)
- 180 Addressing case specific biogas plant tasks: Industry oriented methane yields derived from 5 L Automatic Methane Potential Test Systems in batch or semi-continuous tests using realistic inocula, substrate particle sizes and organic loading
S. KOLBL, A. PALOCZI, J. PANJAN & B. STRES (Slovenia)
- 189 Production and characterization of biodiesel from carbon dioxide concentrating chemolithotrophic bacteria, *Serratia* sp. ISTD04
R. K. BHARTI, S. SRIVASTAVA & I. S. THAKUR (India)
- 198 Foam suppression in overloaded manure-based biogas reactors using antifoaming agents
P. G. KOUGIAS, K. BOE, P. TSAPEKOS & I. ANGELIDAKI (Denmark)
- 230 Selection of oleaginous yeasts with high lipid productivity for practical biodiesel production
A. TANIMURA, M. TAKASHIMA, T. SUGITA, R. ENDOH, M. KIKUKAWA, S. YAMAGUCHI, E. SAKURADANI, J. OGAWA & J. SHIMA (Japan)
- 245 Syntrophic interactions between H_2 -scavenging and anode-respiring bacteria can improve current density in microbial electrochemical cells
Y. GAO (Canada), H. RYU, J. W. SANTO DOMINGO (USA) & H.-S. LEE (Canada)
- 254 Selective extraction from microalgae *Nannochloropsis* sp. using different methods of cell disruption
N. GRIMI, A. DUBOIS, L. MARCHAL, S. JUBEAU (France), N. I. LEBOVKA (France, Ukraine) & E. VOROBIEV (France)

(Continued on facing page)

CONTENTS (continued from inside back cover)

- 260 Assessment of factors influencing the biomethane yield of maize silages
F. MAYER (Luxembourg, Belgium), P. A. GERIN (Belgium), A. NOO (Luxembourg), G. FOUCART (Belgium),
J. FLAMMANG, S. LEMAIGRE (Luxembourg), G. SINNAEVE, P. DARDENNE (Belgium) & P. DELFOSSE (Luxembourg)
- 278 Pickering emulsion stabilized by lipase-containing periodic mesoporous organosilica particles: A robust biocatalyst system for biodiesel production
Y. JIANG, X. LIU, Y. CHEN, L. ZHOU, Y. HE, L. MA & J. GAO (China)
- 315 Disruption of microalgal cells using high-frequency focused ultrasound
M. WANG, W. YUAN, X. JIANG, Y. JING & Z. WANG (United States)

Biomass and Feedstock Utilization

- 15 Enzymatic saccharification of pretreated wheat straw: Comparison of solids-recycling, sequential hydrolysis and batch hydrolysis
V. PIHLAJANIEMI, S. SIPPONEN, M. H. SIPPONEN, O. PASTINEN & S. LAAKSO (Finland)
- 269 Improved production of reducing sugars from rice husk and rice straw using bacterial cellulase and xylanase activated with hydroxyapatite nanoparticles
N. DUTTA, A. MUKHOPADHYAY, A. K. DASGUPTA & K. CHAKRABARTI (India)

Bioprocesses

- 206 Phosphorus limitation strategy to increase propionic acid flux towards 3-hydroxyvaleric acid monomers in *Cupriavidus necator*
E. GROUSSEAU, E. BLANCHET, S. DÉLÉRIS, M. G. E. ALBUQUERQUE, E. PAUL & J.-L. URIBELARREA (France)
- 300 Bioleaching of a low-grade nickel-copper sulfide by mixture of four thermophiles
S. LI, H. ZHONG, Y. HU, J. ZHAO, Z. HE & G. GU (China)
- 307 Evaluation of carbon dioxide mass transfer in raceway reactors for microalgae culture using flue gases
I. DE GODOS (Spain), J. L. MENDOZA (UK), F. G. ACIÉN, E. MOLINA (Spain), C. J. BANKS, S. HEAVEN (UK) & F. ROGALLA (Spain)
- 340 Comprehensive modeling and investigation of the effect of iron on the growth rate and lipid accumulation of *Chlorella vulgaris* cultured in batch photobioreactors
A. CONCAS, A. STERITI, M. PISU & G. CAO (Italy)

Microbial Products

- 23 Efficient production of L-lactic acid using co-feeding strategy based on cane molasses/glucose carbon sources
K. XU & P. XU (People's Republic of China)
- 126 Production of *Sporotrichum thermophile* xylanase by solid state fermentation utilizing deoiled *Jatropha curcas* seed cake and its application in xylooligosachharide synthesis
A. SADAF & S. K. KHARE (India)
- 327 Succinic acid production from sucrose by *Actinobacillus succinogenes* NJ113
M. JIANG, W. DAI, Y. XI, M. WU, X. KONG, J. MA, M. ZHANG, K. CHEN & P. WEI (PR China)

Physico-Chemical and Thermo-Chemical Processes for Biomass

- 69 High yield production of sugars from deproteinated palm kernel cake under microwave irradiation via dilute sulfuric acid hydrolysis
S.-P. FAN (China, Malaysia), L.-Q. JIANG (China), C.-H. CHIA (Malaysia), Z. FANG (China), S. ZAKARIA & K.-L. CHEE (Malaysia)
- 147 Liquefaction of bamboo shoot shell for the production of polyols
L. YE, J. ZHANG, J. ZHAO & S. TU (PR China)

(continued on previous page)

CONTENTS (continued from following page)

- 154 Novel pretreatment of steam explosion associated with ammonium chloride preimpregnation
H. CHEN, G. LI & H. LI (China)
- 165 Chemical characterization and hydrothermal pretreatment of *Salicornia bigelovii* straw for enhanced enzymatic hydrolysis and bioethanol potential
I. CYBULSKA, T. CHATURVEDI, G. P. BRUDECKI (United Arab Emirates), Z. KÁDÁR, A. S. MEYER (Denmark), R. M. BALDWIN & M. H. THOMSEN (United Arab Emirates)
- 173 Pyrolysis of wood to biochar: Increasing yield while maintaining microporosity
A. VEKSHA (Canada), H. MCLAUGHLIN (USA), D. B. LAYZELL & J. M. HILL (Canada)
- 223 Gasification kinetic analysis of the three pseudocomponents of biomass-cellulose, semicellulose and lignin
T. CHEN, J. WU, J. ZHANG, J. WU & L. SUN (PR China)
- 236 Integration of a kraft pulping mill into a forest biorefinery: Pre-extraction of hemicellulose by steam explosion versus steam treatment
R. MARTIN-SAMPEDRO, M. E. EUGENIO, J. A. MORENO, E. REVILLA & J. C. VILLAR (Spain)
- 292 pH pre-corrected liquid hot water pretreatment on corn stover with high hemicellulose recovery and low inhibitors formation
H.-Q. LI, W. JIANG, J.-X. JIA & J. XU (People's Republic of China)
- 322 Addition of alkali to the hydrothermal-mechanochemical treatment of *Eucalyptus* enhances its enzymatic saccharification
M. ISHIGURO & T. ENDO (Japan)

Short Communications

- 361 A thermophilic α -galactosidase from *Neosartorya fischeri* P1 with high specific activity, broad substrate specificity and significant hydrolysis ability of soymilk
H. WANG, P. SHI, H. LUO, H. HUANG, P. YANG & B. YAO (PR China)
- 365 Aminoclay-induced humic acid flocculation for efficient harvesting of oleaginous *Chlorella* sp.
Y.-C. LEE, S. Y. OH, H. U. LEE, B. KIM, S. Y. LEE, M.-H. CHOI, G.-W. LEE, J.-Y. PARK, Y.-K. OH, T. RYU, Y.-K. HAN, K.-S. CHUNG & Y. S. HUH (Republic of Korea)
- 370 A green recyclable SO₃H-carbon catalyst derived from glycerol for the production of biodiesel from FFA-containing karanja (*Pongamia glabra*) oil in a single step
B. L. A. PRABHAVATHI DEVI, T. VIJAI KUMAR REDDY, K. VIJAYA LAKSHMI & R. B. N. PRASAD (India)
- 374 The effects of dissolved oxygen level on the distribution of 1,3-propanediol and 2,3-butanediol produced from glycerol by an isolated indigenous *Klebsiella* sp. Ana-WS5
H.-W. YEN, F.-T. LI & J.-S. CHANG (Taiwan)
- 379 Thermogravimetric analysis of lignocellulosic biomass with ionic liquid pretreatment
J. ZHANG, L. FENG, D. WANG (China), R. ZHANG (China, USA), G. LIU & G. CHENG (China)
- 383 Algae-facilitated chemical phosphorus removal during high-density *Chlorella emersonii* cultivation in a membrane bioreactor
M. XU, M. BERNARDS & Z. HU (USA)
- 388 Two amplicon sequencing strategies revealed different facets of the prokaryotic community associated with the anaerobic treatment of vinasses from ethanol distilleries
M. A. MARTÍNEZ (Argentina), H. ROMERO (Uruguay) & N. I. PEROTTI (Argentina)
- 393 Sequential extrusion-microwave pretreatment of switchgrass and big bluestem
C. KARUNANITHY, K. MUTHUKUMARAPPAN & W. R. GIBBONS (United States)

(continued on previous page)

CONTENTS (continued from following page)

- 399 A novel suspended-solid phase photobioreactor to improve biomass production and separation of microalgae
L.-L. ZHUANG, H.-Y. HU, Y.-H. WU, T. WANG & T.-Y. ZHANG (PR China)
- 403 The integrated production of microbial lipids and bio-SiO₂ from rice husks by an organic electrolytes pretreatment technology
X. YU, J. TIAN, H. XIE, H. SHEN & Q. WANG (China)
- 408 Acid-catalyzed hot-water extraction of lipids from *Chlorella vulgaris*
J.-Y. PARK, Y.-K. OH, J.-S. LEE, K. LEE, M.-J. JEONG & S.-A. CHOI (Republic of Korea)

Cover figure: Variations of T-P concentrations and PO₄³⁻-P concentrations, and removal efficiencies, T-P loading rate, COD_{Cr}/T-P ratio, and T-N/T-P ratio in the pilot system during operation. See the article "A new hybrid treatment system of bioreactors and electrocoagulation for superior removal of organic and nutrient pollutants from municipal wastewater" by D. D. Nguyen et al.