


BIORESOURCE TECHNOLOGY

applied microbiology ■ bioconversion/biocatalysis ■ biofuels ■
 biological engineering ■ biological waste treatment ■ biomass ■
 bioprocesses ■ thermo-chemical treatment



Available online at www.sciencedirect.com

ScienceDirect



(Abstracted/Indexed in: AGRICOLA database; Agricultural Engineering Abstracts; Analytical Abstracts (Royal Society of Chemistry Information Services); BIOSIS (Biological Abstracts); CAB Abstracts database; Elsevier BIOBASE/Current Awareness in Biological Sciences; Cambridge Scientific Abstracts; Chemical Abstracts; Current Contents/Agriculture, Biology and Environmental Sciences; Ecological Abstracts; Energy from Biomass and Municipal Wastes; Energy Information Abstracts; Engineering Index; Environmental Periodicals Bibliography; EMBASE/Excerpta Medica; Forestry Abstracts; Fuel and Energy Abstracts; Gas Abstracts; GEOBASE; Science Citation Index; SciSearch; Selected Water Resources Abstracts). Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®.

For a full and complete Guide for Authors, please go to: <http://www.elsevier.com/locate/biortech>

CONTENTS

Volume 159, May 2014

Review

- 421 Biorefinery based on olive biomass. State of the art and future trends
J. M. ROMERO-GARCÍA, L. NIÑO, C. MARTÍNEZ-PATIÑO, C. ÁLVAREZ, E. CASTRO & M. J. NEGRO (Spain)

Full Length Articles

Biological Waste Treatment

- 1 Carbon capture and biogas enhancement by carbon dioxide enrichment of anaerobic digesters treating sewage sludge or food waste
Y. BAJÓN FERNÁNDEZ, A. SOARES, R. VILLA, P. VALE & E. CARTMELL (UK)
- 48 Enhancement of activated sludge activity by 10–50 mT static magnetic field intensity at low temperature
C. NIU, W. LIANG, H. REN, J. GENG, L. DING & K. XU (China)
- 55 Organic loading rate impact on biohydrogen production and microbial communities at anaerobic fluidized thermophilic bed reactors treating sugarcane stillage
S. C. SANTOS, P. R. F. ROSA, I. K. SAKAMOTO, M. B. A. VARESCHE & E. L. SILVA (Brazil)
- 72 Influence of sewage sludge-based activated carbon and temperature on the liquefaction of sewage sludge: Yield and composition of bio-oil, immobilization and risk assessment of heavy metals
Y. ZHAI, H. CHEN, B. XU, B. XIANG, Z. CHEN, C. LI & G. ZENG (PR China)
- 80 Enhancement of methane production from co-digestion of chicken manure with agricultural wastes
F. ABOUELENIEN (Egypt), Y. NAMBA (Japan), M. R. KOSSEVA (China), N. NISHIO & Y. NAKASHIMADA (Japan)
- 95 Pilot-scale temperate-climate treatment of domestic wastewater with a staged anaerobic fluidized membrane bioreactor (SAF-MBR)
C. SHIN (Republic of Korea), P. L. MCCARTY (Republic of Korea, USA), J. KIM & J. BAE (Republic of Korea)
- 118 Effect of high loading on substrate utilization kinetics and microbial community structure in super fast submerged membrane bioreactor
S. SÖZEN, E. U. ÇOKGÖR, S. TEKSOY BAŞARAN, M. AYSEL, A. AKARSUBAŞI, I. ERGAL, H. KURT, I. PALA-OZKOK & D. ORHON (Turkey)

(Continued on inside back cover)

For further information about *Bioresource Technology* or other Elsevier products, why not access the COMPLETE ELSEVIER CATALOGUE via the INTERNET?

WWW: <http://www.elsevier.com>



ELSEVIER

CONTENTS (continued from outside back cover)

- 128 Ozonation of piggery wastewater for enhanced removal of contaminants by *S. quadricauda* and the impact on organic characteristics
H.-C. KIM, W. J. CHOI, S. K. MAENG, H. J. KIM, H. S. KIM & K. G. SONG (South Korea)
- 150 Central treatment of different emulsion wastewaters by an integrated process of physicochemically enhanced ultrafiltration and anaerobic-aerobic biofilm reactor
W. ZHANG, P. XIAO & D. WANG (China)
- 176 Study on interaction between phosphorus and cadmium in sewage sludge during hydrothermal treatment by adding hydroxyapatite
W. SHI (China, Japan), C. FENG (China), W. HUANG, Z. LEI & Z. ZHANG (Japan)
- 182 Anaerobic digester foaming in full-scale cylindrical digesters – Effects of organic loading rate, feed characteristics, and mixing
B. SUBRAMANIAN & K. R. PAGILLA (USA)
- 193 Treatment of domestic wastewater by an integrated anaerobic fluidized-bed membrane bioreactor under moderate to low temperature conditions
D.-W. GAO, Q. HU, C. YAO & N.-Q. REN (China)
- 207 Potential of high-frequency ultrasounds to improve sludge anaerobic conversion and surfactants removal at different food/inoculum ratio
A. GALLIPOLI, A. GIANICO, M. C. GAGLIANO & C. M. BRAGUGLIA (Italy)
- 249 A novel way to utilize hydrogen and carbon dioxide in acidogenic reactor through homoacetogenesis
B. H. YAN, A. SELVAM, S. Y. XU & J. W. C. WONG (PR China)
- 258 Advanced nitrogen removal from landfill leachate using real-time controlled three-stage sequence batch reactor (SBR) system
L. MIAO, K. WANG, S. WANG, R. ZHU, B. LI, Y. PENG & D. WENG (China)
- 266 Nitrogen removal pathway of anaerobic ammonium oxidation in on-site aged refuse bioreactor
C. WANG, Y. ZHAO, B. XIE, Q. PENG, M. HASSAN & X. WANG (China)
- 272 A soil infiltration system incorporated with sulfur-utilizing autotrophic denitrification (SISSAD) for domestic wastewater treatment
Z. KONG, C. FENG, N. CHEN, S. TONG, B. ZHANG, C. HAO & K. CHEN (China)
- 297 Enhanced high-solids anaerobic digestion of waste activated sludge by the addition of scrap iron
Y. ZHANG, Y. FENG, Q. YU, Z. XU & X. QUAN (China)
- 305 The role of N-acyl homoserine lactones in maintaining the stability of aerobic granules
Y. LI, W. HAO, J. LV, Y. WANG, C. ZHONG & J. ZHU (China)
- 311 Removal and fate of micropollutants in a sponge-based moving bed bioreactor
Y. LUO, W. GUO, H. H. NGO, L. D. NGHIEM, F. I. HAI, J. KANG (Australia), S. XIA, Z. ZHANG (China) & W. E. PRICE (Australia)
- 334 A novel membrane distillation-thermophilic bioreactor system: Biological stability and trace organic compound removal
K. C. WIJEKON, F. I. HAI, J. KANG, W. E. PRICE, W. GUO, H. H. NGO (Australia), T. Y. CATH (USA) & L. D. NGHIEM (Australia)
- 342 Up-scaling aquaculture wastewater treatment by microalgal bacterial flocs: From lab reactors to an outdoor raceway pond
S. VAN DEN HENDE, V. BEELEN (Belgium), G. BORE (Belgium, France), N. BOON & H. VERVAEREN (Belgium)
- 404 Long-term performance and microbial ecology of a two-stage PN-ANAMMOX process treating mature landfill leachate
H. LI, S. ZHOU, W. MA, P. HUANG, G. HUANG, Y. QIN, B. XU & H. OUYANG (PR China)

(Continued on facing page)

CONTENTS (continued from inside back cover)

- 412 New insight into chemical changes of dissolved organic matter during anaerobic digestion of dewatered sewage sludge using EEM-PARAFAC and two-dimensional FTIR correlation spectroscopy
X. LI, X. DAI, J. TAKAHASHI, N. LI, J. JIN, L. DAI & B. DONG (PR China)

Biofuels and Biorefineries

- 17 Biorefinery of instant noodle waste to biofuels
X. YANG, S. J. LEE, H. Y. YOO, H. S. CHOI, C. PARK & S. W. KIM (Republic of Korea)
- 24 Microbial electrolysis desalination and chemical-production cell for CO₂ sequestration
X. ZHU & B. E. LOGAN (United States)
- 157 Effects of co-products on the life-cycle impacts of microalgal biodiesel
K. SORATANA (United States, Thailand), W. J. BARR & A. E. LANDIS (United States)
- 167 Biorefinery development through utilization of biodiesel industry by-products as sole fermentation feedstock for 1,3-propanediol production
A. CHATZIFRAGKOU, S. PAPANIKOLAOU, N. KOPSAHELIS, V. KACHRIMANIDOU (Greece), M. P. DORADO (Spain) & A. A. KOUTINAS (Greece)
- 232 To improve the performance of sediment microbial fuel cell through amending colloidal iron oxyhydroxide into freshwater sediments
Y.-L. ZHOU, Y. YANG, M. CHEN, Z.-W. ZHAO & H.-L. JIANG (China)
- 280 Characterization of agarophytic seaweeds from the biorefinery context
R. S. BAGHEL, C. R. K. REDDY & B. JHA
- 286 Biodiesel production in a membrane reactor using MCM-41 supported solid acid catalyst
W. XU, L. GAO, S. WANG & G. XIAO (PR China)
- 320 Models construction for acetone–butanol–ethanol fermentations with acetate/butyrate consecutively feeding by graph theory
Z. LI, Z. SHI & X. LI (China)
- 355 Use of Empty Fruit Bunches from the Oil Palm for bioethanol production: A thorough comparison between dilute acid and dilute alkali pretreatment
S. CHIESA & E. GNANSOUNOU (Switzerland)
- 365 Application of a novel enzymatic pretreatment using crude hydrolytic extracellular enzyme solution to microalgal biomass for dark fermentative hydrogen production
Y.-M. YUN, D.-H. KIM, Y.-K. OH, H.-S. SHIN & K.-W. JUNG (Republic of Korea)
- 380 Economic process to produce biohydrogen and volatile fatty acids by a mixed culture using vinasse from sugarcane ethanol industry as nutrient source
E. B. SYDNEY (Brazil, France), C. LARROCHE (France), A. C. NOVAK (Brazil), R. NOUAILLE (France), S. J. SARMA, S. K. BRAR (Canada), L. A. J. LETTI, V. T. SOCCOL & C. R. SOCCOL (Brazil)

Biomass and Feedstock Utilization

- 41 Enhanced enzymatic hydrolysis of bamboo (*Dendrocalamus giganteus* Munro) culm by hydrothermal pretreatment
X. XIAO, J. BIAN, M.-F. LI, H. XU, B. XIAO & R.-C. SUN (China)
- 136 Influence of enzyme loading on enzymatic hydrolysis of cardboard waste and size distribution of the resulting fiber residue
T. KINNARINEN & A. HÄKKINEN (Finland)

(continued on previous page)

CONTENTS (continued from following page)

Bioprocesses

- 8 Novel flat-plate photobioreactors for microalgae cultivation with special mixers to promote mixing along the light gradient
J. HUANG, Y. LI, M. WAN, Y. YAN, F. FENG, X. QU, J. WANG, G. SHEN, W. LI, J. FAN & W. WANG (PR China)
- 30 Effect of monochromatic illumination on lipid accumulation of *Nannochloropsis gaditana* under continuous cultivation
C. W. KIM, M.-G. SUNG, K. NAM, M. MOON, J.-H. KWON & J.-W. YANG (Republic of Korea)
- 64 Identification of novel bacterial expansins and their synergistic actions on cellulose degradation
B. BUNTERNGSOOK, W. MHUANTONG, V. CHAMPREDA, A. THAMCHAIPENET & L. EURWILAICHITR (Thailand)
- 88 Electropolar effects on anaerobic fermentation of lignocellulosic materials in novel single-electrode cells
G. QU, W. QIU, Y. LIU, D. ZHONG & P. NING (China)
- 240 Manipulation of light wavelength at appropriate growth stage to enhance biomass productivity and fatty acid methyl ester yield using *Chlorella vulgaris*
D. G. KIM, C. LEE, S.-M. PARK & Y.-E. CHOI (Republic of Korea)
- 327 Improving *Gluconobacter oxydans* performance in the *in situ* removal of the inhibitor for asymmetric resolution of racemic 1-phenyl-1,2-ethanediol
D.-H. LI, J.-P. LIN & D.-Z. WEI (China)

Microbial Products

- 112 Enhanced production of fumigaclavine C by ultrasound stimulation in a two-stage culture of *Aspergillus fumigatus* CY018
L.-Y. YAO, Y.-X. ZHU, R.-H. JIAO, Y.-H. LU & R.-X. TAN (PR China)
- 199 Differential effects of nutrient limitations on biochemical constituents and docosahexaenoic acid production of *Schizochytrium* sp.
L. SUN, L. REN, X. ZHUANG, X. JI, J. YAN & H. HUANG (People's Republic of China)
- 223 Production of 1,3-propanediol from glycerol using the newly isolated *Klebsiella pneumoniae* J2B
M. DURGAPAL, V. KUMAR, T. H. YANG, H. J. LEE, D. SEUNG & S. PARK (Republic of Korea)
- 292 The influences of pH control strategies on the distribution of 1,3-propanediols and 2,3-butanediols production by an isolated indigenous *Klebsiella* sp. Ana-WS5
H.-W. YEN, F.-T. LI & J.-S. CHANG (Taiwan)

Physico-Chemical and Thermo-Chemical Processes for Biomass

- 36 Enhanced lipid extraction from algae using free nitrous acid pretreatment
X. BAI, F. GHASEMI NAGHDI, L. YE, P. LANT & S. PRATT (Australia)
- 104 Intrinsic activation: The relationship between biomass inorganic content and porosity formation during pyrolysis
J. P. STRATFORD, T. R. HUTCHINGS & F. A. A. M. DE LEIJ (United Kingdom)
- 143 Study on CO₂ gasification reactivity and physical characteristics of biomass, petroleum coke and coal chars
W. HUO, Z. ZHOU, X. CHEN, Z. DAI & G. YU (PR China)
- 215 An experimental and theoretical investigation on torrefaction of a large wet wood particle
P. BASU (Canada), A. K. SADHUKHAN, P. GUPTA (India), S. RAO, A. DHUNGANA & B. ACHARYA (Canada)
- 373 A combined adsorption and flocculation process for producing lignocellulosic complexes from spent liquors of neutral sulfite semichemical pulping process
M. DASHTBAN, A. GILBERT & P. FATEHI (Canada)

(continued on previous page)

CONTENTS (continued from following page)

- 387 Biomass supply chain optimisation for Organosolv-based biorefineries
S. GIAROLA, M. PATEL & N. SHAH (United Kingdom)
- 397 Gasification of torrefied *Miscanthus × giganteus* in an air-blown bubbling fluidized bed gasifier
G. XUE, M. KWAPINSKA, A. HORVAT, W. KWAPINSKI (Ireland), L. P. L. M. RABOU (The Netherlands), S. DOOLEY (Ireland), K. M. CZAJKA (Poland) & J. J. LEAHY (Ireland)

Short Communications

- 433 Waste degradation and gas production with enzymatic enhancement in anaerobic and aerobic landfill bioreactors
J. P. A. HETTIARATCHI, P. A. JAYASINGHE, E. M. BARTHOLAMEUZ (Canada) & S. KUMAR (India)
- 437 Effective harvesting of low surface-hydrophobicity microalgae by froth flotation
S. GARG, L. WANG & P. M. SCHENK (Australia)
- 442 Cultivation of aerobic granules for polyhydroxybutyrate production from wastewater
J. WANG, W.-W. LI, Z.-B. YUE & H.-Q. YU (China)
- 446 Enhancement of bioethanol production in syngas fermentation with *Clostridium ljungdahlii* using nanoparticles
Y.-K. KIM, S. E. PARK, H. LEE & J. Y. YUN (Republic of Korea)
- 451 Bioelectricity generation in a self-sustainable Microbial Solar Cell
S. MATEO, A. GONZALEZ DEL CAMPO, P. CAÑIZARES, J. LOBATO, M. A. RODRIGO & F. J. FERNANDEZ (Spain)
- 455 L-arabonate and D-galactonate production by expressing a versatile sugar dehydrogenase in metabolically engineered *Escherichia coli*
H. LIU, K. N. G. VALDEHUESA, K. R. M. RAMOS, G. M. NISOLA, W.-K. LEE & W.-J. CHUNG (Republic of Korea)
- 460 Activated biochar derived from cactus fibres – Preparation, characterization and application on Cu(II) removal from aqueous solutions
L. HADJITTOFI, M. PRODRMOU & I. PASHALIDIS (Cyprus)
- 465 Impact of light quality on biomass production and fatty acid content in the microalga *Chlorella vulgaris*
M. HULTBERG, H. L. JÖNSSON, K.-J. BERGSTRAND & A. S. CARLSSON (Sweden)

Cover figure: The variation of TOC and TN removal of the MDBR hybrid system. The stable flux was 1.2 ± 0.2 L/m² h. Operating conditions were as stated in the caption of Fig. 2. See the article "A novel membrane distillation-thermophilic bioreactor system: Biological stability and trace organic compound removal" by K.C. Wijekoon et al.