


BIORESOURCE TECHNOLOGY

applied microbiology ■ bioconversion/biocatalysis ■ biofuels ■
 biological engineering ■ biological waste treatment ■ biomass ■
 bioprocesses ■ thermo-chemical treatment



Available online at www.sciencedirect.com

ScienceDirect



(Abstracted/Indexed in: AGRICOLA database; Agricultural Engineering Abstracts; Analytical Abstracts (Royal Society of Chemistry Information Services); BIOSIS (Biological Abstracts); CAB Abstracts database; Elsevier BIOBASE/Current Awareness in Biological Sciences; Cambridge Scientific Abstracts; Chemical Abstracts; Current Contents/Agriculture, Biology and Environmental Sciences; Ecological Abstracts; Energy from Biomass and Municipal Wastes; Energy Information Abstracts; Engineering Index; Environmental Periodicals Bibliography; EMBASE/Excerpta Medica; Forestry Abstracts; Fuel and Energy Abstracts; Gas Abstracts; GEOBASE; Science Citation Index; SciSearch; Selected Water Resources Abstracts). Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®.

For a full and complete Guide for Authors, please go to: <http://www.elsevier.com/locate/biortech>

CONTENTS

Volume 166, August 2014

Full Length Articles

Biological Waste Treatment

- 31 Minimizing asynchronism to improve the performances of anaerobic co-digestion of food waste and corn stover
Q. ZHOU, F. SHEN, H. YUAN, D. ZOU, Y. LIU, B. ZHU, M. JAFFU, A. CHUFO & X. LI (PR China)
- 57 Rapid cultivation of aerobic granular sludge in a pilot scale sequencing batch reactor
B. LONG, C.-Z. YANG, W.-H. PU, J.-K. YANG, G.-S. JIANG, J.-F. DAN, C.-Y. LI & F.-B. LIU (China)
- 72 Influence of carrier filling ratio on the performance of moving bed biofilm reactor in treating coking wastewater
Q. GU, T. SUN, G. WU, M. LI & W. QIU (China)
- 79 Bioremediation of coking wastewater containing carbazole, dibenzofuran and dibenzothipene by immobilized naphthalene-cultivated *Arthrobacter* sp. W1 in magnetic gellan gum
S. SHI, Y. QU, F. MA & J. ZHOU (China)
- 96 Vermicomposting of Tea Factory Coal Ash: Metal accumulation and metallothionein response in *Eisenia fetida* (Savigny) and *Lampito mauritii* (Kinberg)
L. GOSWAMI, S. SARKAR, S. MUKHERJEE, S. DAS, S. BARMAN, P. RAUL, P. BHATTACHARYYA, N. C. MANDAL, S. BHATTACHARYA & S. S. BHATTACHARYA (India)
- 103 Effect of phenol on the nitrogen removal performance and microbial community structure and composition of an anammox reactor
A. D. PEREIRA, C. D. LEAL, M. F. DIAS (Brazil), C. ETCHEBEHERE (Uruguay), C. A. L. CHERNICHARO & J. C. DE ARAÚJO (Brazil)
- 112 Aerobic stabilization of biological sludge characterized by an extremely low decay rate: Modeling, identifiability analysis and parameter estimation
C. G. MARTÍNEZ-GARCÍA, M. T. OLGUÍN & C. FALL (Mexico)
- 132 Antibacterial and enzymatic activity of microbial community during wastewater treatment by pilot scale vermifiltration system
S. ARORA, A. RAJPAL, R. BHARGAVA, V. PRUTHI, A. BHATIA & A. A. KAZMI (India)
- 151 Where does the removal of H₂S from biogas occur in microaerobic reactors?
I. RAMOS, M. PEÑA & M. FDZ-POLANCO (Spain)

(Continued on inside back cover)

For further information about *Bioresource Technology* or other Elsevier products, why not access the COMPLETE ELSEVIER CATALOGUE via the INTERNET?

WWW: <http://www.elsevier.com>



ELSEVIER

CONTENTS (continued from outside back cover)

- 158 Kinetics modeling predicts bioaugmentation with Sphingomonad cultures as a viable technology for enhanced pharmaceutical and personal care products removal during wastewater treatment
N. A. ZHOU, A. C. LUTOVSKY, G. L. ANDAKER, J. F. FERGUSON & H. L. GOUGH (USA)
- 168 Mesophilic co-digestion of dairy manure and lipid rich solid slaughterhouse wastes: Process efficiency, limitations and floating granules formation
P. PITK (Estonia), J. PALATSI (Spain), P. KAPARAJU (Finland), B. FERNÁNDEZ (Spain) & R. VILU (Estonia)
- 201 Processing anaerobic sludge for extended storage as anaerobic digester inoculum
J. LI (China, United States), S. M. ZICARI (United States), Z. CUI (China) & R. ZHANG (United States)
- 219 Chronic impact of sulfamethoxazole on acetate utilization kinetics and population dynamics of fast growing microbial culture
G. KOR-BICAKCI, I. PALA-OZKOK (Turkey), A. REHMAN, D. JONAS (Germany), E. UBAY-COKGOR & D. ORHON (Turkey)
- 252 Improved 4-chlorophenol dechlorination at biocathode in bioelectrochemical system using optimized modular cathode design with composite stainless steel and carbon-based materials
F. KONG, A. WANG & H.-Y. REN (China)
- 259 Ammonia inhibition on *Arthrospira platensis* in relation to the initial biomass density and pH
G. MARKOU (Greece), D. VANDAMME & K. MUYLAERT (Belgium)
- 288 Monitoring of thermophilic adaptation of mesophilic anaerobe fermentation of sugar beet pressed pulp
A. TUKACS-HÁJOS, B. PAP, G. MARÓTI, J. SZENDEFY, P. SZABÓ & T. RÉTFALVI (Hungary)
- 295 Fouling mechanisms of gel layer in a submerged membrane bioreactor
H. HONG, M. ZHANG, Y. HE, J. CHEN & H. LIN (PR China)
- 318 Anaerobic co-digestion of steam-treated *Quercus serrata* chips and sewage sludge under mesophilic and thermophilic conditions
F. WANG, T. HIDAKA, K. SAKURAI & J. TSUMORI (Japan)
- 326 Sustainable organic loading rate and energy recovery potential of mesophilic anaerobic membrane bioreactor for municipal wastewater treatment
C.-H. WEI, M. HARB, G. AMY, P.-Y. HONG & T. LEIKNES (Saudi Arabia)
- 373 Anaerobic digestion of pig and dairy manure under photo-dark fermentation condition
D. YIN, W. LIU, N. ZHAI, G. YANG, X. WANG, Y. FENG & G. REN (China)
- 381 Effects of sludge retention times on reactivity of effluent dissolved organic matter for trihalomethane formation in hybrid powdered activated carbon membrane bioreactors
D. MA, B. GAO, C. XIA, Y. WANG, Q. YUE & Q. LI (China)
- 389 Comparison of membrane foulants occurred under different sub-critical flux conditions in a membrane bioreactor (MBR)
T.-N.-P. NGUYEN, Y.-C. SU, J. R. PAN & C. HUANG (Taiwan)
- 464 Long-term storage of aerobic granules in liquid media: Viable but non-culturable status
C. WAN, Q. ZHANG (China), D.-J. LEE (China, Taiwan), Y. WANG & J. LI (China)
- 479 Fatty acid metabolism and population dynamics in a wet biowaste digester during re-start after revision
C. MOERTELMAIER, C. LI, J. WINTER & C. GALLERT (Germany)
- 548 Biodegradation of pyrene by a *Pseudomonas aeruginosa* strain RS1 isolated from refinery sludge
I. GHOSH, J. JASMINE & S. MUKHERJI (India)

Biofuels and Biorefineries

- 51 Biodiesel production from wet municipal sludge: Evaluation of *in situ* transesterification using xylene as a cosolvent
O. K. CHOI, J. S. SONG (Republic of Korea), D. K. CHA (USA) & J. W. LEE (Republic of Korea)

(Continued on facing page)

CONTENTS (continued from inside back cover)

- 211 Evaluation of aeration pretreatment to prepare an inoculum for the two-stage hydrogen and methane production process
A. GIORDANO, V. SARLI, M. C. LAVAGNOLO & A. SPAGNI (Italy)
- 229 Enhanced power generation and energy conversion of sewage sludge by CEA-microbial fuel cells
C. ABOURACHED, K. L. LESNIK & H. LIU (USA)
- 282 Combined process for ethanol fermentation at high-solids loading and biogas digestion from unwashed steam-exploded corn stover
Z. WANG, Z. LV, J. DU, C. MO, X. YANG & S. TIAN (China)
- 345 Characterization of endolithic cyanobacterial strain, *Leptolyngbya* sp. ISTCY101, for prospective recycling of CO₂ and biodiesel production
J. SINGH, R. TRIPATHI & I. S. THAKUR (India)
- 358 Assessment of energy crops alternative to maize for biogas production in the Greater Region
F. MAYER (Luxembourg, Belgium), P. A. GERIN (Belgium), A. NOO, S. LEMAIGRE (Luxembourg), D. STILMANT, T. SCHMIT (Belgium), N. LECLECH (France), L. RUEJELLE, J. GENNEN (Belgium), H. VON FRANCKEN-WELZ (Germany), G. FOUART (Belgium), J. FLAMMANG, M. WEYLAND & P. DELFOSSE (Luxembourg)
- 451 Improvement of power generation using *Shewanella putrefaciens* mediated bioanode in a single chambered microbial fuel cell: Effect of different anodic operating conditions
S. PANDIT, S. KHILARI, S. ROY, D. PRADHAN & D. DAS (India)
- 458 Trehalose enhancing microbial electrolysis cell for hydrogen generation in low temperature (0 °C)
L. XU (PR China, Hong Kong), W. LIU, Y. WU (PR China), P. LEE (Hong Kong, PR China), A. WANG & S. LI (PR China)
- 508 Black liquor fractionation for biofuels production – A techno-economic assessment
S. MESFUN, J. LUNDGREN, C.-E. GRIP, A. TOFFOLO, R. L. K. NILSSON & U. ROVA (Sweden)
- 566 Algal biocathode for *in situ* terminal electron acceptor (TEA) production: Synergetic association of bacteria-microalgae metabolism for the functioning of biofuel cell
S. VENKATA MOHAN, S. SRIKANTH, P. CHIRANJEEVI, S. ARORA & R. CHANDRA (India)
- 575 Bio-cathode materials evaluation and configuration optimization for power output of vertical subsurface flow constructed wetland – Microbial fuel cell systems
S. LIU, H. SONG, S. WEI, F. YANG & X. LI (China)

Biomass and Feedstock Utilization

- 142 Utilization of coffee by-products obtained from semi-washed process for production of value-added compounds
V. A. BONILLA-HERMOSA, W. F. DUARTE & R. F. SCHWAN (Brazil)
- 559 Detoxification of acid pretreated spruce hydrolysates with ferrous sulfate and hydrogen peroxide improves enzymatic hydrolysis and fermentation
V. P. SOUDHAM, T. BRANDBERG (Sweden), J.-P. MIKKOLA (Sweden, Finland) & C. LARSSON (Sweden)
- 584 Robust enzymatic hydrolysis of Formiline-pretreated oil palm empty fruit bunches (EFB) for efficient conversion of polysaccharide to sugars and ethanol
X. CUI, X. ZHAO, J. ZENG (China), S. K. LOH, Y. M. CHOO (Malaysia) & D. LIU (China)

Bioprocesses

- 17 Biomass and lipid production of *Chlorella protothecoides* under heterotrophic cultivation on a mixed waste substrate of brewer fermentation and crude glycerol
X. FENG, T. H. WALKER, W. C. BRIDGES, C. THORNTON & K. GOPALAKRISHNAN (USA)

(continued on previous page)

CONTENTS (continued from following page)

- 235 Biocatalytic and antimicrobial activities of gold nanoparticles synthesized by *Trichoderma* sp.
A. MISHRA, M. KUMARI, S. PANDEY, V. CHAUDHRY, K. C. GUPTA & C. S. NAUTIYAL (India)
- 266 Algae harvesting for biofuel production: Influences of UV irradiation and polyethylenimine (PEI) coating on bacterial biocoagulation
M. AGBAKPE, S. GE, W. ZHANG, X. ZHANG & P. KOBYLARZ (United States)
- 273 System and method for research-scale outdoor production of microalgae and cyanobacteria
N. G. SCHOEPP, R. L. STEWART, V. SUN, A. J. QUIGLEY, D. MENDOLA, S. P. MAYFIELD & M. D. BURKART (United States)
- 429 Microalgae harvesting by flotation using natural saponin and chitosan
H. A. KURNIAWATI (Taiwan), S. ISMADJI (Indonesia) & J. C. LIU (Taiwan)
- 485 Utilization of carbon dioxide in industrial flue gases for the cultivation of microalga *Chlorella* sp.
C.-Y. KAO, T.-Y. CHEN, Y.-B. CHANG, T.-W. CHIU, H.-Y. LIN, C.-D. CHEN, J.-S. CHANG & C.-S. LIN (Taiwan)
- 527 Effects of nitrogen source and nitrogen supply model on the growth and hydrocarbon accumulation of immobilized biofilm cultivation of *B. braunii*
P. CHENG, J. WANG & T. LIU (PR China)

Microbial Products

- 9 An integrated membrane system for the biocatalytic production of 3'-sialyllactose from dairy by-products
J. LUO, R. T. NORDVANG, S. T. MORTENSEN, B. ZEUNER, A. S. MEYER, J. D. MIKKELSEN & M. PINELO (Denmark)
- 64 Metabolic engineering of *Escherichia coli* for improving shikimate synthesis from glucose
X. CHEN, M. LI, L. ZHOU, W. SHEN (China), G. ALGASAN (South Africa), Y. FAN & Z. WANG (China)
- 194 Production of poly(hydroxybutyrate–hydroxyvalerate) from waste organics by the two-stage process: Focus on the intermediate volatile fatty acids
L. SHEN, H. HU, H. JI, J. CAI, N. HE, Q. LI & Y. WANG (China)
- 541 Physicochemical parameters optimization, and purification of phycobiliproteins from the isolated *Nostoc* sp.
E. M. JOHNSON, K. KUMAR & D. DAS (India)

Physico-Chemical and Thermo-Chemical Processes for Biomass

- 1 Recovery of phosphorus and nitrogen from alkaline hydrolysis supernatant of excess sludge by magnesium ammonium phosphate
W. BI, Y. LI & Y. HU (PR China)
- 24 Hydrogen production from algal biomass via steam gasification
G. DUMAN (Turkey), MD. A. UDDIN (Japan) & J. YANIK (Turkey)
- 37 Catalytic upgrading of duckweed biocrude in subcritical water
C. ZHANG, P. DUAN, Y. XU, B. WANG, F. WANG & L. ZHANG (PR China)
- 45 The catalytic pyrolysis of food waste by microwave heating
H. LIU, X. MA, L. LI, Z. HU, P. GUO & Y. JIANG (China)
- 87 Multi-Gaussian-DAEM-reaction model for thermal decompositions of cellulose, hemicellulose and lignin: Comparison of N₂ and CO₂ atmosphere
J. ZHANG, T. CHEN, J. WU & J. WU (China)
- 120 Influence of feedstock chemical composition on product formation and characteristics derived from the hydrothermal carbonization of mixed feedstocks
X. LU & N. D. BERGE (United States)

(continued on previous page)

CONTENTS (continued from following page)

- 178 Heterogeneous catalytic ozonation of biologically pretreated Lurgi coal gasification wastewater using sewage sludge based activated carbon supported manganese and ferric oxides as catalysts
H. ZHUANG, H. HAN, B. HOU, S. JIA & Q. ZHAO (China)
- 187 Effects of hydrothermal pretreatment of sugar beet pulp for methane production
K. ZIEMIŃSKI, I. ROMANOWSKA, M. KOWALSKA-WENTEL & M. CYRAN (Poland)
- 243 Thermochemical and trace element behavior of coal gangue, agricultural biomass and their blends during co-combustion
C. ZHOU, G. LIU, S. CHENG, T. FANG & P. K. S. LAM (China)
- 303 Pyrolysis condition affected sulfamethazine sorption by tea waste biochars
A. U. RAJAPAKSHA, M. VITHANAGE (Republic of Korea, Sri Lanka), M. ZHANG (Republic of Korea, PR China), M. AHMAD (Republic of Korea, Kingdom of Saudi Arabia), D. MOHAN (India), S. X. CHANG (Canada), Y. S. OK (Republic of Korea, Canada)
- 309 Effects of catalysts and solvents on liquefaction of *Onopordum heteracanthum* for production of bio-oils
H. DURAK & T. AYSU (Turkey)
- 335 Production of adsorbents by pyrolysis of paper mill sludge and application on the removal of citalopram from water
V. CALISTO, C. I. A. FERREIRA, S. M. SANTOS (Portugal), M. V. GIL, M. OTERO (Spain) & V. I. ESTEVES (Portugal)
- 353 Effects of ammonium carbonate pretreatment on the enzymatic digestibility and structural features of rice straw
I. KIM, B. LEE, D. SONG & J.-I. HAN (Republic of Korea)
- 368 Assessment and regression analysis on instant catapult steam explosion pretreatment of corn stover
C.-G. LIU, L.-Y. LIU, L.-H. ZI, X.-Q. ZHAO, Y.-H. XU & F.-W. BAI (China)
- 395 Effect of dilute acid pretreatment severity on the bioconversion efficiency of *Phalaris aquatica* L. lignocellulosic biomass into fermentable sugars
I. A. PAPPAS, Z. KOUKOURA, C. TANANAKI & C. GOULAS (Greece)
- 403 Steam explosion pretreatment for enhancing biogas production of late harvested hay
A. BAUER, J. LIZASOAIN, F. THEURETZBACHER (Austria), J. W. AGGER (Norway), M. RINCÓN (Austria), S. MENARDO (Austria, Italy), M. K. SAYLOR, R. ENGUÍDANOS (Austria), P. J. NIELSEN (Norway), A. POTTHAST, T. ZWECKMAIR, A. GRONAUER (Austria) & S. J. HORN (Norway)
- 411 Combining the effects of pulping severity and alkali concentration to optimize the lignocellulose-based AlkaPolP biorefinery concept
M. HUNDT, N. ENGEL, K. SCHNITZLEIN (Germany) & M. G. SCHNITZLEIN (Austria)
- 420 Pretreating lignocellulosic biomass by the concentrated phosphoric acid plus hydrogen peroxide (PHP) for enzymatic hydrolysis: Evaluating the pretreatment flexibility on feedstocks and particle sizes
Q. WANG, Z. WANG, F. SHEN (PR China), J. HU (Canada), F. SUN, L. LIN, G. YANG, Y. ZHANG & S. DENG (PR China)
- 435 Co-pelletization of sewage sludge and biomass: The density and hardness of pellet
L. JIANG, J. LIANG, X. YUAN, H. LI, C. LI, Z. XIAO, H. HUANG, H. WANG & G. ZENG (PR China)
- 444 Investigation on thermochemical behavior of co-pyrolysis between oil-palm solid wastes and paper sludge
Y. LIN, X. MA, Z. YU & Y. CAO (China)
- 471 Glycerol as an ionic liquid co-solvent for pretreatment of rice hulls to enhance glucose and xylose yield
J. G. LYNAM & C. J. CORONELLA (USA)

(continued on previous page)

CONTENTS (continued from following page)

- 494 Investigation on the high-temperature flow behavior of biomass and coal blended ash
J. XU, G. YU, X. LIU, F. ZHAO, X. CHEN & F. WANG (PR China)
- 500 Co-pyrolysis of corn cob and waste cooking oil in a fixed bed
G. CHEN, C. LIU, W. MA, X. ZHANG, Y. LI, B. YAN & W. ZHOU (China)
- 518 Fast microwave-assisted pyrolysis of microalgae using microwave absorbent and HZSM-5 catalyst
F. C. BORGES (United States, Brazil), Q. XIE, M. MIN (United States), L. A. R. MUNIZ, M. FARENZENA, J. O. TRIERWEILER (Brazil), P. CHEN & R. RUAN (United States)
- 534 Optimization of glucose formation in karanja biomass hydrolysis using Taguchi robust method
M. RADHAKUMARI (India), A. BALL, S. K. BHARGAVA (Australia) & B. SATYAVATHI (India)

Short Communications

- 592 Advanced treatment of biologically pretreated coal gasification wastewater by a novel integration of heterogeneous catalytic ozonation and biological process
H. ZHUANG, H. HAN, S. JIA, B. HOU & Q. ZHAO (China)
- 596 Influence of ferric oxyhydroxide addition on biomethanation of waste activated sludge in a continuous reactor
G. BAEK, J. KIM & C. LEE (Republic of Korea)
- 602 Enhanced laccase production by *Trametes versicolor* using corn steep liquor as both nitrogen source and inducer
F. WANG, J.-H. HU, C. GUO & C.-Z. LIU (PR China)
- 606 Anaerobic digestion of corn stovers for methane production in a novel bionic reactor
M. ZHANG, G. ZHANG, P. ZHANG, S. FAN, S. JIN, D. WU & W. FANG (China)
- 610 Total solid content drives hydrogen production through microbial selection during thermophilic fermentation
J.-C. MOTTE, E. TRABLY, J. HAMELIN, R. ESCUDIÉ, A. BONNAFOUS, J.-P. STEYER, N. BERNET, J.-P. DELGENÈS & C. DUMAS (France)
- 616 Denitrifying sulfide removal and nitrososulfide complex: *Azoarcus* sp. NSC3 and *Pseudomonas* sp. CRS1 mix
D.-J. LEE & B.-T. WONG (Taiwan)
- 620 Effects of anionic surfactant on extraction of free fatty acid from *Chlorella vulgaris*
J.-Y. PARK, B. NAM, S.-A. CHOI, Y.-K. OH & J.-S. LEE (Republic of Korea)
- 625 Energy conversion analysis of microalgal lipid production under different culture modes
H.-Y. REN, B.-F. LIU, F. KONG, L. ZHAO, G.-J. XIE & N.-Q. REN (China)
- 630 A new method for nutrients removal and recovery from wastewater using a bioelectrochemical system
F. ZHANG, J. LI & Z. HE (USA)

Corrigendum

- 635 Corrigendum to "Biodegradation of decabromodiphenyl ether (BDE-209) by a metal resistant strain, *Bacillus cereus* JP12" [Bioresour. Technol. 149 (2013) 8–15]
M. LU, Z.-Z. ZHANG, X.-J. WU, Y.-X. XU, X.-L. SU, M. ZHANG & J.-X. WANG (China)

Cover figure: A block diagram depicting the mass balance process for co-production of ethanol and methane. See the article "Combined process for ethanol fermentation at high-solids loading and biogas digestion from unwashed steam-exploded corn stover" by Z. Wang et al.