




BIORESOURCE TECHNOLOGY

applied microbiology ■ bioconversion/biocatalysis ■ biofuels ■
 biological engineering ■ biological waste treatment ■ biomass ■
 bioprocesses ■ thermo-chemical treatment



Available online at www.sciencedirect.com

ScienceDirect



(Abstracted/Indexed in: *AGRICOLA database; Agricultural Engineering Abstracts; Analytical Abstracts (Royal Society of Chemistry Information Services); BIOSIS (Biological Abstracts); CAB Abstracts database; Elsevier BIOBASE/Current Awareness in Biological Sciences; Cambridge Scientific Abstracts; Chemical Abstracts; Current Contents/Agriculture, Biology and Environmental Sciences; Ecological Abstracts; Energy from Biomass and Municipal Wastes; Energy Information Abstracts; Engineering Index; Environmental Periodicals Bibliography; EMBASE/Excerpta Medica; Forestry Abstracts; Fuel and Energy Abstracts; Gas Abstracts; GEOBASE; Science Citation Index; SciSearch; Selected Water Resources Abstracts*). Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®.

For a full and complete Guide for Authors, please go to: <http://www.elsevier.com/locate/biortech>

CONTENTS

Volume 167, September 2014

Review

- 539 High retention membrane bioreactors: Challenges and opportunities
W. LUO, F. I. HAI, W. E. PRICE, W. GUO, H. H. NGO (Australia), K. YAMAMOTO (Japan) & L. D. NGHIEM (Australia)

Full Length Articles

Biological Waste Treatment

- 24 Microbial analysis in biogas reactors suffering by foaming incidents
P. G. KOUGIAS, D. DE FRANCISCI, L. TREU (Denmark), S. CAMPANARO (Italy) & I. ANGELIDAKI (Denmark)
- 53 The effect of substrate concentration fluctuation on the performance of high-rate denitrifying reactor
W. LI, P. ZHENG, J. ZHANG, X. SHAN, Z. WANG & M. ZHANG (China)
- 61 Cr and Ni recovery during bioleaching of dewatered metal-plating sludge using *Acidithiobacillus ferrooxidans*
S. O. RASTEGAR, S. M. MOUSAVI & S. A. SHOJAOSADATI (Iran)
- 87 Improvement through low cost biofilm carrier in anaerobic tubular digestion in cold climate regions
J. MARTÍ-HERRERO (Spain), R. ALVAREZ, M. R. ROJAS, L. ALIAGA, R. CÉSPEDES (Bolivia) & J. CARBONELL (Spain)
- 100 Tracking the composition and dominant components of the microbial community via polymerase chain reaction–denaturing gradient gel electrophoresis and fluorescence in situ hybridization during vermicomposting for liquid-state excess sludge stabilization
T. XU, M. XING, J. YANG, B. LV, T. DUAN & J. NIE (China)
- 137 Characterization of organic membrane foulants in a forward osmosis membrane bioreactor treating anaerobic membrane bioreactor effluent
Y. DING, Y. TIAN, Z. LI, F. LIU & H. YOU (China)
- 151 Effect of deflocculation on the efficiency of disperser induced dairy waste activated sludge disintegration and treatment cost
T. POORNIMA DEVI, A. VIMALA EBENEZER, S. ADISH KUMAR, S. KALIAPPAN & J. RAJESH BANU (India)
- 169 The effects of mediator and granular activated carbon addition on degradation of trace organic contaminants by an enzymatic membrane reactor
L. N. NGUYEN, F. I. HAI, W. E. PRICE, F. D. L. LEUSCH, F. RODDICK, H. H. NGO, W. GUO (Australia), S. F. MAGRAM (Saudi Arabia) & L. D. NGHIEM (Australia)

(Continued on inside back cover)

For further information about *Bioresource Technology* or other Elsevier products, why not access the COMPLETE ELSEVIER CATALOGUE via the INTERNET?

WWW: <http://www.elsevier.com>



ELSEVIER

CONTENTS (continued from outside back cover)

- 178 A mass diffusion-based interpretation of the effect of total solids content on solid-state anaerobic digestion of cellulosic biomass
F. XU, Z.-W. WANG (USA), L. TANG (USA, China) & Y. LI (USA)
- 241 Performance and model of a novel multi-sparger multi-stage airlift loop membrane bioreactor to treat high-strength 7-ACA pharmaceutical wastewater: Effect of hydraulic retention time, temperature and pH
Z.-B. CHEN, Z.-W. HE, C.-C. TANG, D.-X. HU, Y.-B. CUI, A.-J. WANG, Y. ZHANG, L.-L. YAN & N.-Q. REN (China)
- 303 Enhanced reductive transformation of *p*-chloronitrobenzene in a novel bioelectrode-UASB coupled system
L. ZHU, K. GAO, J. QI, J. JIN & X. XU (China)
- 310 A fluidized bed membrane bioelectrochemical reactor for energy-efficient wastewater treatment
J. LI, Z. GE & Z. HE (USA)
- 316 Microbial characterization and degradation of linear alkylbenzene sulfonate in an anaerobic reactor treating wastewater containing soap powder
M. F. CAROSIA, D. Y. OKADA, I. K. SAKAMOTO, E. L. SILVA & M. B. A. VARESCHE (Brazil)
- 336 Co-metabolic oxidation of pharmaceutical compounds by a nitrifying bacterial enrichment
A. DAWAS-MASSALHA, S. GUR-REZNIK, S. LERMAN, I. SABBAH & C. G. DOSORETZ (Israel)
- 383 The influence of duckweed species diversity on biomass productivity and nutrient removal efficiency in swine wastewater
Z. ZHAO, H. SHI, Y. LIU, H. ZHAO, H. SU, M. WANG & Y. ZHAO (China)
- 407 Effect of hydraulic retention time (HRT) on the anaerobic co-digestion of agro-industrial wastes in a two-stage CSTR system
M. A. DAREIOTI & M. KORNAROS (Greece)
- 456 Impact resistance of different factors on ammonia removal by heterotrophic nitrification-aerobic denitrification bacterium *Aeromonas* sp. HN-02
M. CHEN, W. WANG, Y. FENG, X. ZHU, H. ZHOU, Z. TAN & X. LI
- 476 A novel model-based adaptive control strategy for step-feed SBRs dealing with influent fluctuation
T. LUO, M. YANG, J. HAN & P. SUN (China)
- 495 Application of Anaerobic Digestion Model No. 1 to describe the syntrophic acetate oxidation of poultry litter in thermophilic anaerobic digestion
V. RIVERA-SALVADOR, I. L. LÓPEZ-CRUZ (Mexico), T. ESPINOSA-SOLARES (Mexico, USA), J. S. ARANDA-BARRADAS (Mexico), D. H. HUBER, D. SHARMA & J. U. TOLEDO (USA)
- 510 Effects of a static magnetic field on phenol degradation effectiveness and *Rhodococcus erythropolis* growth and respiration in a fed-batch reactor
L. KRÍKLAVOVÁ, M. TRUHLÁŘ, P. ŠKODOVÁ, T. LEDERER & V. JIRKŮ (Czech Republic)

Biofuels and Biorefineries

- 14 Sugar-rich sweet sorghum is distinctively affected by wall polymer features for biomass digestibility and ethanol fermentation in bagasse
M. LI, S. FENG, L. WU, Y. LI, C. FAN, R. ZHANG, W. ZOU, Y. TU, H.-C. JING, S. LI & L. PENG (China)
- 33 Effect of chemical factors on integrated fungal fermentation of sugarcane bagasse for ethanol production by a white-rot fungus, *Phlebia* sp. MG-60
L. D. KHUONG (Philippines, Vietnam), R. KONDO (Japan), R. D. LEON (Philippines), T. K. ANH (USA), S. MEGURO, K. SHIMIZU & I. KAMEI (Japan)
- 81 Microalgae digestate effluent as a growth medium for *Tetraselmis* sp. in the production of biofuels
M. ERKELENS, A. J. WARD, A. S. BALL & D. M. LEWIS (Australia)

(Continued on facing page)

CONTENTS (continued from inside back cover)

- 124 Enrichment of anodic biofilm inoculated with anaerobic or aerobic sludge in single chambered air-cathode microbial fuel cells
C. GAO, A. WANG (China), W.-M. WU (USA), Y. YIN & Y.-G. ZHAO (China)
- 159 Sequential hydrolysis of waste newspaper and bioethanol production from the hydrolysate
F.-C. WU, S.-S. HUANG & I.-L. SHIH (Taiwan)
- 198 Acetone–butanol–ethanol (ABE) production by *Clostridium beijerinckii* from wheat straw hydrolysates: Efficient use of penta and hexa carbohydrates
C. BELLIDO, M. LOUREIRO PINTO, M. COCA, G. GONZÁLEZ-BENITO & M. T. GARCÍA-CUBERO (Spain)
- 226 Chemical characteristics of biomass from nature conservation management for methane production
I. MELTS, A. NORMAK, L. NURK & K. HEINSOO (Estonia)
- 251 Stable isotope composition of biogas allows early warning of complete process failure as a result of ammonia inhibition in anaerobic digesters
Z. LV, M. HU, H. HARMS, H. H. RICHNOW, J. LIEBETRAU & M. NIKOLAUSZ (Germany)
- 260 Algae mediated treatment and bioenergy generation process for handling liquid and solid waste from dairy cattle farm
S. K. PRAJAPATI, P. CHOUDHARY, A. MALIK & V. K. VIJAY (India)
- 343 Ultrasound-assisted production of biodiesel and ethanol from spent coffee grounds
M. V. P. ROCHA, L. J. B. L. DE MATOS, L. P. D. LIMA, P. M. D. S. FIGUEIREDO, I. L. LUCENA, F. A. N. FERNANDES & L. R. B. GONÇALVES (Brazil)
- 349 Conversion of microalgae to jet fuel: Process design and simulation
H.-Y. WANG, D. BLUCK & B. J. VAN WIE (United States)
- 416 Improving energetics of triacylglyceride extraction from wet oleaginous microbes
R. M. WILLIS, A. T. MCCURDY, M. K. OGBORN, B. D. WAHLEN, J. C. QUINN, L. F. PEASE III & L. C. SEEFELDT (United States)
- 447 Enzymatic hydrolysis of beech wood lignocellulose at high solid contents and its utilization as substrate for the production of biobutanol and dicarboxylic acids
N. TIPPKÖTTER, A.-M. DUWE, S. WIESEN, T. SIEKER & R. ULBER (Germany)
- 462 Autotrophic biocathode for high efficient sulfate reduction in microbial electrolysis cells
H. LUO, S. FU, G. LIU, R. ZHANG, Y. BAI & X. LUO
- 490 Enhanced bioelectricity generation by improving pyocyanin production and membrane permeability through sophorolipid addition in *Pseudomonas aeruginosa*-inoculated microbial fuel cells
H.-B. SHEN, X.-Y. YONG, Y.-L. CHEN, Z.-H. LIAO, R.-W. SI, J. ZHOU, S.-Y. WANG, Y.-C. YONG, P.-K. OUYANG & T. ZHENG (China)
- 503 Evaluation of the potential of 9 *Nannochloropsis* strains for biodiesel production
Y. MA, Z. WANG, C. YU, Y. YIN & G. ZHOU (China)

Biomass and Feedstock Utilization

- 41 Optimization of fed-batch enzymatic hydrolysis from alkali-pretreated sugarcane bagasse for high-concentration sugar production
Y. GAO, J. XU, Z. YUAN, Y. ZHANG, Y. LIU & C. LIANG (PR China)
- 206 Enhanced saccharification of sugarcane bagasse using soluble cellulase supplemented with immobilized β -glucosidase
D. G. BORGES, A. BARALDO JUNIOR, C. S. FARINAS, R. DE LIMA CAMARGO GIORDANO & P. W. TARDIOLI (Brazil)
- 324 Inhibitory effect of vanillin on cellulase activity in hydrolysis of cellulosic biomass
Y. LI, B. QI & Y. WAN (PR China)

(continued on previous page)

CONTENTS (continued from following page)

- 390 The effect of bark on sulfur dioxide–ethanol–water fractionation and enzymatic hydrolysis of forest biomass
M. YAMAMOTO, T. NISKANEN, M. IAKOVLEV, H. OJAMO (Finland) & A. VAN HEININGEN (Finland, USA)
- 469 Enzymatic degradation of Elephant grass (*Pennisetum purpureum*) stems: Influence of the pith and bark in the total hydrolysis
M. PÉREZ-BOADA, A. PRIETO, P. PRINSEN (Spain), M.-P. FORQUIN-GOMEZ (France), J. C. DEL RÍO, A. GUTIÉRREZ, Á. T. MARTÍNEZ (Spain) & C. B. FAULDS (Spain, France)
- 514 Comparison of lab, pilot, and industrial scale low consistency mechanical refining for improvements in enzymatic digestibility of pretreated hardwood
B. W. JONES, R. VENDITTI, S. PARK & H. JAMEEL (United States)
- 530 Enzymatic hydrolysis of hardwood and softwood harvest residue fibers released by sulfur dioxide–ethanol–water fractionation
M. YAMAMOTO, M. IAKOVLEV, S. BANKAR (Finland), M. S. TUNC (USA) & A. VAN HEININGEN (Finland, USA)

Bioprocesses

- 8 Effect of wastewater-borne bacteria on algal growth and nutrients removal in wastewater-based algae cultivation system
X. MA (USA, China), W. ZHOU, Z. FU, Y. CHENG, M. MIN, Y. LIU, Y. ZHANG, P. CHEN & R. RUAN (USA)
- 108 Continuous synthesis of lactulose in an enzymatic membrane reactor reduces lactulose secondary hydrolysis
A. B. SITANGGANG (Germany, Indonesia), A. DREWS & M. KRAUME (Germany)
- 116 Integration of micro-filtration into osmotic membrane bioreactors to prevent salinity build-up
X. WANG, B. YUAN, Y. CHEN, X. LI & Y. REN (PR China)
- 214 Effective harvesting of the microalgae *Chlorella protothecoides* via bioflocculation with cationic starch
C. O. LETELIER-GORDO, S. L. HOLDT, D. DE FRANCISCI, D. B. KARAKASHEV & I. ANGELIDAKI (Denmark)
- 269 Effective microbial calcite precipitation by a new mutant and precipitating regulation of extracellular urease
H. LI, Y. SONG, Q. LI, J. HE & Y. SONG (China)
- 276 The effect of temperature on cell growth and astaxanthin accumulation of *Haematococcus pluvialis* during a light–dark cyclic cultivation
M. WAN, J. ZHANG, D. HOU, J. FAN, Y. LI, J. HUANG & J. WANG (China)
- 284 Repeated use of stable magnetic flocculant for efficient harvest of oleaginous *Chlorella* sp.
K. LEE, S. Y. LEE, R. PRAVEENKUMAR, B. KIM, J. Y. SEO, S. G. JEON, J.-G. NA, J.-Y. PARK, D.-M. KIM & Y.-K. OH (Republic of Korea)
- 331 Effect of storage on the respirometric relationship between substrate utilization and microbial growth
A. S. CIGGIN & D. ORHON (Turkey)
- 358 Cell growth kinetics of *Chlorella sorokiniana* and nutritional values of its biomass
K. KUMAR, C. N. DASGUPTA & D. DAS (India)
- 367 Effective flocculation of target microalgae with self-flocculating microalgae induced by pH decrease
J. LIU, Y. TAO, J. WU, Y. ZHU, B. GAO, Y. TANG, A. LI, C. ZHANG & Y. ZHANG (PR China)
- 376 *Botryococcus braunii* cells: Ultrasound-intensified outdoor cultivation integrated with *in situ* magnetic separation
S.-K. WANG, F. WANG (PR China), A. R. STILES (USA), C. GUO & C.-Z. LIU (PR China)
- 398 Isolation and functional analysis of a glycolipid producing *Rhodococcus* sp. strain IITR03 with potential for degradation of 1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane (DDT)
A. BAJAJ, S. MAYILRAJ, M. K. R. MUDIAM, D. K. PATEL & N. MANICKAM (India)

(continued on previous page)

CONTENTS (continued from following page)

- 441 Concentrated microalgae cultivation in treated sewage by membrane photobioreactor operated in batch flow mode
F. GAO, Z.-H. YANG, C. LI, Y.-J. WANG, W.-H. JIN & Y.-B. DENG (China)
- 521 Photosynthetic acclimation of *Nannochloropsis oculata* investigated by multi-wavelength chlorophyll fluorescence analysis
M. SZABÓ, K. PARKER, S. GURUPRASAD, U. KUZHIUMPARAMBIL, R. M. LILLEY, B. TAMBURIC, M. SCHLIEP, A. W. D. LARKUM (Australia), U. SCHREIBER (Germany), J. A. RAVEN & P. J. RALPH (Australia)

Microbial Products

- 219 Nanofiltration, bipolar electrodialysis and reactive extraction hybrid system for separation of fumaric acid from fermentation broth
K. PROCHASKA, K. STASZAK, M. J. WOŹNIAK-BUDYCH, M. REGEL-ROSOCKA, M. ADAMCZAK, M. WIŚNIEWSKI & J. STANIEWSKI (Poland)
- 297 Polyhydroxyalkanoate production as a side stream process on a municipal waste water treatment plant
T. PITTMANN & H. STEINMETZ (Germany)
- 433 Regulation of extracellular oxidoreduction potential enhanced (*R,R*)-2,3-butanediol production by *Paenibacillus polymyxa* CJX518
J.-J. DAI, J.-S. CHENG, Y.-Q. LIANG, T. JIANG & Y.-J. YUAN (People's Republic of China)

Physico-Chemical and Thermo-Chemical Processes for Biomass

- 1 Alkaline and alkaline peroxide pretreatments at mild temperature to enhance enzymatic hydrolysis of rice hulls and straw
E. CABRERA (Cuba), M. J. MUÑOZ, R. MARTÍN, I. CARO (Spain), C. CURBELO (Cuba) & A. B. DÍAZ (Spain)
- 46 Improvement of the enzymatic hydrolysis of furfural residues by pretreatment with combined green liquor and ethanol organosolv
H. YU, Y. XING, F. LEI, Z. LIU, Z. LIU & J. JIANG (China)
- 69 Responsive behavior of regenerated cellulose in hydrolysis under microwave radiation
J. NI, H. NA, Z. SHE, J. WANG, W. XUE & J. ZHU (China)
- 74 Production of xylitol and tetrahydrofurfuryl alcohol from xylan in napier grass by a hydrothermal process with phosphorus oxoacids followed by aqueous phase hydrogenation
E. TAKATA, T. TSURUOKA, K. TSUTSUMI, Y. TSUTSUMI & K. TABATA (Japan)
- 94 Combustion characteristics of bamboo-biochars
Z. LIU, B. FEI, Z. JIANG & X. LIU (China)
- 133 Comparison between liquid and solid acids catalysts on reducing sugars conversion from furfural residues via pretreatments
K. LIN, B. MA, Y. SUN & W. LIU (China)
- 144 The migration and transformation behavior of heavy metals during the liquefaction process of sewage sludge
L. LENG, X. YUAN, H. HUANG, H. JIANG, X. CHEN & G. ZENG (PR China)
- 186 Enhancement of enzymatic saccharification of *Eucalyptus globulus*: Steam explosion versus steam treatment
R. MARTIN-SAMPEDRO, E. REVILLA, J. C. VILLAR & M. E. EUGENIO (Spain)
- 192 Innovative pretreatment of sugarcane bagasse using supercritical CO₂ followed by alkaline hydrogen peroxide
D. T. PHAN & C.-S. TAN (Taiwan)
- 232 The impact of alkali pretreatment and post-pretreatment conditioning on the surface properties of rice straw affecting cellulose accessibility to cellulases
N. KARUNA, L. ZHANG, J. H. WALTON (USA), M. COUTURIER (Canada), M. H. OZTOP (Turkey), E. R. MASTER (Canada), M. J. MCCARTHY & T. JEOH (USA)

(continued on previous page)

CONTENTS (continued from last page)

- 291 Performance and techno-economic assessment of several solid–liquid separation technologies for processing dilute-acid pretreated corn stover
D. A. SIEVERS, L. TAO & D. J. SCHELL (United States)
- 425 Catalytic pyrolysis of palm kernel shell waste in a fluidized bed
S. W. KIM, B. S. KOO & D. H. LEE (Republic of Korea)
- 484 Hydrolysis of ionic cellulose to glucose
H. T. VO, V. T. WIDYAYA, J. JAE, H. S. KIM & H. LEE (South Korea)

Short Communications

- 547 Esterases immobilized on aminosilane modified magnetic nanoparticles as a catalyst for biotransformation reactions
D. ALEX, A. MATHEW & R. K. SUKUMARAN (India)
- 551 Corn stalks char from fast pyrolysis as precursor material for preparation of activated carbon in fluidized bed reactor
Z. WANG, J. WU, T. HE & J. WU (China)
- 555 An alternative feedstock of corn meal for industrial fuel ethanol production: Delignified corncob residue
C. LEI, J. ZHANG, L. XIAO & J. BAO (China)
- 560 Enhancement of anammox activity by addition of compatible solutes at high salinity conditions
M. LIU, Y. PENG, S. WANG, T. LIU & H. XIAO (PR China)
- 564 Hydrolytic and acidogenic fermentation potential of food waste with source segregated feces-without-urine as co-substrate
R. RAJAGOPAL, A. AHAMED & J.-Y. WANG (Singapore)
- 569 Sorption and cosorption of lead (II) and methylene blue on chemically modified biomass
Z. DING, X. HU (PR China, United States), A. R. ZIMMERMAN & B. GAO (United States)
- 574 Protic acid resin enhanced 1-butyl-3-methylimidazolium chloride pretreatment of *Arundo donax* Linn.
T. YOU, L. ZHANG, S. ZHOU & F. XU (PR China)
- 578 Fate and risk assessment of heavy metals in residue from co-liquefaction of *Camellia oleifera* cake and sewage sludge in supercritical ethanol
H. CHEN, Y. ZHAI, B. XU, B. XIANG, L. ZHU, L. QIU, X. LIU, C. LI & G. ZENG
- 582 Factors affecting cellulose hydrolysis based on inactivation of adsorbed enzymes
Z. YE & R. E. BERSON (USA)

Cover figure: Effect of bypass percentage and hydrocracking temperature on product mol fraction. (a) Light-ends and middle distillates; (b) heavy-ends; (c) pentane (C5) and 2-methyldodecane (C13); (d) hexacosane (C26). See the article Conversion of microalgae to jet fuel: Process design and simulation by H.-Y. Wang et al.