


BIORESOURCE TECHNOLOGY

applied microbiology ■ bioconversion/biocatalysis ■ biofuels ■
biological engineering ■ biological waste treatment ■ biomass ■
bioprocesses ■ thermo-chemical treatment



Available online at www.sciencedirect.com

ScienceDirect



0960-8524(201410)169:C;1-6

(Abstracted/Indexed in: AGRICOLA database; Agricultural Engineering Abstracts; Analytical Abstracts (Royal Society of Chemistry Information Services); BIOSIS (Biological Abstracts); CAB Abstracts database; Elsevier BIOBASE/Current Awareness in Biological Sciences; Cambridge Scientific Abstracts; Chemical Abstracts; Current Contents/Agriculture, Biology and Environmental Sciences; Ecological Abstracts; Energy from Biomass and Municipal Wastes; Energy Information Abstracts; Engineering Index; Environmental Periodicals Bibliography; EMBASE/Excerpta Medica; Forestry Abstracts; Fuel and Energy Abstracts; Gas Abstracts; GEOBASE; Science Citation Index; SciSearch; Selected Water Resources Abstracts). Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®.

For a full and complete Guide for Authors, please go to: <http://www.elsevier.com/locate/biorotech>

CONTENTS

Volume 169, October 2014

Reviews

- 742 A mini review on renewable sources for biofuel
D. P. HO, H. H. NGO & W. GUO (Australia)
- 750 Modification of agricultural waste/by-products for enhanced phosphate removal and recovery: Potential and obstacles
T. A. H. NGUYEN, H. H. NGO (Australia), W. S. GUO (Australia, PR China), J. ZHANG, S. LIANG (PR China), D. J. LEE (Taiwan), P. D. NGUYEN & X. T. BUI (Viet Nam)

Full Length Articles

Biological Waste Treatment

- 52 A specific pilot-scale membrane hybrid treatment system for municipal wastewater treatment
D. D. NGUYEN (South Korea, Viet Nam), H. H. NGO (Australia), S. D. KIM & Y. S. YOON (South Korea)
- 80 Determination of surface-accessible acidic hydroxyls and surface area of lignin by cationic dye adsorption
M. H. SIPPONEN, V. PIHLAJANIEMI, K. LITTUNEN, O. PASTINEN & S. LAAKSO (Finland)
- 103 Microbial characteristics and nitrogen removal of simultaneous partial nitrification, anammox and denitrification (SNAD) process treating low C/N ratio sewage
Y. LIANG, D. LI, X. ZHANG, H. ZENG, Z. YANG & J. ZHANG (China)
- 126 Quantitative response of nitrifying and denitrifying communities to environmental variables in a full-scale membrane bioreactor
C. GÓMEZ-SILVÁN (Spain), R. VÍLCHEZ-VARGAS (Germany), J. ARÉVALO, M. A. GÓMEZ, J. GONZÁLEZ-LÓPEZ (Spain), D. H. PIEPER (Germany) & B. RODELAS (Spain)
- 149 Feeding behavior and trophic relationship of earthworms and other predators in vermicfiltration system for liquid-state sludge stabilization using fatty acid profiles
M. XING, C. ZHAO, J. YANG & B. LV (China)
- 181 Functional display of triphenylmethane reductase for dye removal on the surface of *Escherichia coli* using N-terminal domain of ice nucleation protein
F. GAO, H. DING, Z. FENG, D. LIU & Y. ZHAO (China)

(Continued on inside back cover)

For further information about *Bioresource Technology* or other Elsevier products, why not access the COMPLETE ELSEVIER CATALOGUE via the INTERNET?

WWW: <http://www.elsevier.com>



CONTENTS (*continued from outside back cover*)

- 213 Membrane fouling in a submerged membrane bioreactor with focus on surface properties and interactions of cake sludge and bulk sludge
H. YU, H. LIN, M. ZHANG, H. HONG, Y. HE, F. WANG & L. ZHAO (PR China)
- 244 The stability of aerobic granular sludge treating municipal sludge deep dewatering filtrate in a bench scale sequencing batch reactor
B. LONG, C.-Z. YANG, W.-H. PU, J.-K. YANG, Y.-F. SHI, J. WANG, J. BAI, X.-Y. ZHOU, G.-S. JIANG, C.-Y. LI & F.-B. LIU (PR China)
- 291 A comparative study on different metal loaded soybean milk by-product 'okara' for biosorption of phosphorus from aqueous solution
T. A. H. NGUYEN, H. H. NGO, W. S. GUO, T. V. NGUYEN (Australia), J. ZHANG, S. LIANG (PR China), S. S. CHEN & N. C. NGUYEN (Taiwan, ROC)
- 299 Enhancement of anaerobic digestion of shredded grass by co-digestion with sewage sludge and hyperthermophilic pretreatment
F. WANG, T. HIDAKA & J. TSUMORI (Japan)
- 307 Understanding the role of extracellular polymeric substances in an enhanced biological phosphorus removal granular sludge system
R. WANG, Y. PENG, Z. CHENG & N. REN (China)
- 344 Microbial communities of aerobic granules: Granulation mechanisms
Y. LV, C. WAN (China), D.-J. LEE (China, Taiwan), X. LIU (China) & J.-H. TAY (Canada)
- 374 Enhanced dewaterability of anaerobically digested sewage sludge using *Acidithiobacillus ferrooxidans* culture as sludge conditioner
K. MURUGESAN, B. RAVINDRAN, A. SELVAM, M. B. KURADE, S.-M. YU & J. W. C. WONG (Hong Kong)
- 395 Enhanced nitrogen removal in constructed wetlands: Effects of dissolved oxygen and step-feeding
F. LI, L. LU, X. ZHENG (China), H. H. NGO (Australia), S. LIANG (China), W. GUO (Australia) & X. ZHANG (China)
- 403 Polyethylenimine modified biochar adsorbent for hexavalent chromium removal from the aqueous solution
Y. MA, W.-J. LIU, N. ZHANG, Y.-S. LI, H. JIANG & G.-P. SHENG (China)
- 409 Floatation of flocculent and granular sludge in a high-loaded anammox reactor
H. CHEN, C. MA, G.-F. YANG, H.-Z. WANG, Z.-M. YU & R.-C. JIN (China)
- 421 Identification of synergistic impacts during anaerobic co-digestion of organic wastes
S. ASTALS (Spain, Australia), D. J. BATSTONE (Australia), J. MATA-ALVAREZ (Spain) & P. D. JENSEN (Australia)
- 475 Hybrid membrane with TiO₂ based bio-catalytic nanoparticle suspension system for the degradation of bisphenol-A
J. HOU, G. DONG, B. LUU (Australia), R. G. SENGPIEL (Australia, Germany), Y. YE (Australia), M. WESSLING (Germany) & V. CHEN (Australia)
- 502 Shifts in bacterial and archaeal community structures during the batch biomethanation of *Ulva* biomass under mesophilic conditions
J. KIM, H. JUNG & C. LEE (Republic of Korea)
- 518 Different molecular complexity of linear-isomaltomegalosaccharides and β-cyclodextrin on enhancing solubility of azo dye ethyl red: Towards dye biodegradation
W. LANG, Y. KUMAGAI, J. SADAHIRO, J. MANEESAN, M. OKUYAMA, H. MORI, N. SAKAIRI & A. KIMURA (Japan)
- 525 Synthesis of the magnetic biochar composites for use as an adsorbent for the removal of pentachlorophenol from the effluent
P. DEVI & A. K. SAROHA (India)
- 543 Phosphorus availability from the solid fraction of pig slurry is altered by composting or thermal treatment
W. CHRISTEL, S. BRUUN, J. MAGID & L. S. JENSEN (Denmark)
- 596 Role of algal biofilm in improving the performance of free surface, up-flow constructed wetland
N. BADHE, S. SAHA, R. BISWAS & T. NANDY (India)

CONTENTS (continued from inside back cover)

- 605 How the novel integration of electrolysis in tidal flow constructed wetlands intensifies nutrient removal and odor control
X. JU, S. WU, X. HUANG, Y. ZHANG & R. DONG (PR China) ...
- 630 Combined hydrolysis acidification and bio-contact oxidation system with air-lift tubes and activated carbon bioreactor for oilfield wastewater treatment
C. GUO, Y. CHEN, J. CHEN, X. WANG (China), G. ZHANG (Australia), J. WANG, W. CUI & Z. ZHANG (China)
- 637 Effect of internal pressure and gas/liquid interface area on the CO mass transfer coefficient using hollow fibre membranes as a high mass transfer gas diffusing system for microbial syngas fermentation
M. YASIN, S. PARK, Y. JEONG, E. Y. LEE, J. LEE & I. S. CHANG (Republic of Korea)
- 644 Long-term effect of the antibiotic cefalexin on methane production during waste activated sludge anaerobic digestion
X. LU, G. ZHEN, Y. LIU, T. HOJO, A. L. ESTRADA & Y.-Y. LI (Japan) ...
- 652 Start-up and bacterial communities of single-stage nitrogen removal using anammox and partial nitritation (SNAP) for treatment of high strength ammonia wastewater
J. ZHANG, J. ZHOU, Y. HAN & X. ZHANG (PR China)
- 686 Disinhibition of the ammonium nitrogen in autothermal thermophilic aerobic digestion for sewage sludge by chemical precipitation
H. YUAN, C. XU & N. ZHU (China)
- 700 Improving the amenability of municipal waste activated sludge for biological pretreatment by phase-separated sludge disintegration method
S. KAVITHA, S. ADISH KUMAR, S. KALIAPPAN (India), I. T. YEOM (South Korea) & J. RAJESH BANU (India)

Biofuels and Biorefineries

- 9 Simultaneous saccharification and co-fermentation of aqueous ammonia pretreated corn stover with an engineered *Saccharomyces cerevisiae* SyBE005
J.-Q. ZHU, L. QIN, B.-Z. LI & Y.-J. YUAN (PR China) ...
- 38 Biogas energy production from tropical biomass wastes by anaerobic digestion
X. GE, T. MATSUMOTO, L. KEITH & Y. LI (USA) ...
- 45 Inhibitors of biofilm formation by biofuel fermentation contaminants
T. D. LEATHERS, K. M. BISCHOFF, J. O. RICH, N. P. J. PRICE (USA), P. MANITCHOTPISIT (Thailand), M. S. NUNNALLY & A. M. ANDERSON (USA) ...
- 62 Thermo-resistant green microalgae for effective biodiesel production: Isolation and characterization of unicellular species from geothermal flora of Central Anatolia
M. ONAY, C. SONMEZ, H. A. OKTEM & A. M. YUCEL (Turkey) ...
- 72 Methane production and energy evaluation of a farm scaled biogas plant in cold climate area
K. FJØRTOFT, J. MORKEN, J. F. HANSSEN & T. BRISEID (Norway) ...
- 134 Dual-fuel production from restaurant grease trap waste: Bio-fuel oil extraction and anaerobic methane production from the post-extracted residue
T. KOBAYASHI, H. KURAMOCHI, K. MAEDA, T. TSUJI (Japan) & K. XU (Japan, China)
- 169 Combining microbial cultures for efficient production of electricity from butyrate in a microbial electrochemical cell
J. F. MICELI III (USA), I. GARCIA-PEÑA (Mexico), P. PARAMESWARAN, C. I. TORRES & R. KRAJMALNIK-BROWN (USA)
- 175 Ultrasonication aided *in-situ* transesterification of microbial lipids to biodiesel
X. ZHANG, S. YAN, R. D. TYAGI (Canada), R. Y. SURAMPALLI (USA) & J. R. VALÉRO (Canada) ...

(continued on previous page)

CONTENTS (continued from following page)

Volume 190, Part 1, May 2015, Pages 2–200

- 198 Extraction of saponifiable lipids from wet microalgal biomass for biodiesel production
M. J. JIMÉNEZ CALLEJÓN, A. ROBLES MEDINA, M. D. MACÍAS SÁNCHEZ, E. HITA PEÑA, L. ESTEBAN CERDÁN,
P. A. GONZÁLEZ MORENO & E. MOLINA GRIMA (Spain)
- 251 Efficient production of acetone–butanol–ethanol (ABE) from cassava by a fermentation–pervaporation coupled process
J. LI, X. CHEN, B. QI, J. LUO, Y. ZHANG, Y. SU & Y. WAN (PR China)
- 265 Effects of azide on electron transport of exoelectrogens in air-cathode microbial fuel cells
X. ZHOU, Y. QU (China), B. H. KIM (China, Republic of Korea, Malaysia), P. Y. CHOO (Republic of Korea), J. LIU, Y. DU,
W. HE (China), I. S. CHANG (Republic of Korea), N. REN & Y. FENG (China)
- 277 Exploring redox-mediating characteristics of textile dye-bearing microbial fuel cells: thionin and malachite green
B.-Y. CHEN (Taiwan), B. XU, L.-J. QIN (China), J. C.-W. LAN & C.-C. HSUEH (Taiwan)
- 284 Effect of liquid hot water pre-treatment on sugarcane press mud methane yield
L. M. LÓPEZ GONZÁLEZ, I. PEREDA REYES (Cuba), J. DEWULF (Belgium), J. BUDDE, M. HEIERMANN (Germany)
& H. VERVAEREN (Belgium)
- 328 Isolation and characterization of microalgae for biodiesel production from *Nisargruna* biogas plant effluent
M. TALE, S. GHOSH, B. KAPADNIS & S. KALE (India)
- 362 Evaluation of marine sediments as microbial sources for methane production from brown algae under high salinity
T. MIURA, A. KITA, Y. OKAMURA, T. AKI, Y. MATSUMURA, T. TAJIMA, J. KATO & Y. NAKASHIMADA (Japan)
- 380 Optimized membrane process to increase hemicellulosic ethanol production from pretreated rice straw by recombinant xylose-fermenting *Saccharomyces cerevisiae*
K. SASAKI, Y. TSUGE, D. SASAKI, T. HASUNUMA, T. SAKAMOTO, Y. SAKIHAMA, C. OGINO (Japan) & A. KONDO (Japan, Republic of Korea)
- 447 Mild alkali-pretreatment effectively extracts guaiacyl-rich lignin for high lignocellulose digestibility coupled with largely diminishing yeast fermentation inhibitors in *Miscanthus*
M. LI, S. SI, B. HAO, Y. ZHA, C. WAN, S. HONG, Y. KANG, J. JIA, J. ZHANG, M. LI, C. ZHAO, Y. TU, S. ZHOU & L. PENG (PR China)
- 455 Production of biodiesel from carbon sources of macroalgae, *Laminaria japonica*
X. XU, J. Y. KIM, Y. R. OH & J. M. PARK (South Korea)
- 468 Solid-state anaerobic co-digestion of spent mushroom substrate with yard trimmings and wheat straw for biogas production
Y. LIN (USA, China), X. GE & Y. LI (USA)
- 484 Comparison of specific methane yield of perennial ryegrass prepared by thermal drying versus non-thermal drying in small-scale batch digestion tests
P. NOLAN, J. MCENIRY, E. M. DOYLE & P. OKIELY (Ireland)
- 490 Bioethanol production from wheat straw via enzymatic route employing *Penicillium janthinellum* cellulases
R. R. SINGHANIA, J. K. SAINI, R. SAINI, M. ADSUL, A. MATHUR, R. GUPTA & D. K. TULI (India)
- 496 Methane production and microbial community structure for alkaline pretreated waste activated sludge
R. SUN, D. XING, J. JIA, A. ZHOU, L. ZHANG & N. REN (China)
- 510 Power generation based on biomass by combined fermentation and gasification – A new concept derived from experiments and modelling
T. METHLING, N. ARMBRUST, T. HAITZ, M. SPEIDEL, N. POBOSS, M. BRAUN-UNKHOFF, H. DIETER, B. KEMPTER-REGEL,
G. KRAAIJ, U. SCHLIESSMANN, Y. STERR, A. WÖRNER, T. HIRTH, U. RIEDEL & G. SCHEFFKNECHT (Germany)

(continued on previous page)

CONTENTS (continued from following page)

Volume 102, No. 1, January 2011

- 532 Highly durable anodes of microbial fuel cells using a reduced graphene oxide/carbon nanotube-coated scaffold
H.-T. CHOU, H.-J. LEE, C.-Y. LEE, N.-H. TAI & H.-Y. CHANG (Taiwan)
- 537 Press fluid pre-treatment optimisation of the integrated generation of solid fuel and biogas from biomass (IFBB) process approach
J. CORTON, T. TOOP, J. WALKER, I. S. DONNISON & M. D. FRASER (UK)
- 552 De-ashing treatment of corn stover improves the efficiencies of enzymatic hydrolysis and consequent ethanol fermentation
Y. HE, Z. FANG, J. ZHANG, X. LI & J. BAO (China)
- 581 Power generation and oil sands process-affected water treatment in microbial fuel cells
J. CHOI & Y. LIU (Canada)
- 723 Butanol production by immobilised *Clostridium acetobutylicum* in repeated batch, fed-batch, and continuous modes of fermentation
I. DOLEJŠ, V. KRASŇAN (Slovakia), R. STLOUKAL (Czech Republic), M. ROSENBERG & M. REBROŠ (Slovakia)

Biomass and Feedstock Utilization

- 19 Quantitative characterization of the impact of pulp refining on enzymatic saccharification of the alkaline pretreated corn stover
H. XU, B. LI, X. MU, G. YU, C. LIU, Y. ZHANG & H. WANG (People's Republic of China)
- 88 Hydrolysis and composition of recovered fibres fractionated from solid recovered fuel
K. KEMPPAINEN, M. SIIKA-AHO (Finland), A. ÖSTMAN (Sweden), E. SIPILÄ, T. PURANEN, N. VON WEYMARN & K. KRUUS (Finland)
- 206 Pulp properties resulting from different pretreatments of wheat straw and their influence on enzymatic hydrolysis rate
C. ROSSBERG, D. STEFFIEN, M. BREMER, S. KOENIG (Germany), F. CARVALHEIRO, L. C. DUARTE, P. MONIZ (Portugal), M. HOERNICKE, M. BERTAU & S. FISCHER (Germany)
- 439 Comparison of solid-state anaerobic digestion and composting of yard trimmings with effluent from liquid anaerobic digestion
L. LIN, L. YANG, F. XU, F. C. MICHEL JR. & Y. LI (USA)
- 692 Purification of xylose in simulated hemicellulosic hydrolysates using a two-step emulsion liquid membrane process
S. C. LEE (Republic of Korea)
- 713 Dissecting the effect of chemical additives on the enzymatic hydrolysis of pretreated wheat straw
M. MONSCHEIN (Austria), C. REISINGER (Germany) & B. NIDETZKY (Austria)
- 731 Composting of cow dung and crop residues using termite mounds as bulking agent
T. KARAK, I. SONAR, R. K. PAUL, S. DAS, R. K. BORUAH, A. K. DUTTA & D. K. DAS (India)

Bioprocesses

- 27 Microalgal biomass and lipid production in mixed municipal, dairy, pulp and paper wastewater together with added flue gases
F. G. GENTILI (Sweden)
- 96 Xylanase and laccase based enzymatic kraft pulp bleaching reduces adsorbable organic halogen (AOX) in bleach effluents: A pilot scale study
A. SHARMA, V. V. THAKUR, A. SHRIVASTAVA, R. K. JAIN, R. M. MATHUR, R. GUPTA & R. C. KUHAD (India)
- 143 Co-cultivation of *Trichoderma reesei* RutC30 with three black *Aspergillus* strains facilitates efficient hydrolysis of pretreated wheat straw and shows promises for on-site enzyme production
M. KOLASA (Denmark), B. K. AHRING (Denmark, USA), P. S. LÜBECK & M. LÜBECK (Denmark)

(continued on previous page)

CONTENTS (continued from following page)

(continued from previous page)

- 162 Pre-treatment step with *Leuconostoc mesenteroides* or *L. pseudomesenteroides* strains removes furfural from *Zymomonas mobilis* ethanolic fermentation broth W. J. HUNTER & D. K. MANTER (USA)
- 229 A new method for rapid construction of a *Pseudomonas* sp. HF-1 bioaugmented system: Accelerating acylated homoserine lactones secretion by pH regulation M.-Z. WANG, X. ZHENG, K. ZHANG, Y.-C. DING, H.-Z. HE, D.-S. SHEN & H.-J. FENG (China)
- 271 Co-metabolic degradation of tetrabromobisphenol A by novel strains of *Pseudomonas* sp. and *Streptococcus* sp. X. PENG, X. QU, W. LUO & X. JIA (China)
- 320 Action spectra of oxygen production and chlorophyll *a* fluorescence in the green microalga *Nannochloropsis oculata* B. TAMBURIC, M. SZABÓ, N.-A. T. TRAN, A. W. D. LARKUM, D. J. SUGGETT & P. J. RALPH (Australia)
- 387 The mutual co-regulation of extracellular polymeric substances and iron ions in biocorrosion of cast iron pipes J. JIN & Y. GUAN (China)
- 416 Hydration of acrylonitrile to produce acrylamide using biocatalyst in a membrane dispersion microreactor J. LI, J. CHEN, Y. WANG, G. LUO & H. YU (China)
- 566 Microplate-based method for high-throughput screening of microalgae growth potential J. VAN WAGENEN, S. L. HOLDT, D. DE FRANCISCI, B. VALVERDE-PÉREZ, B. G. PLÓSZ & I. ANGELIDAKI (Denmark)
- 588 Influence of the N:P supply ratio on biomass productivity and time-resolved changes in elemental and bulk biochemical composition of *Nannochloropsis* sp. J. J. MAYERS, K. J. FLYNN & R. J. SHIELDS (UK)
- 667 Outdoor pilot-scale production of *Nannochloropsis gaditana*: Influence of culture parameters and lipid production rates in tubular photobioreactors A. SAN PEDRO, C. V. GONZÁLEZ-LÓPEZ, F. G. ACIÉN & E. MOLINA-GRIMA (Spain)
- 677 Evaluation of assimilatory sulphur metabolism in *Caldicellulosiruptor saccharolyticus* S. S. PAWAR & E. W. J. VAN NIEL (Sweden)

Microbial Products

- 119 Efficient free fatty acid production from woody biomass hydrolysate using metabolically engineered *Escherichia coli* H. WU, J. LEE, M. KARANJIKAR & K.-Y. SAN (United States)
- 462 Boosting D-lactate production in engineered cyanobacteria using sterilized anaerobic digestion effluents W. D. HOLLINSHEAD, A. M. VARMAN, L. YOU, Z. HEMBREE & Y. J. TANG (USA)
- 559 Pilot scale demonstration of D-lactic acid fermentation facilitated by Ca(OH)₂ using a metabolically engineered *Escherichia coli* Y. LIU, W. GAO, X. ZHAO, J. WANG (PR China), E. GARZA (USA), R. MANOW & S. ZHOU (PR China, USA)

Physico-Chemical and Thermo-Chemical Processes for Biomass

- 1 Acid-catalyzed autohydrolysis of wheat straw to improve sugar recovery M. ERTAS (Turkey), Q. HAN & H. JAMEEL (USA)
- 33 A novel surfactant-assisted ionic liquid pretreatment of sugarcane bagasse for enhanced enzymatic hydrolysis N. NASIRPOUR, S. M. MOUSAVI & S. A. SHOJAOSADATI (Iran)
- 110 Deoxy-liquefaction of three different species of macroalgae to high-quality liquid oil J. LI, G. WANG, M. CHEN, J. LI, Y. YANG, Q. ZHU, X. JIANG, Z. WANG & H. LIU (China)
- 155 An application study of autohydrolysis pretreatment prior to poplar chemi-thermomechanical pulping Q. HOU, Y. WANG, W. LIU, L. LIU, N. XU & Y. LI (China)

(continued on previous page)

CONTENTS (continued from following page)

- 188 Catalytic pyrolysis of miscanthus × giganteus in a spouted bed reactor
S. DU, Y. SUN, D. P. GAMILIEL, J. A. VALLA & G. M. BOLLAS (USA)
- 220 Synergistic effect on thermal behavior during co-pyrolysis of lignocellulosic biomass model components blend with bituminous coal
Z. WU, S. WANG, J. ZHAO, L. CHEN & H. MENG (PR China)
- 236 Combined pretreatment using alkaline hydrothermal and ball milling to enhance enzymatic hydrolysis of oil palm mesocarp fiber
M. R. ZAKARIA (Japan, Malaysia), S. HIRATA (Japan) & M. A. HASSAN (Malaysia)
- 258 Thermal decomposition dynamics and severity of microalgae residues in torrefaction
W.-H. CHEN, M.-Y. HUANG, J.-S. CHANG & C.-Y. CHEN (Taiwan, ROC)
- 313 Effects of heating rate on slow pyrolysis behavior, kinetic parameters and products properties of moso bamboo
D. CHEN, J. ZHOU & Q. ZHANG (China)
- 336 Recyclability of an ionic liquid for biomass pretreatment
P. WEERACHANCHAI & J.-M. LEE (Singapore)
- 352 Behavior of selected hydrolyzed and dehydrated products during hydrothermal carbonization of biomass
M. T. REZA, B. WIRTH, U. LÜDER & M. WERNER (Germany)
- 367 Thermogravimetric analysis and fast pyrolysis of *Milkweed*
S.-S. KIM (Republic of Korea) & F. A. AGBLEVOR (USA)
- 428 Effects of aeration rate on degradation process of oil palm empty fruit bunch with kinetic-dynamic modeling
A. T. TALIB, M. N. MOKHTAR, A. S. BAHARUDDIN & A. SULAIMAN (Malaysia)
- 573 A parametric study on supercritical water gasification of *Laminaria hyperborea*: A carbohydrate-rich macroalga
R. CHERAD, J. A. ONWUDILI, P. T. WILLIAMS & A. B. ROSS (UK)
- 614 Non isothermal model free kinetics for pyrolysis of rice straw
G. MISHRA & T. BHASKAR (India)
- 622 Biochar pyrolytically produced from municipal solid wastes for aqueous As(V) removal: Adsorption property and its improvement with KOH activation
H. JIN (PR China, USA), S. CAPAREDA (USA), Z. CHANG, J. GAO, Y. XU & J. ZHANG (PR China)
- 658 Pyrolysis kinetics of algal consortia grown using swine manure wastewater
M. A. SHARARA, N. HOLEMAN, S. S. SADAKA & T. A. COSTELLO (USA)
- 707 Lignin extraction – Reassessment of the severity factor with respect to hydroxide concentration
R. A. LEE, V. BERBERI, J. LABRANCHE & J.-M. LAVOIE (Canada)

Short Communications

- 763 Enhanced lipid accumulation of green microalga *Scenedesmus* sp. by metal ions and EDTA addition
H.-Y. REN, B.-F. LIU, F. KONG, L. ZHAO, G.-J. XIE & N.-Q. REN (China)
- 768 Lipid profiling and corresponding biodiesel quality of *Mortierella isabellina* using different drying and extraction methods
J. HUSSAIN (Brazil), Z. RUAN (USA), I. A. NASCIMENTO (Brazil), Y. LIU & W. LIAO (USA)
- 773 Nitrogen removal from medium-age landfill leachate via post-denitrification driven by PHAs and glycogen in a single sequencing batch reactor
Z. LI, S. WANG, W. ZHANG, L. MIAO, T. CAO & Y. PENG (PR China)

(continued on previous page)

CONTENTS (continued from last page)

- 778 Electroporation of *Chlorella vulgaris* to enhance biomethane production
T. GAROMA & T. SHACKELFORD (USA)
- 784 Influence of plaque-forming bacterium, *Rhodobacteraceae* sp. on the growth of *Chlorella vulgaris*
Z. CHEN, J. ZHANG, X. LEI, B. ZHANG, G. CAI, H. ZHANG, Y. LI, W. ZHENG, Y. TIAN, H. XU & T. ZHENG (China)
- 789 Temperature induced stress influence on biodiesel productivity during mixotrophic microalgae cultivation with wastewater
G. VENKATA SUBHASH, M. V. ROHIT, M. P. DEVI, Y. V. SWAMY & S. VENKATA MOHAN (India)
- 794 Intermediate pyrolysis of biomass energy pellets for producing sustainable liquid, gaseous and solid fuels
Y. YANG, J. G. BRAMMER, A. S. N. MAHMOOD (UK) & A. HORNUNG (Germany)
- 800 Role of Brønsted acid in selective production of furfural in biomass pyrolysis
H. ZHANG, X. LIU, M. LU, X. HU, L. LU, X. TIAN & J. JI (PR China)
- 804 Cationic polymers for successful flocculation of marine microalgae
G. P. 'T LAM, M. H. VERMUË, G. OLIVIERI, L. A. M. VAN DEN BROEK, M. J. BARBOSA, M. H. M. EPPINK, R. H. WIJFFELS & D. M. M. KLEINEGRIS (The Netherlands)
- 808 Effect of liquefaction temperature on hydroxyl groups of bio-oil from loblolly pine (*Pinus taeda*)
Y. CELIKBAG, B. K. VIA, S. ADHIKARI & Y. WU (USA)
- 812 Fast pyrolysis product distribution of biopretreated corn stalk by methanogen
T. WANG, X. YE, J. YIN, Z. JIN, Q. LU, Z. ZHENG & C. DONG (China)
- 816 Physical pretreatments of wastewater algae to reduce ash content and improve thermal decomposition characteristics
W.-T. CHEN (USA), J. MA (USA, China), Y. ZHANG (USA), C. GAI (USA, China) & W. QIAN (USA)
- 821 Increased ethanol production from sweet sorghum juice concentrated by a membrane separation process
K. SASAKI, Y. TSUGE, D. SASAKI, H. TERAMURA, S. WAKAI, H. KAWAGUCHI, T. SAZUKA, C. OGINO & A. KONDO (Japan)

Cover figure: Continuous ABE fermentation by immobilised *C. acetobutylicum* with dilution rate A: 0.05 h^{-1} and B: 0.18 h^{-1} , fed by production medium (20 g/L glucose). See the article "Butanol production by immobilised *Clostridium acetobutylicum* in repeated batch, fed-batch, and continuous modes of fermentation" by I. Dolejš et al.