


# BIORESOURCE TECHNOLOGY

applied microbiology ■ bioconversion/biocatalysis ■ biofuels ■  
 biological engineering ■ biological waste treatment ■ biomass ■  
 bioprocesses ■ thermo-chemical treatment





(Abstracted/Indexed in: AGRICOLA database; Agricultural Engineering Abstracts; Analytical Abstracts (Royal Society of Chemistry Information Services); BIOSIS (Biological Abstracts); CAB Abstracts database; Elsevier BIOBASE/Current Awareness in Biological Sciences; Cambridge Scientific Abstracts; Chemical Abstracts; Current Contents/Agriculture, Biology and Environmental Sciences; Ecological Abstracts; Energy from Biomass and Municipal Wastes; Energy Information Abstracts; Engineering Index; Environmental Periodicals Bibliography; EMBASE/Excerpta Medica; Forestry Abstracts; Fuel and Energy Abstracts; Gas Abstracts; GEOBASE; Science Citation Index; SciSearch; Selected Water Resources Abstracts). Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®.

For a full and complete Guide for Authors, please go to: <http://www.elsevier.com/locate/biortech>

CONTENTS

Volume 174, December 2014

Full Length Articles

Biological Waste Treatment

- 1 Change of pH during excess sludge fermentation under alkaline, acidic and neutral conditions  
Y. YUAN, Y. PENG, Y. LIU, B. JIN, B. WANG & S. WANG (PR China)
- 6 Rheology evolution of sludge through high-solid anaerobic digestion  
X. DAI, X. GAI & B. DONG (PR China)
- 33 Biodrying of sewage sludge: Kinetics of volatile solids degradation under different initial moisture contents and air-flow rates  
M. VILLEGAS & C. HUILIÑIR (Chile)
- 67 Combined performance of biochar sorption and magnetic separation processes for treatment of chromium-contained electroplating wastewater  
S.-Y. WANG, Y.-K. TANG, K. LI, Y.-Y. MO, H.-F. LI & Z.-Q. GU (China)
- 74 Mathematical modelling of methanogenic reactor start-up: Importance of volatile fatty acids degrading population  
S. J. JABŁOŃSKI & M. ŁUKASZEWICZ (Poland)
- 88 Effect of extended aeration on the fate of particulate components in sludge stabilization  
S. ÖZDEMİR, E. U. ÇOKGÖR, G. İNSEL & D. ORHON (Turkey)
- 103 Improving dewaterability of waste activated sludge by combined conditioning with zero-valent iron and hydrogen peroxide  
X. ZHOU, Q. WANG, G. JIANG, X. ZHANG & Z. YUAN (Australia)
- 108 Changes of the microbial population structure in an overloaded fed-batch biogas reactor digesting maize silage  
K. KAMPMANN, S. RATERING, R. GEIßLER-PLAUM, M. SCHMIDT, W. ZERR & S. SCHNELL (Germany)
- 134 Enhanced reduction of waste activated sludge at a low temperature by locally isolated strains *Pseudomonas* sp. VNT and *Aeromonas* sp. VNT  
N. H. MOHD YASIN (Japan), V. SANCHEZ-TORRES (Colombia) & T. MAEDA (Japan)

(Continued on inside back cover)

For further information about *Bioresource Technology* or other Elsevier products, why not access the COMPLETE ELSEVIER CATALOGUE via the INTERNET?

WWW: <http://www.elsevier.com>



ELSEVIER

**CONTENTS** (continued from outside back cover)

- 142 Bioelectrochemical treatment of paper and pulp wastewater in comparison with anaerobic process: Integrating chemical coagulation with simultaneous power production  
K. V. KRISHNA, O. SARKAR & S. VENKATA MOHAN (India)
- 159 Simultaneous anammox and denitrification (SAD) process in sequencing batch reactors  
M. TAKEKAWA, G. PARK, S. SODA & M. IKE (Japan)
- 222 Efficient anaerobic mono-digestion of N-rich slaughterhouse waste: Influence of ammonia, temperature and trace elements  
M. ORTNER, K. LEITZINGER, S. SKUPIEN, G. BOCHMANN & W. FUCHS (Austria)
- 243 Performance optimization and validation of ADM1 simulations under anaerobic thermophilic conditions  
N. M. ATALLAH, M. EL-FADEL, S. GHANIMEH (Lebanon), P. SAIKALY (Saudi Arabia) & M. ABOU-NAJM (Lebanon)
- 294 Quantitative analysis of ammonia-oxidizing bacteria in a combined system of MBR and worm reactors treating synthetic wastewater  
J. LIU, Y. TIAN, D. WANG, Y. LU, J. ZHANG & W. ZUO (China)

**Biofuels and Biorefineries**

- 53 Large-scale biodiesel production using flue gas from coal-fired power plants with *Nannochloropsis* microalgal biomass in open raceway ponds  
B. ZHU, F. SUN, M. YANG, L. LU, G. YANG & K. PAN (China)
- 176 Cellulosic butanol production from alkali-pretreated switchgrass (*Panicum virgatum*) and phragmites (*Phragmites australis*)  
K. GAO (Canada), S. BOIANO (Canada, Italy), A. MARZOCHELLA (Italy) & L. REHMANN (Canada)
- 182 In situ reactive extraction of cottonseeds with methyl acetate for biodiesel production using magnetic solid acid catalysts  
H. WU, Y. LIU, J. ZHANG & G. LI (China)
- 256 Assessing microalgae biorefinery routes for the production of biofuels via hydrothermal liquefaction  
D. LÓPEZ BARREIRO (Belgium), C. SAMORÌ (Italy), G. TERRANELLA, U. HORNUNG, A. KRUSE (Germany) & W. PRINS (Belgium)
- 274 Selection of microalgae for biodiesel production in a scalable outdoor photobioreactor in north China  
L. XIA, S. SONG, Q. HE, H. YANG & C. HU (China)
- 281 Evaluation of direct transesterification of microalgae using microwave irradiation  
C. L. TEO & A. IDRIS (Malaysia)
- 287 High performance spiral wound microbial fuel cell with hydraulic characterization  
A. HAEGER, C. FORRESTAL, P. XU & Z. J. REN (USA)

**Bioprocesses**

- 42 An innovative membrane bioreactor for methane biohydroxylation  
N. PEN, L. SOUSSAN, M.-P. BELLEVILLE, J. SANCHEZ, C. CHARMETTE & D. PAOLUCCI-JEANJEAN (France)
- 60 Adaptability of growth and nutrient uptake potential of *Chlorella sorokiniana* with variable nutrient loading  
A. SHRIWASTAV, S. K. GUPTA, F. A. ANSARI, I. RAWAT & F. BUX (South Africa)
- 233 Simultaneous recovery of Ni and Cu from computer-printed circuit boards using bioleaching: Statistical evaluation and optimization  
M. ARSHADI & S. M. MOUSAVI (Iran)

**Microbial Products**

- 24 Potential lipid accumulation and growth characteristic of the green alga *Chlorella* with combination cultivation mode of nitrogen (N) and phosphorus (P)  
Y. LI, F. HAN, H. XU, J. MU, D. CHEN, B. FENG & H. ZENG (China)
- 81 Engineering *Escherichia coli* for fumaric acid production from glycerol  
N. LI, B. ZHANG, Z. WANG, Y.-J. TANG, T. CHEN & X. ZHAO (PR China)

**CONTENTS** (continued from inside back cover)

- 118 Production of arabinoxylan-oligosaccharide mixtures of varying composition from rye bran by a combination of process conditions and type of xylanase  
P. FALCK, A. ARONSSON, C. GREY, H. STÅLBRAND, E. NORDBERG KARLSSON & P. ADLERCREUTZ (Sweden)
- 190 Economically enhanced succinic acid fermentation from cassava bagasse hydrolysate using *Corynebacterium glutamicum* immobilized in porous polyurethane filler  
X. SHI, Y. CHEN, H. REN, D. LIU, T. ZHAO, N. ZHAO & H. YING (PR China)

**Physico-Chemical and Thermo-Chemical Processes for Biomass**

- 11 Thermodynamic modelling of supercritical water gasification: Investigating the effect of biomass composition to aid in the selection of appropriate feedstock material  
J. LOUW, C. E. SCHWARZ, J. H. KNOETZE & A. J. BURGER (South Africa)
- 95 Pressurized pyrolysis of rice husk in an inert gas sweeping fixed-bed reactor with a focus on bio-oil deoxygenation  
Y. QIAN, J. ZHANG & J. WANG (PR China)
- 126 Thermo gravimetric and kinetic studies on dried solid waste of post-methanated distillery effluent under oxygen and nitrogen atmosphere  
C. NAVEEN & M. PREMALATHA (India)
- 152 Production of modified bentonite via adsorbing lignocelluloses from spent liquor of NSSC process  
F. OVEISSI & P. FATEHI (Canada)
- 167 Supercritical water gasification of sewage sludge: Gas production and phosphorus recovery  
N. Y. ACELAS, D. P. LÓPEZ (Colombia), D. W. F. (W). BRILMAN, S. R. A. KERSTEN & A. M. J. KOOTSTRA (The Netherlands)
- 198 Selective removal of phenolic lignin derivatives enables sugars recovery from wood prehydrolysis liquor with remarkable yield  
Z. WANG, J. JIANG, X. WANG, Y. FU, Z. LI, F. ZHANG & M. QIN (China)
- 204 Co-pyrolysis of pine sawdust and lignite in a thermogravimetric analyzer and a fixed-bed reactor  
Y. SONG, A. TAHMASEBI (People's Republic of China) & J. YU (People's Republic of China, Australia)
- 212 Hydrothermal liquefaction of microalgae for biocrude production: Improving the biocrude properties with vacuum distillation  
B. E.-O. EBOIBI, D. M. LEWIS, P. J. ASHMAN (Australia) & S. CHINNASAMY (India)
- 266 Effects of torrefaction and densification on switchgrass pyrolysis products  
Z. YANG, M. SARKAR, A. KUMAR, J. S. TUMULURU & R. L. HUHNKE (USA)

**Short Communications**

- 302 Biodiesel production by combined fatty acids separation and subsequently enzymatic esterification to improve the low temperature properties  
M. WANG, K. NIE, H. CAO, L. DENG, F. WANG & T. TAN (PR China)
- 306 Correlation between microbial community and granule conductivity in anaerobic bioreactors for brewery wastewater treatment  
P. M. SHRESTHA, N. S. MALVANKAR, J. J. WERNER, A. E. FRANKS, A. ELENA-ROTARU, M. SHRESTHA (USA), F. LIU (USA, China), K. P. NEVIN, L. T. ANGENENT & D. R. LOVLEY (USA)
- 311 Rapid alkali catalyzed transesterification of microalgae lipids to biodiesel using simultaneous cooling and microwave heating and its optimization  
T. CHEE LOONG & A. IDRIS (Malaysia)
- 316 Correlation between biogas yield and chemical composition of energy crops  
V. DANDIKAS, H. HEUWINKEL, F. LICHTI, J. E. DREWES & K. KOCH (Germany)

(continued on previous page)

**CONTENTS** (continued from last page)

- 321 Rapid fingerprinting of methanogenic communities by high-resolution melting analysis  
J. KIM & C. LEE (Republic of Korea)

Cover figure: Progressive changes in OCV and current density during BET operation with paper and pulp wastewater and polarization curves recorded during stabilized phase of operation (Z1 is zone of activation loss; Z2 is zone of ohmic loss; Z3 is zone of concentration loss). See the article "Bioelectrochemical treatment of paper and pulp wastewater in comparison with anaerobic process: Integrating chemical coagulation with simultaneous power production" by K.V. Krishna et al.