

Canadian Journal of
**Forest
Research**

Revue canadienne de
**recherche
forestière**

Volume 43

Number 9 / Numéro 9

September / Septembre
2013

An NRC Research
Press Journal

Une revue de
NRC Research
Press

www.nrcresearchpress.com

Canadian Journal of Forest Research

Volume 43, Number 9, September 2013

Revue canadienne de recherche forestière

Volume 43, numéro 9, septembre 2013

ARTICLES

Ya-Lin Hu, Kangho Jung, De-Hui Zeng,
and Scott X. Chang

777–784

Nitrogen- and sulfur-deposition-altered soil microbial community functions and enzyme activities in a boreal mixedwood forest in western Canada

Manuella Strukelj, Suzanne Brais,
Sylvie A. Quideau, Virginie A. Angers,
Hedi Kebli, Pierre Drapeau, and Se-Woung Oh

785–798

Chemical transformations in downed logs and snags of mixed boreal species during decomposition

Carl F. Salk, Robin L. Chazdon,
and Krister P. Andersson

799–808

Detecting landscape-level changes in tree biomass and biodiversity: methodological constraints and challenges of plot-based approaches

Emily J. Silver, Shawn Fraver,
Anthony W. D'Amato, Tuomas Aakala,
and Brian J. Palik

809–816

Long-term mortality rates and spatial patterns in an old-growth *Pinus resinosa* forest

Stanley J. Zarnoch, Mark A. Vukovich,
John C. Kilgo, and John I. Blake

817–825

Snag characteristics and dynamics following natural and artificially induced mortality in a managed loblolly pine forest

Yili Guo, Junmeng Lu, Scott B. Franklin,
Qinggang Wang, Yaozhan Xu, Kuihan Zhang,
Dachuan Bao, Xiujuan Qiao, Handong Huang,
Zhijun Lu, and Mingxi Jiang

826–835

Spatial distribution of tree species in a species-rich subtropical mountain forest in central China

Continued on inside back cover / Suite au verso



Front cover: Beech blight aphids (*Grylloprociphilus imbricator* (Fitch)) on the crown of an American beech (*Fagus grandifolia* Ehrh.) tree in Maryland, USA. Image supplied by Dr. Delphis F. Levia and colleagues. A recent research article by Dr. Levia and colleagues, "Stemflow and dissolved organic carbon cycling: temporal variability in concentration, flux, and UV-Vis spectral metrics in a temperate broadleaved deciduous forest in the eastern United States", is published in the *Canadian Journal of Forest Research*, 2012, 42(1): 207–216. doi: 10.1139/x11-173.

Page couverture: Des pucerons fugaces du hêtre (*Grylloprociphilus imbricator* (Fitch)) sur la ramure d'un hêtre à grandes feuilles (*Fagus grandifolia* Ehrh.) au Maryland (É.-U.). Image fournie par Delphis F. Levia et collaborateurs. Un article de recherche récent de M. Levia et collaborateurs intitulé « Stemflow and dissolved organic carbon cycling: temporal variability in concentration, flux, and UV-Vis spectral metrics in a temperate broadleaved deciduous forest in the eastern United States » est paru dans la *Revue canadienne de recherche forestière*, 2012, 42(1) : 207–216. doi : 10.1139/x11-173.



| | | |
|--|----------------|---|
| Ken Olaf Storaunet, Jørund Rolstad, Målfrid Toeneiet, and Ylva-li Blanck | 836–845 | Strong anthropogenic signals in historic forest fire regime: a detailed spatiotemporal case study from south-central Norway |
| David I. Forrester, John C. Wiedemann, Robert I. Forrester, and Thomas G. Baker | 846–851 | Effects of planting density and site quality on mean tree size and total stand growth of <i>Eucalyptus globulus</i> plantations |
| Thomas J. Dean, Scott D. Roberts, and Robert S. Seymour | 852–860 | Toward developing a direct relation between gross volume increment and stand density |
| E.C. Cole, M. Newton, and A. Youngblood | 861–871 | Effects of overtopping on growth of white spruce in Alaska |
| Tuula Piri and Sauli Valkonen | 872–877 | Incidence and spread of Heterobasidion root rot in uneven-aged Norway spruce stands |
| | NOTE | NOTE |
| Matthew Magruder, Sophan Chhin, Brian Palik, and John B. Bradford | 878–889 | Thinning increases climatic resilience of red pine |