

ПН.
с 19/14

Canadian Journal of Forest Research

Revue canadienne de
recherche
forestière

Volume 44
Number 3 / Numéro 3

March / Mars
2014

An NRC Research
Press Journal

Une revue de
NRC Research
Press

www.nrcresearchpress.com



NRC
Research Press

Canadian Journal of Forest Research

Volume 44, Number 3, March 2014


Revue canadienne de recherche forestière

Volume 44, numéro 3, mars 2014

ARTICLES

- | | | |
|--|----------------|---|
| Matthew G. Olson, Spencer R. Meyer,
Robert G. Wagner, and Robert S. Seymour | 173–181 | Commercial thinning stimulates natural regeneration in spruce–fir stands |
| J.A. Trofymow, N.C. Coops, and D. Hayhurst | 182–194 | Comparison of remote sensing and ground-based methods for determining residue burn pile wood volumes and biomass |
| Josie S. Hughes, Marie-Josée Fortin,
Vince Nealis, and Jacques Régnière | 195–211 | Pollen cone production in jack pine: spatial and temporal patterns subject to natural disturbance by the jack pine budworm |
| Cedar Welsh, Kathy J. Lewis,
and Alex J. Woods | 212–219 | Regional outbreak dynamics of <i>Dothistroma</i> needle blight linked to weather patterns in British Columbia, Canada |
| Cosmin N. Filipescu, Eini C. Lowell,
Ross Koppenaal, and Al K. Mitchell | 220–229 | Modeling regional and climatic variation of wood density and ring width in intensively managed Douglas-fir |
| Michael Reinikainen, Anthony W. D’Amato,
John B. Bradford, and Shawn Fraver | 230–242 | Influence of stocking, site quality, stand age, low-severity canopy disturbance, and forest composition on sub-boreal aspen mixedwood carbon stocks |
| Michimasa Yamasaki, Yasuto Ito,
and Makoto Ando | 243–249 | Mass attack by the ambrosia beetle <i>Platypus quercivorus</i> occurs in single trees and in groups of trees |

Continued on inside back cover / Suite au verso



Front cover: Deadwood and cardinal flower in a riparian zone located within an unharvested control area of the University of Maine’s Acadian Forest Ecosystem Research Program (AFERP) experiment. The AFERP is situated in the Penobscot Experimental Forest in central Maine, USA. Image supplied by Dr. Matthew Olson, Missouri Department of Conservation.

Page couverture : « Bois mort et lobélie du cardinal dans une zone riveraine située dans une région témoin non exploitée faisant partie de l’expérience de l’Acadian Forest Ecosystem Research Program (AFERP) de l’Université du Maine. L’AFERP se situe dans la forêt expérimentale de Penobscot, dans le centre du Maine (É.-U.). Image fournie par Matthew Olson, Ph.D., Department of Conservation du Missouri. »



Contents (concluded) / Table des matières (suite et fin)

- | | | |
|--|----------------|---|
| Rubén Manso, Timo Pukkala, Marta Pardos,
Jari Miina, and Rafael Calama | 250–262 | Modelling <i>Pinus pinea</i> forest management to attain natural regeneration under present and future climatic scenarios |
| Finto Antony, Laurence R. Schimleck,
Lewis Jordan, Benjamin Hornsby,
Joseph Dahlen, Richard F. Daniels,
Alexander Clark III, Luis A. Apiolaza,
and Dudley Huber | 263–272 | Growth and wood properties of genetically improved loblolly pine: propagation type comparison and genetic parameters |