

PK,  
C 19/57

117720  
**Volume 91**  
Number 3 / Numéro 3  
March / Mars  
2013

An NRC Research  
Press Journal  
Une revue de  
NRC Research  
Press

[www.nrcresearchpress.com](http://www.nrcresearchpress.com)

# Canadian Journal of Zoology

Revue canadienne de  
zoologie



In cooperation with the  
Canadian Society of Zoologists



Avec le concours de  
la Société canadienne de zoologie



**Biochemistry and physiology**

ARTICLE

Marie Vagner, Benjamin de Montgolfier,  
Jean-Marie Sévigny, Réjean Tremblay,  
and Céline Audet

156–163

**Biochimie et physiologie**

ARTICLE

Expression of genes involved in key metabolic processes during winter flounder (*Pseudopleuronectes americanus*) metamorphosis

**Ecology**

ARTICLES

J.G.A. Martin, M. Festa-Bianchet, S.D. Côté,  
and D.T. Blumstein

118–123

**Écologie**

ARTICLES

Detecting between-individual differences in hind-foot length in populations of wild mammals

Jacqueline Codron, Kevin Kirkman,  
Kevin J. Duffy, Matt Sponheimer,  
Julia A. Lee-Thorp, Andre Ganswindt,  
Marcus Clauss, and Daryl Codron

124–134

Stable isotope turnover and variability in tail hairs of captive and free-ranging African elephants (*Loxodonta africana*) reveal dietary niche differences within populations

W.E. Peterman, J.L. Locke,  
and R.D. Semlitsch

135–140

Spatial and temporal patterns of water loss in heterogeneous landscapes: using plaster models as amphibian analogues

*Continued on inside back cover / Suite au verso*

**Front cover:** Sea stars (*Pisaster ochraceus* (Brandt, 1835)) on an intertidal mussel (*Mytilus californianus* Conrad, 1837) bed from Vancouver Island, British Columbia (photograph by Ricardo A. Scrosati, Antigonish, Nova Scotia).

**Page couverture :** Étoiles de mer (*Pisaster ochraceus* (Brandt, 1835)) sur un lit de moules (*Mytilus californianus* Conrad, 1837) intertidal dans l'île de Vancouver (Colombie-Britannique) (photographie de Ricardo A. Scrosati, Antigonish (Nouvelle-Écosse)).

<b>Hal Whitehead</b>	<b>141–148</b>	Trends in cetacean abundance in the Gully submarine canyon, 1988–2011, highlight a 21% per year increase in Sowerby's beaked whales ( <i>Mesoplodon bidens</i> )
<b>Cory R. Olson and Robert M.R. Barclay</b>	<b>149–155</b>	Concurrent changes in group size and roost use by reproductive female little brown bats ( <i>Myotis lucifugus</i> )
<b>M.B. Van Daele, C.T. Robbins, B.X. Semmens, E.J. Ward, L.J. Van Daele, and W.B. Leacock</b>	<b>164–174</b>	Salmon consumption by Kodiak brown bears ( <i>Ursus arctos middendorffi</i> ) with ecosystem management implications
<b>J.D. Thiem, D. Hatin, P. Dumont, G. Van Der Kraak, and S.J. Cooke</b>	<b>175–186</b>	Biology of lake sturgeon ( <i>Acipenser fulvescens</i> ) spawning below a dam on the Richelieu River, Quebec: behaviour, egg deposition, and endocrinology
	<b>Genetics</b>	<b>Génétique</b>
	ARTICLE	ARTICLE
<b>R. Gulevich, I. Oskina, O. Ilyina, Yu. Herbeck, I. Plyusnina, and L. Trut</b>	<b>111–117</b>	The non- <i>agouti</i> mutation in Norway rats ( <i>Rattus norvegicus</i> ) selected for behavior
	<b>Systematics and evolution</b>	<b>Systématique et évolution</b>
	NOTE	NOTE
<b>J. Cocco, A.R. Butnariu, E. Bessa, and A. Pasini</b>	<b>187–190</b>	Sex produces as numerous and long-lived offspring as parthenogenesis in a new parthenogenetic insect