


NY
C21



Volume 111, 13 October 2014

ISSN 0144-8617

Editors

J.F. Kennedy
J.R. Mitchell

Associate Editors

R.A.A. Muzzarelli
M.A. Coimbra
K.J. Edgar
R.C. Sun
B.S. Paulsen

Carbohydrate Polymers

SCIENTIFIC AND TECHNOLOGICAL ASPECTS OF
INDUSTRIALLY IMPORTANT POLYSACCHARIDES

Available online at www.sciencedirect.com


ScienceDirect



ELSEVIER

Contents lists available at ScienceDirect .

Carbohydrate Polymers

journal homepage: www.elsevier.com/locate/carbpol

Vol. 111, 13 October 2014

CONTENTS

(Abstracted/indexed in: BIOSIS (Biological Abstracts); Chemical Abstracts; Current Contents/Agriculture, Biology, Environmental Sciences; Engineering Index; Food Science and Technology Abstracts; Polymer Contents; Process and Chemical Engineering; Science Citation Index; SciSearch; Theoretical Chemical Engineering). Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.

- 1 Structural peculiarities of polysaccharide from sterile form of Far Eastern red alga *Ahnfeltiopsis flabelliformis*
A.O. KRAVCHENKO, S.D. ANASTYUK, V.V. ISAKOV, E.V. SOKOLOVA, V.P. GLAZUNOV, I.M. YERMAK (Russian Federation)
- 10 Alginate mediate for synthesis controllable sized AgNPs
M.K. ZAHTRAN, H.B. AHMED, M.H. EL-RAFIE (Egypt)
- 18 Controlled release of liposome-encapsulated Naproxen from core-sheath electrospun nanofibers
Z. LI, H. KANG, N. CHE, Z. LIU, P. LI, W. LI, C. ZHANG, C. CAO, R. LIU, Y. HUANG (China)
- 25 Remarkably regioselective deacylation of cellulose esters using tetraalkylammonium salts of the strongly basic hydroxide ion
X. ZHENG, R.D. GANDOUR, K.J. EDGAR (USA)
- 33 Branch pattern of starch internal structure influences the glucogenesis by mucosal Nt-maltase-glucoamylase
A.H. LIN, Z. AO, R. QUEZADA-CALVILLE, B.L. NICHOLS (USA), C.-T. LIN (ROC), B.R. HAMAKER (USA)
- 41 Synthesis and characterization of composite based on cellulose acetate and hydroxyapatite application to the absorption of harmful substances
K. AZZAOUI, A. LAMHAMDI, E.M. MEJDOUNI, M. BERRABAH, B. HAMMOUI, A. ELIDRISSI (MOROCCO), M.M.G. FOUDA, S.S. AL-DEYAB (Saudi Arabia)
- 47 A polysaccharide from *Salvia miltiorrhiza* Bunge improves immune function in gastric cancer rats
N. WANG, J. YANG, J. LU, Q. QIAO, T. WU, X. DU, G. BAO, X. HE (China)
- 56 Konjac glucomannan microspheres for low-cost desalting of protein solution
Z. XIONG, W. ZHOU, L. SUN, X. LI, D. ZHAO, Y. CHEN, J. LI, G. MA, Z. SU (PR CHINA)
- 63 Synthesis, characterization and solution behaviour of oxidized pullulan
A. SPATAREANU (Romania), M. BERCEA (Romania and France), T. BUDTOVA (France), V. HARABAGIU, L. SACARESCU, S. COSERI (Romania), MEMBERS OF EUROPEAN POLYSACCHARIDES NETWORK OFEXCELLENCE (EPNOE)
- 72 Antitumor metastasis activity of pectic polysaccharide purified from the peels of Korean *Citrus* Hallabong
E.H. LEE, H.-R. PARK, M.-S. SHIN, S.Y. CHO, H.-J. CHOI, K.-S. SHIN (Republic of Korea)
- 80 The shear dependence of the methylcellulose gelation phenomena in aqueous solution and in ceramic paste
M. KNARR, R. BAYER (Germany)
- 89 Effect of particle size and temperature on rheology and creep behavior of barley β -D-glucan concentrate dough
J. AHMED (Kuwait)
- 101 A robust pH-sensitive drug carrier: Aqueous micelles mineralized by calcium phosphate based on chitosan
Y. LV, H. HUANG, B. YANG, H. LIU, Y. LI, J. WANG (China)
- 108 Efficient removal of malachite green dye using biodegradable graft copolymer derived from amylopectin and poly(acrylic acid)
A.K. SARKAR, A. PAL, S. GHORAI, N.R. MANDRE, S. PAL (India)
- 116 Hydrolysis of dilute acid-pretreated cellulose under mild hydrothermal conditions
R.J. CHIMENTÃO, E. LORENTE, F. GISPERT-GUIRADO, F. MEDINA, F. LÓPEZ (Spain)
- 125 Synthesis and characterization of a novel chitosan-N-acetyl-homocysteine thiolactone polymer using MES buffer
C. FERRIS, M. CASAS, M.J. LUCERO, M.V. DE PAZ, M.R. JIMÉNEZ-CASTELLANOS (Spain)
- 133 Effect of retrogradation time on preparation and characterization of proso millet starch nanoparticles
Q. SUN, M. GONG, Y. LI, L. XIONG (China)
- 139 Chemical structure and biological activity of a highly branched (1 → 3,1 → 6)- β -D-glucan from *Isochrysis galbana*
I. SADOVSKAYA, A. SOUSSI, S. SOUSSI, T. GRARD, P. LENCEL (France), C.M. GREENE, S. DUIN (Ireland), P.S. DMITRENOK, A.O. CHIZHOV, A.S. SHASHKOV, A.I. USOV (Russian Federation)
- 149 Review on flammability of biofibres and biocomposites
M.E. MNGOMEZULU, M.J. JOHN, V. JACOBS, A.S. LUYT (South Africa)
- 183 Sequential low and medium frequency ultrasound assists biodegradation of wheat chaff by white rot fungal enzymes
C.M. OLIVER, R. MAWSON (Australia), L.D. MELTON (New Zealand), G. DUMSDAY, J. WELCH, P. SANGUANSRI, T.K. SINGH, M.A. AUGUSTIN (Australia)
- 191 Evaluation of the biotechnological potential of *Rhizobium tropici* strains for exopolysaccharide production
T.C.L. CASTELLANE, M.V.F. LEMOS, E.G. DE M. LEMOS (Brazil)

continued

- 198 Ion exchange kinetics of magnetic alginate ferrogel beads produced by external gelation
V.F.T. TEIXEIRA, N.R. PEREIRA, W.R. WALDMAN, A.L.C.D. ÁVILA, V.H. PÉREZ, R.J.S. RODRÍGUEZ (Brazil)
- 206 Choline chloride based ionic liquid analogues as tool for the fabrication of agar films with improved mechanical properties
A.M.M. SOUSA (Portugal and USA), H.K.S. SOUZA (Portugal), N. LATONA, C.-K. LIU (USA), M.P. GONÇALVES (Portugal), L. LIU (USA)
- 215 Ellagic acid encapsulated chitosan nanoparticles as anti-hemorrhagic agent
L. GOPALAKRISHNAN, L.N. RAMANA, S. SETHURAMAN, U.M. KRISHNAN (India)
- 222 Characterization of an acetyl esterase from *Myceliophthora thermophila* C1 able to deacetylate xanthan
M.M. KOOL, H.A. SCHOLS (The Netherlands), M. WAGENKNECHT (Germany), S.W.A. HINZ (The Netherlands), B.M. MOERSCHBACHER (Germany), H. GRUPPEN (The Netherlands)
- 230 Manganese-containing cellulose nanocomposites: The restrain effect of cellulose treated with NaOH/urea aqueous solutions
M.-G. MA, F. DENG, K. YAO (PR China)
- 236 Determination of the degree of deacetylation of chitosan by capillary zone electrophoresis
C. WU, C.Y. KAO, S.-Y. TSENG, K.C. CHEN, S.-F. CHEN (Taiwan)
- 245 Extraction optimization, characterization and immunity activity of polysaccharides from *Fructus Jujubae*
G. CUI, W. ZHANG, Q. WANG, A. ZHANG, H. MU, H. BAI, J. DUAN (China)
- 256 Molecular encapsulation of ascorbyl palmitate in preformed V-type starch and amylose
L. KONG, G.R. ZIEGLER (USA)
- 264 A novel thermostable, alkaline pectate lyase from *Bacillus tequilensis* SV11 with potential in textile industry
S.R. CHILIVERI, V.R. LINGA (India)
- 273 Novel starch based nano scale enteric coatings from soybean meal for colon-specific delivery
N. SIVAPRAGASAM, P. THAVARAJAH, J.-B. OHM, J.-B. OHM, K. MARGARET, D. THAVARAJAH (USA)
- 280 Photoresponsive cellulose fibers by surface modification with multifunctional cellulose derivatives
O. GRIGORAY, H. WONDRAZEK, E. HEIKKILÄ (Finland), P. FARDIM (Finland and Saudi Arabia), T. HEINZE (Finland and Germany)
- 288 Composite chitosan/silk fibroin nanofibers for modulation of osteogenic differentiation and proliferation of human mesenchymal stem cells
G.-J. LAI, K.T. SHALUMON, S.-H. CHEN, J.-P. CHEN (ROC)
- 298 Layer-by-layer assembly of chitosan stabilized multilayered liposomes for paclitaxel delivery
M.-X. CHEN, B.-K. LI, D.-K. YIN, J. LIANG, S.-S. LI, D.-Y. PENG (PR China)
- 305 A comprehensive approach to *in vitro* functional evaluation of Ag/alginate nanocomposite hydrogels
J. STOJKOVSKA, D. KOSTIĆ, Ž. JOVANOVIĆ, M. VUKASINOVIĆ-SEKULIĆ, V. MIŠKOVIĆ-STANKOVIĆ, B. OBRADOVIĆ (Serbia)
- 315 Optimization of ultrasonic-assisted extraction and *in vitro* antioxidant activities of polysaccharides from *Trametes orientalis*
Y. ZHENG, Y. LI, W.-D. WANG (China)
- 324 Optimization of polysaccharides extraction from *Trametes robbiniophila* and its antioxidant activities
Y. WANG, Y. LIU, Y. HU (China)
- 333 Effect of spatial distribution of wax and PEG-isocyanate on the morphology and hydrophobicity of starch films
D. MUSCAT, R. ADHIKARI, M.J. TOBIN, S. MCKNIGHT, L. WAKELING, B. ADHIKARI (Australia)
- 348 Chitosan/agarose hydrogels: Cooperative properties and microfluidic preparation
V. ZAMORA-MORA (Spain and Canada), D. VELASCO, R. HERNÁNDEZ (Canada), C. MIJANGOS, E. KUMACHEVA (Spain and Canada)
- 356 Preparation and antibacterial activity of the oligosaccharides derived from *Rhizoma Phragmites*
Z.-G. QIAN, L.-F. JIANG (China)
- 359 Physicochemical and thermomechanical characterization of tara gum edible films: Effect of polyols as plasticizers
J. ANTONIOU, F. LIU, H. MAJEEED, H.J. QAIZI, F. ZHONG (PR China)
- 366 Thermoresponsive chitosan–agarose hydrogel for skin regeneration
S.P. MIGUEL, M.P. RIBEIRO, H. BRANCAL, P. COUTINHO, I.J. CORREIA (Portugal)
- 374 The effect of hydrogen peroxide concentration and solid loading on the fractionation of biomass in formic acid
K. DUSSAN (Ireland), B. GIRSUTA (Singapore), D. HAVERTY, J.J. LEAHY, M.H.B. HAYES (Ireland)
- 385 Chitosan mouthwash: Toxicity and *in vivo* validation
E.M. COSTA, S. SILVA, M.R. COSTA, M. PEREIRA, D.A. CAMPOS, J. ODILA, A.R. MADUREIRA, A. CARDELLE-COBAS, F.K. TAVARIA, A.S. RODRIGUES, M.M. PINTADO (Portugal)
- 393 Preparation of cellulose based microspheres by combining spray coagulating with spray drying
Q. WANG, A. FU, H. LI, J. LIU, P. GUO (China), X.S. ZHAO (China and Australia), L.H. XIA (China)
- 400 Impact of regeneration process on the crystalline structure and enzymatic hydrolysis of cellulose obtained from ionic liquid
X. CAO, X. PENG, S. SUN, L. ZHONG, S. WANG, F. LU, R. SUN (China)
- 404 Horseradish peroxidase-catalyzed formation of hydrogels from chitosan and poly(vinyl alcohol) derivatives both possessing phenolic hydroxyl groups
S. SAKAI (Japan), M. KHANMOHAMMADI, A.B. KHOSHETRAT (Iran), M. TAYA (Japan)
- 410 Chemical characterisation and analysis of the cell wall polysaccharides of duckweed (*Lemna minor*)
X. ZHAO, Ģ.K. MOATES, N. WELLNER, S.R.A. COLLINS, M.J. COLEMAN, K.W. WALDRON (UK)
- 419 Cellulose nanocrystals (CNC) as carriers for a spirooxazine dye and its effect on photochromic efficiency
B. SUN (China and Canada), Q. HOU (China), Z. HE (Canada), Z. LIU (China), Y. NI (China and Canada)
- 425 Self-association of sodium deoxycholate with EHEC cellulose cooperatively induced by sodium dodecanoate
S. DE M. MODOLON, A.C. FELIPPE, T.E. FIZON, L. DA SILVA, M.M. DA SILVA PAULA, A.G. DAL-BÓ (Brazil)
- 433 Decanoic acid grafted oligochitosan nanoparticles as a carrier for insulin transport in the gastrointestinal tract
X. DU, J. ZHANG, Y. ZHANG, S. LI, X. LIN, X. TANG, Y. ZHANG, Y. WANG (China)
- 442 Hydrophobic-modified nano-cellulose fiber/PLA biodegradable composites for lowering water vapor transmission rate (WVTR) of paper
Z. SONG (Canada), H. XIAO (Canada and China), Y. ZHAO (China)
- 449 Characterization of physicochemical properties of carboxymethyl agar
M. CAO, X. LIU, J. LUAN, X. ZHANG (China)

- 456 Enhanced mechanical and thermal properties of regenerated cellulose/graphene composite fibers
M. TIAN, L. QU, X. ZHANG (China), K. ZHANG (USA), S. ZHU, X. GUO, G. HAN, X. TANG, Y. SUN (China)
- 463 Preparation and properties of organic-inorganic composite superabsorbent based on xanthan gum and loess
E. FENG, G. MA, Y. WU, H. WANG, Z. LEI (China)
- 469 Recycled chitosan nanofibril as an effective Cu(II), Pb(II) and Cd(II) ionic chelating agent: Adsorption and desorption performance
D. LIU, Z. LI, Y. ZHU, Z. LI (China), R. KUMAR (India)
- 477 Sodium cobalt hexacyanoferrate encapsulated in alginate vesicle with CNT for both cesium and strontium removal
A.K. VIPIN, S. LING, B. FUGETSU (Japan)
- 485 Structural elucidation of the exopolysaccharide produced by the mangrove fungus *Penicillium solitum*
M. YAN, W. MAO, C. CHEN, X. KONG, Q. GU, N. LI, X. LIU, B. WANG, S. WANG, B. XIAO (People's Republic of China)
- 492 Amorphous supramolecular structure of carboxymethyl cellulose in aqueous solution at different pH values as determined by rheology, small angle X-ray and light scattering
I. DOGSA, M. TOMŠIĆ, J. OREHEK, E. BENIGAR, A. JAMNIK, D. STOPAR (Slovenia)
- 505 Reinforcement of bacterial cellulose aerogels with biocompatible polymers
N. PIRCHER, S. VEIGEL, N. AIGNER (Austria), J.M. NEDELEC (France), T. ROSENAU, F. LIEBNER (Austria)
- 514 Enhancement of nanofibrillation of softwood cellulosic fibers by oxidation and sulfonation
S. PAN, A.J. RAGAUSKAS (USA)
- 524 Reactive coating of soybean oil-based polymer on nanofibrillated cellulose film for water vapor barrier packaging
P. LU, H. XIAO (Canada), W. ZHANG (Canada and PR China), G. GONG (Canada)
- 530 Electrospun chitosan nanofibers with controlled levels of silver nanoparticles. Preparation, characterization and antibacterial activity
S.J. LEE, D.N. HEO, J.-H. MOON, W.-K. KO, J.B. LEE, M.S. BAE, S.W. PARK, J.E. KIM, D.H. LEE, E.-C. KIM, C.H. LEE, I.K. KWON (Republic of Korea)
- 538 Selective isolation of β -glucan from corn pericarp hemicelluloses by affinity chromatography on cellulose column
T. YOSHIDA, Y. HONDA, T. TSUJIMOTO, H. UYAMA, J.-I. AZUMA (Japan)
- 543 Effect of amylose:amylopectin ratio and rice bran addition on starch films properties
A. CANO, A. JIMÉNEZ, M. CHÁFER, C. GÓNZALEZ, A. CHIRALT (Spain)
- 556 Amputation of congo red dye from waste water using microwave induced grafted *Luffa cylindrica* cellulosic fiber
V.K. GUPTA, D. PATHANIA, S. AGARWAL, S. SHARMA (India)
- 567 Optimization of enzyme assisted extraction of polysaccharides from *Astragalus membranaceus*
H. CHEN, X. ZHOU (PR China), J. ZHANG (Canada)
- 576 Extraction, preliminary characterization and immunostimulatory activity *in vitro* of a polysaccharide isolated from *Strongylocentrotus nudus* eggs
Y. MA, Y. XING, H. MI, Z. GUO, Y. LU, T. XI (China)
- 584 Extraction, purification and antioxidant activities of the polysaccharides from maca (*Lepidium meyenii*)
S. ZHA, Q. ZHAO, J. CHEN, L. WANG, G. ZHANG, H. ZHANG, B. ZHAO (PR China)
- 588 Enhanced electrochemical properties of LiFePO₄ (LFP) cathode using the carboxymethyl cellulose lithium (CMC-Li) as novel binder in lithium-ion battery
L. QIU, Z. SHAO, D. WANG, W. WANG, F. WANG, J. WANG (PR China)
- 592 Structural and physicochemical characteristics of starch from sugar cane and sweet sorghum stalks
F.V. ALVES, L.F. POLESI, C.L. AGUIAR, S.B.S. SARMENTO (Brazil)
- 598 FTIR characterization of protein-polysaccharide interactions in extruded blends
P. GUERRERO (Spain), J.P. KERRY (Ireland), K. DE LA CABA (Spain)
- 606 Cellulase-assisted extraction and antioxidant activity of the polysaccharides from garlic
S. PAN, S. WU (China)
- 610 Monoacryloyl esters of carbohydrates: Synthesis, polymerization and application in ceramic technology
P. WIECINSKA, T. MIZERSKI, M. SZAFRAN (Poland)
- 619 *Sargassum filipendula* alginate from Brazil: Seasonal influence and characteristics
C. BERTAGNOLLI, A.P.D.M. ESPINDOLA, S.J. KLEINÜBING, L. TASIC, M.G.C. DA SILVA (Brazil)
- 624 Stability and physicochemical properties of model salad dressings prepared with pregelatinized potato starch
G. BORTNOWSKA, J. BALEJKO (Poland), V. SCHUBE (Germany), G. TOKARCZYK, N. KRZEMIŃSKA, K. MOJKA (Poland)
- 633 Mekabu fucoidan: Structural complexity and defensive effects against avian influenza A viruses
A. SYNYTSYA, R. BLEHA, A. SYNYTSYA, R. POHL (Czech Republic), K. HAYASHI, K. YOSHINAGA, T. NAKANO, T. HAYASHI (Japan)
- 645 Bamboo: A new source of carbohydrate for biorefinery
M.-X. HE, J.-L. WANG, H. QIN, Z.-X. SHUI, Q.-L. ZHU, B. WU, F.-R. TAN, K. PAN, Q.-C. HU, L.-C. DAI, W.-G. WANG, X.-Y. TANG, G.Q. HU (PR China)
- 655 Inclusion complex of GA-13316 with β -cyclodextrin: Preparation, characterization, molecular modeling, and *in vitro* evaluation
R. YANG, J.-B. CHEN, C.-F. XIAO, Z.-C. LIU, Z.-Y. GAO, S.-J. YAN, J.-H. ZHANG, H.-B. ZHANG, J. LIN (PR China)
- 663 Integrated biorefinery based on hydrothermal and alkaline treatments: Investigation of sorghum hemicelluloses
S.-L. SUN, J.-L. WEN, M.-G. MA, X.-L. SONG, R.-C. SUN (China)
- 670 Antimicrobial and inhibitory enzyme activity of N-(benzyl) and quaternary N-(benzyl) chitosan derivatives on plant pathogens
M.E.I. BADAWY, E.I. RABEA, N.E.M. TAKTAK (Egypt)
- 683 Aerogels from quaternary ammonium-functionalized cellulose nanofibers for rapid removal of Cr(VI) from water
X. HE, L. CHENG, Y. WANG, J. ZHAO, W. ZHANG, C. LU (China)
- 688 Effects of tribiochemical treatments on the integrity of cellulose
B. STEFANOVIĆ, K.F. PIRKER, T. ROSENAU, A. POTTHAST (Austria)
- 700 Effect of alginate and chitosan on viability and release behavior of *Bifidobacterium pseudocatenulatum* G4 in simulated gastrointestinal fluid
N. KAMALIAN, H. MIRHOSSEINI, S. MUSTAFA, M.Y.A. MANAP (Malaysia)
- 707 Dextran immobilization on epoxy CIM® disk for the production of isomaltooligosaccharides from dextran
E. BERTRAND, G. PIERRE, C. DELATTRE, C. GARDARIN, N. BRIDIAU, T. MAUGARD (France), A. ŠTRANCAR (Slovenia), P. MICHAUD (France)

- 714 Structural characterization and stimulating effect on osteoblast differentiation of a purified heteropolysaccharide isolated from *Hedysarum polybotrys*
L. ZHAO, H. ZHAO, X. SHENG, T. CHEN, Z. DANG, L. AN, J. MA, S. FENG, Y. XIA (PR China)
- 722 Evolution of morphology of bacterial cellulose scaffolds during early culture
H. LUO, J. ZHANG, G. XIONG, Y. WAN (PR China)
- 729 Effect of phthaloylation on radical-scavenging and moisture-preserving activities of polysaccharide from *Enteromorpha linza*
X. WANG, Z. ZHANG, M. ZHAO, H. QI (China)
- 734 One pot green synthesis of Ag, Au and Au–Ag alloy nanoparticles using *isonicotinic acid hydrazide* and starch
S. MALATHI, T. EZHILARASU, T. ABIRAMAN, S. BALASUBRAMANIAN (India)
- 744 Preparation and immunomodulating activities of a library of low-molecular-weight α -glucans
R. ZHU, X. ZHANG, W. LIU, Y. ZHOU, R. DING, W. YAO, X. GAO (PR China)
- 753 The synthesis, self-assembling, and biocompatibility of a novel O-carboxymethyl chitosan cholate decorated with glycyrrhetic acid
H. DU, X. YANG, X. PANG, G. ZHAI (China)
- 762 Optimization of polysaccharides extraction from *Clematis huchouensis* Tamura and its antioxidant activity
Z. ZHANG, X. WANG, M. ZHAO, K. QIAN (China)
- 768 Application of cellulose acetate to the selective adsorption and recovery of Au(III)
J. YANG, F. KUBOTA, Y. BABA, N. KAMIYA, M. GOTO (Japan)
- 775 Optimization of enzyme assisted extraction of *Fructus Mori* polysaccharides and its activities on antioxidant and alcohol dehydrogenase
Q. DENG, X. ZHOU, H. CHEN (PR China)
- 783 Anti-tumor properties of orally administered glucosamine and N-acetyl-D-glucosamine oligomers in a mouse model
S. MASUDA, K. AZUMA, S. KUROZUMI, M. KIYOSÉ, T. OSAKI, T. TSUKA, N. ITOH, T. IMAGAWA, S. MINAMI, K. SATO, Y. OKAMOTO (Japan)
- 788 Removal of Cu(II) and Cr(VI) from wastewater by an amphoteric sorbent based on cellulose-rich biomass
Q.-Q. ZHONG, Q.-Y. YUE, Q. LI, B.-Y. GAO, X. XU (PR China)
- 797 Cationic hemicellulose-based hydrogels for arsenic and chromium removal from aqueous solutions
D. DAX (Finland), M.S. CHÁVEZ (Chile), C. XU (Finland and Sweden), S. WILLFÖR (Finland), R.T. MENDONÇA, J. SÁNCHEZ (Chile)
- 806 β -CD assisted dissolution of quaternary ammonium permanganates in aqueous medium
S.P. BANK, P.S. GURU, S. DASH (India)
- 813 Taguchi design and equilibrium modeling for fluoride adsorption on cerium loaded cellulose nanocomposite bead
D. SANTRA, R. JOARDER, M. SARKAR (India)
- 822 Degradation of fucoidans from *Sargassum fulvellum* and their biological activities
B.W. JO, S.-K. CHOI (Republic of Korea)
- 830 Preparation and characterization of guar gum hydrogels as carrier materials for controlled protein drug delivery
H. KONO, F. OTAKA, M. OZAKI (Japan)
- 841 Characteristics of starch-based films plasticised by glycerol and by the ionic liquid 1-ethyl-3-methylimidazolium acetate:
A comparative study
F. XIE, B.M. FLANAGAN, M. LI, P. SANGWAN, R.W. TRUSS, P.J. HALLEY, E.V. STROUNINA, A.K. WHITTAKER, M.J. GIDLEY, K.M. DEAN
(Australia), J.L. SHAMSHINA, R.D. ROGERS (USA), T. MCNALLY (UK)
- 849 Surface modification of cellulose using silane coupling agent
M.K. THAKUR, R.K. GUPTA (India), V.K. THAKUR (USA)
- 856 Characterization and immunomodulatory activity of polysaccharides derived from *Dendrobium tosaense*
L.-C. YANG, T.-J. LU, C.-C. HSIEH, W.-C. LIN (Taiwan)
- 864 Insoluble starch composite foams produced through microwave expansion
Y. DENG, J.M. CATCHMARK (USA)
- 870 Quantitative analysis of the multifunctional finishing of cotton fabric with non-formaldehyde agents
V. POPESCU, E. VASLUIANU, G. POPESCU (Romania)
- 883 Novel synthetic method for the preparation of amphiphilic hyaluronan by means of aliphatic aromatic anhydrides
G. HUERTA-ANGELES, M. BOBEK, E. PŘÍKOPOVÁ, D. ŠMEJKALOVÁ, V. VELEBNÝ (Czech Republic)
- 892 Preparation and characterization of anionic pullulan thermoassociative nanoparticles for drug delivery
G. MOCANU, M. NICHFOR (Romania), L. PICTON, E. ABOUT-JAUDET, D. LE CERF (France)
- 901 Chitosan microbeads for encapsulation of thyme (*Thymus serpyllum* L.) polyphenols
K.T. TRIFKOVIĆ, N.Z. MILAŠINOVIĆ, V.B. DJORDJEVIĆ, M.T.K. KRUŠIĆ, Z.D. KNJEŽEVIC-JUGOVIĆ, V.A. NEDOVIĆ, B.M. BUGARSKI (Serbia)
- 908 pH-sensitive pullulan-based nanoparticle carrier for adriamycin to overcome drug-resistance of cancer cells
H. GUO, Y. LIU, Y. WANG, J. WU, X. YANG, R. LI, Y. WANG, N. ZHANG (PR China)
- 918 Aggregate and emulsion properties of enzymatically-modified octenylsuccinylated waxy starches
M.C. SWEEDMAN (China and Australia), C. SCHÄFER (Switzerland), R.G. GILBERT (China and Australia)
- 928 A novel melphalan polymeric prodrug: Preparation and property study
D. LI, B. LU, Z. HUANG, P. XU, H. ZHENG, Y. YIN, H. XU, X. LIU (PR China), L. CHEN (Canada), Y. LOU, X. ZHANG, F. XIONG (PR China)
- 936 Influence of culture medium growth variables on *Ganoderma lucidum* exopolysaccharides structural features
I. FRAGA, J. COUTINHO, R.M. BEZERRA, A.A. DIAS, G. MARQUES, F.M. NUNES (Portugal)
- 947 Purification and antioxidant activities of intracellular zinc polysaccharides from *Pleurotus cornucopiae* SS-03
J. ZHANG, Z. MA, L. ZHENG, G. ZHAI, L. WANG, M. JIA, L. JIA (PR China)
- 955 Influence of $\text{HNO}_3/\text{H}_3\text{PO}_4$ - NANO_2 mediated oxidation on the structure and properties of cellulose fibers
Y. XU, X. LIU, X. LIU, J. TAN, H. ZHU (China)
- 964 pH/redox responsive core cross-linked nanoparticles from thiolated carboxymethyl chitosan for in vitro release study of methotrexate
C. GAO, T. LIU, Y. DANG, Z. YU, W. WANG, J. GUO, X. ZHANG, G. HE, H. ZHENG, Y. YIN, X. KONG (PR China)
- 971 Facile size-regulated synthesis of silver nanoparticles using pectin
M.K. ZAHRAN, H.B. AHMED, M.H. EL-RAFIE (Egypt)
- 979 Isolation and characterization of cellulose nanocrystals from spruce bark in a biorefinery perspective
M. LE NORMAND, R. MORIANA, M. EK (Sweden)