

Volume 113, 26 November 2014

ISSN 0144-8617

Editors

J.F. Kennedy

J.R. Mitchell

Associate Editors

R.A.A. Muzzarelli

M.A. Coimbra

K.J. Edgar

R.C. Sun


B.S. Paulsen

Carbohydrate Polymers

SCIENTIFIC AND TECHNOLOGICAL ASPECTS OF
INDUSTRIALLY IMPORTANT POLYSACCHARIDES

Available online at www.sciencedirect.com

ScienceDirect



Vol. 113, 26 November 2014

CONTENTS

(Abstracted/indexed in: BIOSIS (Biological Abstracts); Chemical Abstracts; Current Contents/Agriculture, Biology, Environmental Sciences; Engineering Index; Food Science and Technology Abstracts; Polymer Contents; Process and Chemical Engineering; Science Citation Index; SciSearch; Theoretical Chemical Engineering). Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.

- 1 Cellulose extraction from *Zoysia japonica* pretreated by alumina-doped MgO in AMIMCl
L. LIU, M. JU, W. LI, Y. JIANG (PR China)
- 9 Investigation of inclusion complex of honokiol with sulfolbutyl ether- β -cyclodextrin
C. XU, Y. TANG, W. HU, R. TIAN, Y. JIA, P. DENG, L. ZHANG (PR China)
- 16 New carboxymethyl cellulose tosylate with low biodeterioration
J. OREHEK, K. PETEK, I. DOGSA, D. STOPAR (Slovenia)
- 22 The isolation and antioxidant activity of polysaccharides from the marine microalgae *Isochrysis galbana*
Y. SUN, H. WANG, G. GUO, Y. PU, B. YAN (PR China)
- 32 Self-degradation of tissue adhesive based on oxidized dextran and poly-L-lysine
K. MATSUMURA, N. NAKAJIMA, H. SUGAI, S.-H. HYON (Japan)
- 39 A specific immunological method to detect and quantify bacterial 2-substituted (1,3)- β -D-glucan
M.L. WERNING, A. PÉREZ-RAMOS, P. FERNÁNDEZ DE PALENCIA, M.L. MOHEDANO, M.T. DUEÑAS, A. PRIETO, P. LÓPEZ (Spain)
- 46 Natural polymer biocomposites produced from processing raw wood flour by severe shear deformation
X. ZHANG, X. WU, H. HARYONO, K. XIA (Australia)
- 53 Interactions between cellulose ethers and a bile salt in the control of lipid digestion of lipid-based systems
A. TORCELLO-GÓMEZ, T.J. FOSTER (UK)
- 62 Water soluble polysaccharides extracted from *Pterocladia capillacea* and *Dictyopteris membranacea* and their biological activities
A.H. ABOU ZEID, E.A. ABOUTABL, A.A. SLEEM, H.M. EL-RAFIE (Egypt)
- 67 Dissolution enthalpies of cellulose in ionic liquids
H. PARVIAINEN, A. PARVIAINEN, T. VIRTANEN, I. KILPELÄINEN, P. AHVENAINEN, R. SERIMAA, S. GRÖNQVIST, T. MALONEY, S.L. MAUNU (Finland)
- 77 Grafting printing of cellulose fabric with the reactive disperse dyes containing N-substituted 3-chloro-2-hydroxypropyl group
M. LI, K. ZHANG, K. XIE (PR China)
- 83 Acidic ionic liquid as “quasi-homogeneous” catalyst for controllable synthesis of cellulose acetate
D. TIAN, Y. HAN, C. LU, X. ZHANG, G. YUAN (China)
- 91 Debranching and temperature-cycled crystallization of waxy rice starch and their digestibility
F. ZENG, F. MA, Q. GAO, S. YU, F. KONG, S. ZHU (China)
- 97 Amylase binding to starch granules under hydrolysing and non-hydrolysing conditions
S. DHITAL, F.J. WARREN, B. ZHANG, M.J. GIDLEY (Australia)
- 108 Acidic ionic liquid catalyzed crosslinking of oxycellulose with chitosan for advanced biocomposites
Y. ZHOU, M. FAN (China, UK), X. LUO, L. HUANG, L. CHEN (China)
- 115 Application of chitosan and its derivatives as adsorbents for dye removal from water and wastewater: A review
M. VAKILI, M. RAFATULLAH, B. SALAMATINIA, A.Z. ABDULLAH, M.H. IBRAHIM, K.B. TAN, Z. GHOLAMI, P. AMOUZGAR (Malaysia)
- 131 Laccase-assisted grafting of poly(3-hydroxybutyrate) onto the bacterial cellulose as backbone polymer: Development and characterisation
H.M.N. IQBAL, G. KYAZZE (UK), T. TRON (France), T. KESHAVARZ (UK)
- 138 Locust bean gum in the development of sustained release mucoadhesive macromolecules of aceclofenac
V.D. PRAJAPATI, G.K. JANI, N.G. MORADIYA, N.P. RANDEIRA, P.M. MAHERIYA, B.J. NAGAR (India)
- 149 Impact of ancient cereals, pseudocereals and legumes on starch hydrolysis and antiradical activity of technologically viable blended breads
C. COLLAR, T. JIMÉNEZ (Spain), P. CONTE (Spain, Italy), C. FADDA (Italy)
- 159 Glycan ester deacylation by TBAOH or TBAF: Regioselectivity vs. polysaccharide structure
R. ZHANG, X. ZHENG, J. KUANG, K.J. EDGAR (USA)
- 166 Grafting of β -cyclodextrin to magnetic graphene oxide via ethylenediamine and application for Cr(VI) removal
H. WANG, Y.-G. LIU, G.-M. ZENG, X.-J. HU, X. HU, T.-T. LI, H.-Y. LI, Y.-Q. WANG, L.-H. JIANG (PR China)

- 174 Quaternary chitosan oligomers enhance resistance and biocontrol efficacy of *Rhodosporidium paludigenum* to green mold in satsuma orange
L. LU, Y. LIU, J. YANG, R. AZAT, T. YU, X. ZHENG (People's Republic of China)
- 182 A mechanistic approach to studies of the possible digestion of retrograded starch by α -amylase revealed using a log of slope (LOS) plot
H. PATEL, R. DAY, P.J. BUTTERWORTH, P.R. ELLIS (UK)
- 189 The effect of thermal history on the elasticity of K-type gellan gels
Y. NITTA, M. YOSHIMURA (Japan), K. NISHINARI (PR China)
- 194 Syntheses of new rare earth complexes with carboxymethylated polysaccharides and evaluation of their in vitro antifungal activities
X. SUN, X. JIN, W. PAN, J. WANG (China)
- 200 Surface modification of electrospun cellulose acetate nanofibers via RAFT polymerization for DNA adsorption
S. DEMIRCI, A. CELEBIOGLU, T. UYAR (Turkey)
- 208 Influence of sodium carboxymethylcellulose on the aggregation behavior of aqueous 1-hexadecyl-3-methylimidazolium chloride solutions
B. DAS, D. RAY (India), R. DE (Republic of Korea)
- 217 Formation of polyelectrolyte complexes with diethylaminoethyl dextran: Charge ratio and molar mass effect
D. LE CERF, A.S. PEPIN, P.M. NIANG (France), M. CRISTEA (Romania), C. KARAKASYAN-DIA, L. PICTON (France)
- 225 Rapid microwave-assisted synthesis of polydextrose and identification of structure and function
H. WANG, Y. SHI, G. LE (PR China)
- 231 Electrospinning of chitosan/sericin/PVA nanofibers incorporated with in situ synthesis of nano silver
E. HADIPOUR-GOUDARZI, M. MONTAZER, M. LATIFI, A.A.G. AGHAJI (Iran)
- 240 A comparison of physicochemical properties of sterilized chitosan hydrogel and its applicability in a canine model of periodontal regeneration
S. ZANG, G. DONG, B. PENG, J. XU, Z. MA, X. WANG, L. LIU, Q. WANG (PR China)
- 249 Synthesis of carboxymethyl cellulose from waste of cotton ginning industry
N. HALEEM, M. ARSHAD, M. SHAHID, M.A. TAHIR (Pakistan)
- 256 Improved starch recovery from potatoes by enzymes and reduced water holding of the residual fibres
U.R. RAMASAMY, S. LIPS, R. BAKKER, H. GRUPPEN, M.A. KABEL (The Netherlands)
- 264 Flexible, highly transparent and iridescent all-cellulose hybrid nanopaper with enhanced mechanical strength and writable surface
R. XIONG, Y. HAN, Y. WANG, W. ZHANG, X. ZHANG, C. LU (China)
- 272 Characterisation of biodegradable pectin aerogels and their potential use as drug carriers
A. VERONOVSKI, G. TKALEC, Ž. KNEZ, Z. NOVAK (Slovenia)
- 279 Facile synthesis of acyl chitosan isothiocyanates and their application to porphyrin-appended chitosan derivative
M. SHIBANO, S. NISHIDA, Y. SAITO, H. KAMITAKAHARA, T. TAKANO (Japan)
- 286 Mucoadhesive beads of gellan gum/pectin intended to controlled delivery of drugs
F.G. PREZOTTI, B.S.F. CURY, R.C. EVANGELISTA (Brazil)
- 296 Thermal preparation of chitosan-acrylic acid superabsorbent: Optimization, characteristic and water absorbency
H. GE, S. WANG (China)
- 304 In vitro and in vivo evaluation of chitosan microspheres with different deacetylation degree as potential embolic agent
X. ZHOU, M. KONG, X.J. CHENG, C. FENG, J. LI, J.J. LI, X.G. CHEN (China)
- 314 Ultrasound-assisted enzymatic extraction and antioxidant activity of polysaccharides from pumpkin (*Cucurbita moschata*)
H. WU, J. ZHU, W. DIAO, C. WANG (PR China)
- 325 Synthesis and characterization of phosphorylated galactomannan: The effect of DS on solution conformation and antioxidant activities
J. WANG, T. YANG, J. TIAN, T. ZENG, X. WANG, J. YAO, J. ZHANG, Z. LEI (People's Republic of China)
- 336 Rheological characterization of acid pectin samples in the absence and presence of monovalent ions
A. STRÖM, E. SCHUSTER (Sweden), S.M. GOH (Singapore)
- 344 Preparation and properties of polyester fabrics grafted with O-carboxymethyl chitosan
J. LV, Q. ZHOU, G. LIU, D. GAO, C. WANG (China)
- 353 Preparation of POSS-poly(ϵ -caprolactone)- β -cyclodextrin/ Fe_3O_4 hybrid magnetic micelles for removal of bisphenol A from water
W. YUAN, J. SHEN, L. LI, X. LIU, H. ZOU (People's Republic of China)
- 362 Preparation and gel properties of low molecular weight curdlan by hydrolysis of curdlan with commercial α -amylase
Y.-F. CHEN, Q. ZHU, S.-J. WU (China)
- 365 Rheology and characteristics of sulfated polysaccharides from chlorophyten seaweeds *Ulva fasciata*
P. SHAO, M. QIN, L. HAN, P. SUN (China)
- 373 Peach gum polysaccharide polyelectrolyte: Preparation, properties and application in layer-by-layer self-assembly
J. HUANG, L. ZHOU (PR China)
- 380 Ultrasound enhanced production and antioxidant activity of polysaccharides from mycelial fermentation of *Phellinus igniarius*
H. ZHANG, H. MA, W. LIU, J. PEI, Z. WANG, H. ZHOU, J. YAN (China)
- 388 Homogeneous isolation of nanocelluloses by controlling the shearing force and pressure in microenvironment
J. LI, Y. WANG, X. WEI, F. WANG, D. HAN, Q. WANG (PR China), L. KONG (Australia)
- 394 Spin coated cellulose nanocrystal/silver nanoparticle films
E. FORTUNATI, S. MATTIOLI, I. ARMENTANO (Italy), J.M. KENNY (Italy and Spain)
- 403 Enhanced thermal and mechanical properties of PVA composites formed with filamentous nanocellulose fibrils
W. LI, Q. WU, X. ZHAO, Z. HUANG, J. CAO, J. LI, S. LIU (China)
- 411 Antisolvent precipitation of water-soluble hemicelluloses from TMP process water
D. ZASADOWSKI, J. YANG, H. EDLUND, M. NORGRÉN (Sweden)

- 420 Structural features and complement fixing activity of polysaccharides from *Codonopsis pilosula* Nannf. var. *modesta* L.T. Shen roots
Y.-F. ZOU (Norway), X.-F. CHEN (PR China), K.E. MALTERUD, F. RISE, H. BARSETT, K.T. INNGJERDINGEN, T.E. MICHAELSEN,
B.S. PAULSEN (Norway)
- 430 Preparation and swelling behavior of a novel self-assembled β -cyclodextrin/acrylic acid/sodium alginate hydrogel
Z. HUANG (China, USA), S. LIU, B. ZHANG (China), Q. WU (USA)
- 438 Crosslinked bicontinuous biobased PLA/NR blends via dynamic vulcanization using different curing systems
D. YUAN, K. CHEN, C. XU, Z. CHEN, Y. CHEN (China)
- 446 The promoting effects of alginate oligosaccharides on root development in *Oryza sativa* L. mediated by auxin signaling
Y. ZHANG, H. YIN, X. ZHAO, W. WANG, Y. DU, A. HE, K. SUN (China)
- 455 Development of improved nanosilver-based antibacterial textiles via synthesis of versatile chemically modified cotton fabrics
A. HEBEISH, A. EL-SHAFFI, S. SHARAF, S. ZAGHLOUL (Egypt)
- 463 Production, purification and application of polysaccharide-based bioflocculant by *Paenibacillus mucilaginosus*
J. TANG, S. QI, Z. LI, Q. AN, M. XIE, B. YANG, Y. WANG (China)
- 471 Polysaccharide-based materials and their adsorption properties in aqueous solution
L. DEHABADI, L.D. WILSON (Canada)
- 480 Synthesis and characterization of neutral and anionic cellulosic amphiphiles
H. LIU, K.J. EDGAR (USA)
- 490 Influence of grape pomace extract incorporation on chitosan films properties
A.S. FERREIRA, C. NUNES, A. CASTRO, P. FERREIRA, M.A. COIMBRA (Portugal)
- 500 Preparation of polyelectrolyte/calcium phosphate hybrids for drug delivery application
A. SALAMA, M. EL-SAKHAWY (Egypt)
- 507 Molecular characterization and immunomodulatory activity of sulfated fucans from *Agarum cribrosum*
M. CHO, D.-J. LEE, J.-K. KIM, S. YOU (Republic of Korea)
- 515 Structural studies of arabinan-rich pectic polysaccharides from *Abies sibirica* L. Biological activity of pectins of *A. sibirica*
E.G. SHAKHMATOV, P.V. TOUKACH, E.A. MICHAILOVA, E.N. MAKAROVA (Russia)
- 525 Catalytic reduction of *p*-nitrophenol by using platinum nanoparticles stabilised by guar gum
S. PANDEY, S.B. MISHRA (South Africa)
- 532 MW-assisted synthesis of carboxymethyl tamarind kernel polysaccharide-g-polyacrylonitrile: Optimization and characterization
MEENKASHI, M. AHUJA, P. VERMA (India)
- 539 Two-dimensional macromolecular distributions reveal detailed architectural features in high-amylose starches
F. VILAPLANA (China, Sweden, Australia), D. MENG, J. HASJIM (Australia), R.G. GILBERT (China, Australia)
- 552 Quantitative ^{31}P NMR analysis of solid wood offers an insight into the acetylation of its components
H. SADEGHIFAR (USA, Iran), J.P. DICKERSON (USA), D.S. ARGYROPOULOS (USA, Saudi Arabia)
- 561 Electrospinning an essential oil: Cinnamaldehyde enhances the antimicrobial efficacy of chitosan/poly(ethylene oxide) nanofibers
K.A. RIEGER, J.D. SCHIFFMAN (USA)
- 569 Effects of preparation methods on the structure and mechanical properties of wet conditioned starch/montmorillonite
nanocomposite films
P. MÜLLER, É. KAPIN, E. FEKETE (Hungary)
- 577 2,6-Dinitroaniline and β -cyclodextrin inclusion complex properties studied by different analytical methods
K. SRINIVASAN, K. SIVAKUMAR, T. STALIN (India)
- 588 Structural characterization and anti-inflammatory activity of a linear β -D-glucan isolated from *Pleurotus sajor-caju*
M.L.L. SILVEIRA, F.R. SMIDERLE, C.P. MORAES, D.G. BORATO, C.H. BAGGIO, A.C. RUTHES, E. WISBECK, G.L. SASSAKI, T.R. CIPRIANI,
S.A. FURLAN, M. IACOMINI (Brazil)
- 597 Dextran-graft-linear poly(ethylene imine)s for gene delivery: Importance of the linking strategy
S. OCHRIMENKO, A. VOLLRATH, L. TAUHARDT, K. KEMPE, S. SCHUBERT, U.S. SCHUBERT, D. FISCHER (Germany)
- 607 High prevalence of chitotriosidase deficiency in Peruvian Amerindians exposed to chitin-bearing food and enteroparasites
N. MANNO (Italy, Peru), S. SHERRATT (UK), F. BOARETTO (Italy), F.M. COICO, C.E. CAMUS, C.J. CAMPOS (Peru), S. MUSUMECI,
A. BATTISTI (Italy), R.J. QUINNELL (UK), J.M. LEÓN (Peru), G. VAZZA, M.L. MOSTACCIUOLO, M.G. PAOLETTI (Italy), F.H. FALCONE (UK)
- 615 Supramolecular transitions in native cellulose-I during progressive oxidation reaction leading to quasi-spherical nanoparticles of
6-carboxycellulose
P.R. SHARMA, P.R. RAJAMOHANAN, A.J. VARMA (India)