


# CERAMICS INTERNATIONAL



**PIETRO VINCENZINI**

GENERAL EDITOR

EDITORS-IN-CHIEF

L. GAUCKLER  
SWITZERLAND

J. F. BAUMARD  
FRANCE

J.-K. GUO  
CHINA

K. KOUMOTO  
JAPAN

R. K. BORDIA  
USA

R. PAMPUCH  
POLAND

<http://www.elsevier.com/locate/ceramint>





(Abstracted/indexed in: *Applied Mechanics Reviews*; *Br. Ceram Abstr.*; *Ceramic Abstracts*; *Chemical Abstracts*; *Current Contents/Engineering, Computing & Technology*; *Current Contents/Physical, Chemical and Earth Sciences*; *Materials Science Citation Index*; *Met. Abstr.; Sci. Abstr.*; *Science Citation Index*; *SciSearch*; *World Alum. Abstr.* Also covered in the abstract and citation database *SciVerse SCOPUS®*. Full text available on *SciVerse ScienceDirect®*.)

## CONTENTS

### Volume 39 Issue 1 2013

#### Reviews

- 1 Thermal shock resistance of magnesia–chrome refractories—experimental and criterial evaluation  
J. WOJSA, J. PODWÓRNY & R. SUWAK (Poland)
- 13 Low-temperature synthesis of nanosized bismuth ferrite by the soft chemical method  
E.C. AGUIAR (SP-Brazil), M.A. RAMIREZ, F. MOURA (Brazil), J.A. VARELA, E. LONGO (SP-Brazil) & A.Z. SIMÕES (Brazil)
- 21 Mechanical behavior and ultrasonic non-destructive characterization of elastic properties of cordierite-based ceramics  
A. BENHAMMOU, Y. EL HAFIANE, L. NIBOU, A. YAACOUBI (Morocco), J. SORO, A. SMITH, J.P. BONNET (France) & B. TANOUTI (Morocco)

#### Original Articles

- 29 Effect of zirconia tape porosity on fluorapatite surface film formation by dip coating  
M.P. ALBANO & L.B. GARRIDO (Argentina)
- 39 Effect of surfactant and heat treatment on morphology, surface area and crystallinity in hydroxyapatite nanocrystals  
M. KHALID, M. MUJAHID, S. AMIN (Pakistan), R.S. RAWAT (Singapore), A. NUSAIR (Pakistan) & G.R. DEEN (Singapore)
- 51 Influence of VO<sub>2</sub> nanostructured ceramics on hydrogen desorption properties from magnesium hydride  
S. MILOŠEVIĆ, Ž. RAŠKOVIĆ-LOVRE, S. KURKO, R. VUJASIN, N. CVJETIĆANIN, L. MATOVIĆ & J. GRBOVIĆ NOVAKOVIĆ (Serbia)
- 57 Obtainment of porcelain floor tiles added with petroleum oily sludge  
B.C.A. PINHEIRO & J.N.F. HOLANDA (Brazil)
- 65 Synthesis and characterizations of KNN ferroelectric ceramics near 50/50 MPB  
P. KUMAR, M. PATTANAIK & SONIA (India)
- 71 Structure and mechanical properties of porous silicon oxycarbide ceramics derived from silicone resin with different filler content  
H. TIAN, Q.-S. MA, Y. PAN & W.-D. LIU (PR China)
- 75 Microwave dielectric properties of (1-x)ZnAl<sub>2</sub>O<sub>4</sub>-xCaTiO<sub>3</sub> compound ceramic with controlled temperature coefficient  
C.-F. TSENG & P.-S. TSAI (Taiwan)

*Continued on inside back cover*



Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**

## **CONTENTS—Continued from outside back cover**

- 81 MCMB–SiC composites; new class high-temperature structural materials for aerospace applications  
S. SAFI & A. KAZEMZADEH (Iran)
- 87 Aqueous chemical route deposition of nanocrystalline ZnO thin films as acetone sensor: Effect of molarity  
A.V. RAJGURE, J.Y. PATIL (India), R.C. PAWAR, C.S. LEE (South Korea) & S.S. SURYAVANSHI (India)
- 93 Investigation of shrinkage control in Ni–Al<sub>2</sub>O<sub>3</sub> (Metal–Ceramic) functionally graded materials  
S. YANG, H. KIM & C. SUNYONG LEE (Republic of Korea)
- 101 Microstructures and tribological properties of vacuum plasma sprayed B<sub>4</sub>C–Ni composite coatings  
H. ZHU, Y. NIU, C. LIN, L. HUANG, H. JI & X. ZHENG (PR China)
- 111 Sintering properties of hydroxyapatite powders prepared using different methods  
S. RAMESH (Malaysia), K.L. AW (Canada), R. TOLOUEI, M. AMIRIYAN (Malaysia), C.Y. TAN (Canada), M. HAMDI, J. PURBOLAKSONO, M.A. HASSAN & W.D. TENG (Malaysia)
- 121 Studies on the dehydration kinetics and rehydration of YAG precursor powder in the hydroxyhydrogel form  
S. BHATTACHARYYA, T.K. MUKHOPADHYAY & S. GHATAK (India)
- 129 Facile hydrothermal synthesis of vanadium oxides nanobelts by ethanol reduction of peroxovanadium complexes  
Y. ZHANG, C. CHEN, W. WU, F. NIU, X. LIU, Y. ZHONG, Y. CAO, X. LIU & C. HUANG (PR China)
- 143 Low temperature processed SnO<sub>2</sub> films using aqueous precursor solutions  
N. CAI & J. CHO (United States)
- 153 Rapid fabrication of diamond-structured ceramic photonic crystals with graded dielectric constant and its controllable stop band properties  
Q. LIANG, D. LI & G. YANG (China)
- 159 Influence of Bi<sub>2</sub>O<sub>3</sub> flux in the structural and photoluminescence properties of SrAl<sub>2</sub>O<sub>4</sub>:Eu<sup>2+</sup> phosphors  
T.-T. LAI, C.-C. CHANG, C.-Y. YANG, S. DAS & C.-H. LU (ROC)
- 165 Effect of acids on the morphology and negative thermal expansion analysis of ZrW<sub>2</sub>O<sub>8</sub> powders prepared by the hydrothermal method  
X. SUN, X. CHENG, J. YANG & Q. LIU (PR China)
- 171 Effect of substitution of granulated slag by air-cooled slag on the properties of alkali activated slag  
H. EL-DIDAMONY, A.A. AMER, T.M. EL-SOKKARY & H. ABD-EL-AZIZ (Egypt)
- 183 Hydroxyapatite-doped poly(lactic acid) porous film coating for enhanced bioactivity and corrosion behavior of AZ31 Mg alloy for orthopedic applications  
A. ABDAL-HAY (Republic of Korea), N.A.M. BARAKAT (Republic of Korea, Egypt) & J.K. LIM (Republic of Korea)
- 197 Application of response surface methodology (RSM) for optimization of sintering process for the preparation of magnesia partially stabilized zirconia (Mg-PSZ) using natural baddeleyite as starting material  
J. LI, J. PENG, S. GUO & L. ZHANG (PR China)
- 203 Low-temperature sintering and microwave dielectric properties of Nd(Co<sub>1/2</sub>Ti<sub>1/2</sub>)O<sub>3</sub> ceramics using glass addition of oxides  
C.-H. HSU, Y.-H. CHANG, H.-W. YANG & J.-S. LIN (Taiwan)
- 209 A novel foam-like silane modified alumina scaffold coated with nano-hydroxyapatite–poly( $\epsilon$ -caprolactone fumarate) composite layer  
S. JOUGHEHDoust (Iran), A. BEHNAMGHADER (Islamic Republic of Iran), M. IMANI, M. DALIRI, A.H. DOULABI (Iran) & E. JABBARI (Islamic Republic of Iran)
- 219 Fatigue improvement in modified lead zirconate titanate ceramics through employment of La<sub>0.8</sub>Sr<sub>0.2</sub>MnO<sub>3</sub> buffer layers  
B. WEN, Y. ZHANG, X. LIU, L. MA & X. WANG (China)

(contents continued from Inside back cover)

- 227 Densification behavior and properties of alumina–chrome ceramics: Effect of  $TiO_2$   
M. NATH, S. SEN, K. BANERJEE, A. GHOSH & H.S. TRIPATHI (India)
- 233 Optical and mechanical properties of amorphous bulk and eutectic ceramics in the  $HfO_2$ – $Al_2O_3$ – $Y_2O_3$  system  
L.-L. WANG, L. MEI, G.-H. LIU, G. HE, J.-T. LI & L.-H. XU (China)
- 239 Joining of zirconia ceramics in green state using a paste of zirconia slurry  
J.-H. HAN (Republic of Korea)
- 245 Electrolytic deposition of fluorine-doped hydroxyapatite/ $ZrO_2$  films on titanium for biomedical applications  
Y. HUANG, Y. YAN & X. PANG (China)
- 255 Synthesis and characterisation of chemical bath deposited  $TiO_2$  thin-films  
P. MANURUNG, Y. PUTRI, W. SIMANJUNTAK (Indonesia) & I.M. LOW (Australia)
- 261 Isothermal sintering kinetic of 3YTZ and 8YSZ: Cation diffusion  
G. SUÁREZ, N.M. RENDTORFF, A.N. SCIAN & E.F. AGLIETTI (Argentina)
- 269 Synthesis of geopolymers from volcanic ash via the alkaline fusion method: Effect of  $Al_2O_3/Na_2O$  molar ratio of soda–volcanic ash  
H. KOUAMO TCHAKOUTE, A. ELIMBI, B.B. DIFFO KENNE (Cameroon), J.A. MBEY (Cameroon, France) & D. NJOPWOUO (Cameroon)
- 277 Catalytic combustion of toluene over Fe–Mn mixed oxides supported on cordierite  
W.J. MA, Q. HUANG, Y. XU, Y.W. CHEN, S.M. ZHU & S.B. SHEN (PR China)
- 283 Processing and properties of transparent hydroxyapatite and  $\beta$  tricalcium phosphate obtained by HIP process  
L. BOILET (Belgium), M. DESCAMPS, E. RGUITI, A. TRICOTEAUX, J. LU (France), F. PETIT, V. LARDOT, F. CAMBIER (Belgium) & A. LERICHE (France)
- 289 Biological response of a recently developed nanocomposite based on calcium phosphate cement and sol–gel derived bioactive glass fibers as substitution of bone tissues  
N. NEZAFATI, F. MOZTARZADEH, S. HESARAKI (Iran), Z. MOZTARZADEH (Germany) & M. MOZAFARI (Iran, USA)
- 299 Broadband dielectric characterization of  $TiO_2$  ceramics sintered through microwave and conventional processes  
S. MARINEL (USA, France), D.H. CHOI (USA), R. HEUGUET (France), D. AGRAWAL & M. LANAGAN (USA)
- 307 Chemical stability and electrical properties of Nb doped  $BaCe_{0.9}Y_{0.1}O_{3-\delta}$  as a high temperature proton conducting electrolyte for IT-SOFC  
A. RADOJKOVIĆ (Serbia), M. ŽUNIĆ (Serbia, Brazil), S.M. SAVIĆ, G. BRANKOVIĆ & Z. BRANKOVIĆ (Serbia)
- 315 Effects of textural parameters and noble metal loading on the catalytic activity of cryptomelane-type manganese oxides for formaldehyde oxidation  
H. TIAN, J. HE, L. LIU & D. WANG (China)
- 323 Effect of organic capping agent on the photocatalytic activity of  $MgO$  nanoflakes obtained by thermal decomposition route  
R. SATHYAMOORTHY, K. MAGESHWARI, S.S. MALI, S. PRIYADHARSHINI & P.S. PATIL (India)
- 331 Electrochemical properties of nanometer-sized  $0.6Li_2MnO_3\cdot0.4LiNi_{0.5}Mn_{0.5}O_2$  composite powders prepared by flame spray pyrolysis  
J.H. KIM, S.H. CHOI, M.Y. SON, M.H. KIM, J.-K. LEE & Y.C. KANG (Republic of Korea)
- 337 Tool life and wear of WC–TiC–Co ultrafine cemented carbide during dry cutting of AISI H13 steel  
J. XIONG, Z. GUO (P.R.China), M. YANG (P.R. China), W. WAN & G. DONG (P.R.China)
- 347 Preparation and characterization of La and Cr co-doped  $SrTiO_3$  materials for SOFC anode  
F. YI, H. LI, H. CHEN, R. ZHAO & X. JIANG (China)

- 353 The hydrophobicity and optical properties of the HfO<sub>2</sub>-deposited glass  
S.-S. LIN & C.-S. LIAO (ROC)
- 359 Ablation behaviour of a TaC coating on SiC coated C/C composites at different temperatures  
Y.-J. WANG, H.-J. LI, Q.-G. FU, H. WU, L. LIU & C. SUN (PR China)
- 367 Thermal shock behavior of nano-sized ZrN particulate reinforced AlON composites  
N. ZHANG, X.J. ZHAO, H.Q. RU, X.Y. WANG (China) & D.L. CHEN (Canada)
- 377 Facile synthesis of single crystalline SnO<sub>2</sub> nanowires  
Z. CAI & J. LI (PR China)
- 383 Transparent Lu<sub>3</sub>NbO<sub>7</sub> bodies prepared by reactive spark plasma sintering and their optical and mechanical properties  
L. AN, A. ITO & T. GOTO (Japan)
- 389 Electrochemical performance of Ni<sub>1-x</sub>Fe<sub>x</sub>–Ce<sub>0.8</sub>Gd<sub>0.2</sub>O<sub>1.9</sub> cermet anodes for solid oxide fuel cells using hydrocarbon fuel  
C.-K. CHO, B.-H. CHOI & K.-T. LEE (Republic of Korea)
- 395 Crystallization characteristics and physico-chemical properties of indium-containing lithium iron aluminosilicate glasses  
S.M. SALMAN, S.N. SALAMA & E.A. MAHDY (Egypt)
- 403 Effect of various pore formers on the microstructural development of tape-cast porous ceramics  
A. SARIKAYA & F. DOGAN (USA)
- 415 Significant improvement in the electrochemical performances of nano-nest like amorphous MnO<sub>2</sub> electrodes due to Fe doping  
D.P. DUBAL (Germany, India) & C.D. LOKHANDE (India)
- 425 Enhanced dielectric and piezoelectric properties in Li/Sb-modified (Na, K)NbO<sub>3</sub> ceramics by optimizing sintering temperature  
Y. ZHAO, R. HUANG, R. LIU, X. WANG & H. ZHOU (PR China)
- 431 New morphological Ba<sub>0.5</sub>Sr<sub>0.5</sub>Co<sub>0.8</sub>Fe<sub>0.2</sub>O<sub>3- $\alpha$</sub>  hollow fibre membranes with high oxygen permeation fluxes  
D. HAN (China, Australia), X. TAN, Z. YAN (China), Q. LI & S. LIU (Australia)
- 439 Electrochemical and microstructural characteristics of nanoperovskite oxides Ba<sub>0.2</sub>Sr<sub>0.8</sub>Co<sub>0.8</sub>Fe<sub>0.2</sub>O<sub>3- $\delta$</sub>  (BSCF) for solid oxide fuel cells  
M. AHMADREZAEI, A. MUCHTAR, N. MUHAMAD, C.Y. TAN & E. HERIANTO MAJLAN (Malaysia)
- 445 Preparation of Si<sub>3</sub>N<sub>4</sub> ceramic foams by simultaneously using egg white protein and fish collagen  
L.-Y. YIN, X.-G. ZHOU, J.-S. YU, H.-L. WANG, S. ZHAO, Z. LUO & B. YANG (PR China)
- 449 Fabrication and characterization of SiC whisker reinforced reaction bonded SiC composite  
S. LI, Y. ZHANG, J. HAN & Y. ZHOU (China)
- 457 Excellent humidity sensing properties of cadmium titanate nanofibers  
Z. IMRAN, S.S. BATTOOL (Pakistan, Sweden), H. JAMIL, M. USMAN (Pakistan), M. ISRAR-QADIR (Sweden), S.H. SHAH (Pakistan), S. JAMIL-RANA (Sweden), M.A. RAFIQ, M.M. HASAN (Pakistan) & M. WILLANDER (Sweden)
- 463 Ablation behavior of three-dimensional braided C/SiC composites by oxyacetylene torch under different environments  
L. WEI, X. YANG, W. SONG, M. YAN & C. ZHAO-HUI (People's Republic of China)
- 469 Structural and optical studies on sol-gel derived ZnO thin films by excimer laser annealing  
C.-Y. TSAY & M.-C. WANG (Taiwan)

- 475 Comparative study on effect of oxide thickness on stress distribution of traditional and nanostructured zirconia .  
coating systems  
M. ABBAS, H. GUO (China) & M. RAMZAN SHAHID (Pakistan)
- 483 Influence of mechanical activation on sphene based ceramic material synthesis  
J. PANTIĆ, A. KREMENOVIC, A. DOŠEN, M. PREKAJSKI, N. STANKOVIĆ, Z. BAŠČAREVIĆ & B. MATOVIĆ (Serbia)
- 489 Porcelain containing anatase and rutile nanocrystals  
N. BOUZIDI, A. BOUZIDI (Algeria), P. GAUDON (France), D. MERABET (Algeria) & P. BLANCHART (France)
- 497 Effect of ultrasonic vibration on the structure and composition of the interface regions in Ba–W–Ti–O ceramics  
O.V. KARBAN, O.M. KANUNNIKOVA, E.N. KHAZANOV, E.I. SALAMATOV, O.L. KHASANOV & A.V. TARANOV (Russia)
- 503 Effect of WC content on the microstructures and corrosion behavior of Ti(C, N)-based cermets  
C. YI, H. FAN, J. XIONG, Z. GUO, G. DONG, W. WAN & H. CHEN (PR China)
- 511 Production and characterization of self-colored dental zirconia blocks  
G. KAYA (Turkey)
- 519 Hydrolysis of Ca-deficient hydroxyapatite precursors in the presence of alanine-functionalized polyphosphazene nanofibers  
Y.E. Greish (UAE), J.D. Bender, A. Singh, L.S. Nair, P.W. Brown, H.R. Allcock, C.T. Laurencin (USA)
- 529 Characterization of  $\text{La}_{0.58}\text{Sr}_{0.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_{3-\delta}-\text{Ce}_{0.8}\text{Gd}_{0.2}\text{O}_2$  composite cathode for intermediate temperature solid oxide fuel cells  
N. LI, A. VERMA, P. SINGH & J.-H. KIM (USA)
- 539 A novel approach on the preparation of biphasic calcium phosphate bioceramics under physiological conditions.  
The effect of the starting material  
M. ASLANIDOU, T. VAIMAKIS, A. MITSIONIS & C. TRAPALIS (Greece)
- 547 Effect of pressure and treatment temperature on the structural evolution of mechanically alloyed Ti(W)(C,N)-Al admixes in boron nitride  
K. MAWEJA & K. KATUKU (South Africa)
- 555 Synthesis, dielectric and relaxation behavior of lead free NBT–BT ceramics  
S. SHANMUGA SUNDARI, B. KUMAR & R. DHANASEKARAN (India)
- 563 Excellent electrostrictive properties of low temperature sintered PZT ceramics with high concentration  $\text{LiBiO}_2$  sintering aid  
R.-H. LIANG, W.-Z. ZHANG, M. GAO, L. WANG & X.-L. DONG (People's Republic of China)
- 571  $\text{SiO}_2-\text{Al}_2\text{O}_3-\text{CaO}$  glass-ceramics: Effects of  $\text{CaF}_2$  on crystallization, microstructure and properties  
D.P. MUKHERJEE & S.K. DAS (India)
- 579 Phase structure, band gap and microwave dielectric properties of  $\text{Ba}_8\text{Ti}_3\text{Nb}_{4-x}\text{Sb}_x\text{O}_{24}$  ceramics  
L. FANG, C. SU, Z. WEI, H. ZHOU & H. ZHANG (China)
- 585 High-frequency induction heated sintering of High-energy ball milled  $\text{TiC}_{0.5}\text{N}_{0.5}$  powders and mechanical properties of the sintered products  
W. KIM, C.-Y. SUH, K.-M. ROH, J.-W. LIM, S. LEE, S.-L. DU & I.-J. SHON (Republic of Korea)
- 593 Diffuse phase transition and ferroelectric study of  $(\text{Ba}, \text{Bi})(\text{Ti}, \text{Cr})\text{O}_3$  ceramics  
D. LIU, Y. PU, J. LI & X. SHI (China)
- 597 Effects of heat-treatment temperature and starting composition on morphology of boron carbide particles synthesized by carbothermal reduction  
T. KOBAYASHI, K. YOSHIDA & T. YANO (Japan)

- 605 Tuned morphologies of DNA-assisted ZnO struggling against pH  
A.-J. CAI, Y.-L. WANG, S.-T. XING, L.-Q. DU & Z.-C. MA (PR China)
- 611 Round robin on indentation fracture resistance of silicon carbide ceramics by using a powerful optical microscope  
H. MIYAZAKI, Y.-I. YOSHIZAWA & K. YASUDA (Japan)
- 619 Wollastonite/hydroxyapatite scaffolds with improved mechanical, bioactive and biodegradable properties for bone tissue engineering  
S. KUNJALUKKAL PADMANABHAN, F. GERVASO, M. CARROZZO, F. SCALERA, A. SANNINO & A. LICCIULLI (Italy)
- 629 Synthesis of CeO<sub>2</sub> nano-aggregates of complex morphology  
E. MERCADELLI, G. GHETTI, A. SANSON, R. BONELLI & S. ALBONETTI (Italy)
- 635 Al<sub>2</sub>O<sub>3</sub> and ZrO<sub>2</sub> powders formed by centrifugal compaction using the ultra HCP method  
P. FIGIEL, L. JAWORSKA, Z. PEDZICH, P. WYZGA, P. PUTYRA & P. KLIMCZYK (Poland)
- 641 Phase transition behavior and temperature-stable piezoelectric properties of new quaternary (K, Na)NbO<sub>3</sub> based ceramics  
X. PANG, J. QIU, K. ZHU & N. DONG (PR China)
- 649 Erosion of atmospheric plasma sprayed rare earth oxide coatings under air suspended corundum particles  
C.S. RAMACHANDRAN, V. BALASUBRAMANIAN & P.V. ANANTHAPADMANABHAN (India)
- 673 Microstructure and mechanical properties of alumina 5 vol% zirconia nanocomposites prepared by powder coating and powder mixing routes  
F. KERN (Germany) & P. PALMERO (Italy)
- 683 Synthesis and characterization of partially crystalline nanosized ZSM-5 zeolites  
M.M.M. MOSTAFA, K.N. RAO, H.S. HARUN, S.N. BASAHEL & I.H.A. EL-MAKSOD (Saudi Arabia)
- 691 Effect of high energy milling process on microstructure and piezoelectric/dielectric properties of K<sub>0.475</sub>Na<sub>0.475</sub>Li<sub>0.05</sub>NbO<sub>3</sub> solid solution  
S.-C. UR, I. MAHMUD & M.-S. YOON (Republic of Korea)
- 701 Synthesis and luminescence properties of broad band greenish-yellow emitting LnVO<sub>4</sub>:Bi<sup>3+</sup> and (Ln1, Ln2)VO<sub>4</sub>:Bi<sup>3+</sup> (Ln=La, Gd and Y) as down conversion phosphors  
U. RAMBABU & S.-D. HAN (Republic of Korea)
- 709 Uncovering the critical factor in determining the residual stresses level in Si<sub>3</sub>N<sub>4</sub>-GM filler alloy-42CrMo joints by FEM analysis and experiments  
Y. HE (China, USA), J. ZHANG, F. PAN, C. LIU (China) & X. LI (USA)
- 719 Synthesis and characterization of hafnium carbide fine powders  
B. MATOVIĆ, B. BABIĆ, D. BUČEVAC, M. ČEBELA, V. MAKSIMOVIĆ, J. PANTIĆ & M. MILJKOVIĆ (Serbia)
- 725 Phase transition behavior and electrical properties of lead-free (Bi<sub>0.5</sub>K<sub>0.5</sub>)TiO<sub>3</sub>-LiNbO<sub>3</sub> relaxor ferroelectric ceramics  
W. ZUO, R. ZUO & W. ZHAO (PR China)
- 731 Fabrication and microstructure of *in situ* vanadium carbide ceramic particulates-reinforced iron matrix composites  
L. ZHONG, M. HOJAMBERDIEV, F. YE, H. WU & Y. XU (PR China)
- 737 Preparation and formation mechanism of nano-iron oxide black pigment from blast furnace flue dust  
L. SHEN, Y. QIAO, Y. GUO & J. TAN (PR China)
- 745 The effect of antimony trioxide on poly (vinyl alcohol)-lithium perchlorate based polymer electrolytes  
C.-S. LIM, S. RAMESH & S.R. MAJID (Malaysia)
- 753 The PZT system (PbZr<sub>1-x</sub>Ti<sub>x</sub>O<sub>3</sub>, 0.0≤x≤1.0): Specific features of recrystallization sintering and microstructures of solid solutions (Part 1)  
I.N. ANDRYUSHINA, L.A. REZNICHENKO, V.A. ALYOSHIN, L.A. SHILKINA, S.V. TITOV, V.V. TITOV, K.P. ANDRYUSHIN & S.I. DUDKINA (Russian Federation)

- 763 Effect of particle size on the mechanical properties of reaction bonded boron carbide ceramics  
P. BARICK, D.C. JANA & N. THIYAGARAJAN (India)
- 771 Synthesis of nanoscale hydroxyapatite particles using triton X-100 as an organic modifier  
E. IYYAPPAN & P. WILSON (India)
- 779 Development of fireclay aluminosilicate refractory from lithomargic clay deposits  
A. ANDREWS, J. ADAM & S.K.Y. GAWU (Ghana)
- 785 Direct synthesis of nanocrystalline tungsten carbide from scheelite ore by solid state reaction method  
H. SINGH & O.P. PANDEY (India)
- 791 Laboratory scale study of the degradation of mullite/corundum refractories by reaction with alkali-doped deposit materials  
J. STJERNBERG, M.A. OLIVAS-OGAZ, M.-L. ANTTI, J.C. ION & B. LINDBLOM (Sweden)
- 801 Fabrication and characterization of micro-arc oxidized fluoride containing titania films on Cp Ti  
K. VENKATESWARLU, N. RAMESHBABU, D. SREEKANTH, A.C. BOSE, V. MUTHUPANDI & S. SUBRAMANIAN (India)
- 813 Hydrothermal synthesis and optical property of scale- and spindle-like ZnO  
N. KIOMARSIPOUR & R. SHOJA RAZAVI (Iran)
- 819 Facile synthesis of zinc carbonate and zinc oxide nanoparticles via direct carbonation and thermal decomposition  
M. SHAMSIPUR, S.M. POURMORTAZAVI, S.S. HAJIMIRSADEGH, M.M. ZAHEDI & M. RAHIMI-NASRABADI (Iran)
- 829 Effect of annealing atmosphere on the epitaxial growth process of  $\text{La}_2\text{Zr}_2\text{O}_7$  films on different substrates  
Y. WANG, Y.F. LU, L. ZHOU, C.S. LI, Z.M. YU, J.Q. FENG, L.H. JIN, P.F. WANG & H. WANG (PR China)

## **Short Communications**

- 835 OTES modified transparent dip coated silica coatings  
V.G. PARALE, D.B. MAHADIK, S.A. MAHADIK, M.S. KAVALE, P.B. WAGH, S.C. GUPTA & A.V. RAO (India)
- 841 Vickers indentation crack analysis of solid-phase-sintered silicon carbide ceramics  
X. YANG, X. LIU, Z. HUANG, X. YAO & G. LIU (PR China)
- 847 A combined SEM, CV and EIS study of multi-layered porous ceramic reactors for flue gas purification  
Z. HE, K.B. ANDERSEN, F.B. NYGAARD & K.K. HANSEN (Denmark)
- 853 Ferroelectric ternary solid solution of  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3-\text{PbSnO}_3-\text{PbTiO}_3$  with morphotropic phase boundary  
C. HE, X. LI, Z. WANG (China), H. TAILOR (Canada), Y. LIU, T. LI & X. LONG (China)
- 857 Bi<sup>3+</sup>-doped Sr<sub>3</sub>Al<sub>2</sub>O<sub>6</sub>: An unusual color-tunable phosphor for solid state lighting  
H. JU, J. LIU, B. WANG, X. TAO, Y. MA & S. XU (China)
- 861 A high efficient Ba<sub>2</sub>TiP<sub>2</sub>O<sub>9</sub> phosphor for X-ray and UV excitation  
Y. HUANG (China), T. TSUBOI (Japan) & H.J. SEO (Republic of Korea)
- 865 Effects of debinding atmosphere on the microstructure and sintering densification of nickel ferrite  
Y. TAO, Z. LI & K. ZHOU (China)
- 871 Improving high temperature properties of hot pressed ZrB<sub>2</sub>-20 vol% SiC ceramic using high purity powders  
J. ZOU (Belgium, China), G.-J. ZHANG, H. ZHANG, Z.-R. HUANG (China), J. VLEUGELS & O. VAN DER BIEST (Belgium)
- 877 Fabrication of a ZrC-SiC matrix for ceramic matrix composites via in-situ reaction and its application  
Q. LI, S. DONG, Z. WANG, J. HU, B. WU, H. ZHOU, P. HE & J. YANG (China)
- 883 Moderate temperature compression incorporating plastic deformation and rearrangement in Al<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub> ceramics  
Y. WANG, J. LIU & A. GUO (China)

- 887 Vertical ZnO nanorod array as an effective hydrogen gas sensor  
Y.T. LIM, J.Y. SON & J.-S. RHEE (Republic of Korea)
- 891 Dielectric and tunable properties of bulk columnar  $\text{Ba}_{0.6}\text{Sr}_{0.4}\text{TiO}_3/\text{MgO}$  composites  
W. LIAO, R. LIANG, G. WANG, F. CAO & X. DONG (People's Republic of China)
- 897  $\text{ZrB}_2\text{--Al}_3\text{BC}_3$  composites prepared using Al-B<sub>4</sub>C-C additives and spark plasma sintering  
H. WANG (China, Republic of Korea), L. FENG (China), S.-H. LEE (Republic of Korea), J. CHEN, B. FAN, D. CHEN,  
H. LU, H. XU & R. ZHANG (China)