


CERAMICS INTERNATIONAL



PIETRO VINCENZINI

GENERAL EDITOR

EDITORS-IN-CHIEF

L. GAUCKLER
SWITZERLAND

J. F. BAUMARD
FRANCE

J.-K. GUO
CHINA

K. KOUMOTO
JAPAN

R. K. BORDIA
USA

R. PAMPUCH
POLAND

<http://www.elsevier.com/locate/ceramint>





(Abstracted/indexed in: *Applied Mechanics Reviews*; *Br. Ceram Abstr.*; *Ceramic Abstracts*; *Chemical Abstracts*; *Current Contents/Engineering, Computing & Technology*; *Current Contents/Physical, Chemical and Earth Sciences*; *Materials Science Citation Index*; *Met. Abstr.*; *Sci. Abstr.*; *Science Citation® Index*; *SciSearch*; *World Alum. Abstr.*. Also covered in the abstract and citation database *SciVerse SCOPUS®*. Full text available on *SciVerse ScienceDirect®*.)

CONTENTS

Volume 39 Issue 4 2013

Reviews

- 3463 The stability of LiAlO_2 powders and electrolyte matrices in molten carbonate fuel cell environment
E. ANTOLINI (Italy)
- 3479 Nano-bonded refractory castables
M. NOURI-KHEZRABAD (Iran), M.A.L. BRAULIO, V.C. PANDOLFELLI (Brazil), F. GOLESTANI-FARD & H.R. REZAIE (Iran)
- 3499 Intense photoluminescence emission at room temperature in calcium copper titanate powders
F. MOURA, A.Z. SIMÕES, R.C. DEUS, M.R. SILVA, J.A. VARELA & E. LONGO (Brazil)

Original Articles

- 3507 Effects of $\text{K}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ addition on dielectric properties of BaTiO_3 ceramics
Q. YUAN & Y. PU (China)
- 3511 Electrospinning of magnetical bismuth ferrite nanofibers with photocatalytic activity
W. WANG, N. LI, Y. CHI, Y. LI, W. YAN, X. LI & C. SHAO (China)
- 3519 A comparative study of hydroxyapatites synthesized using various fuels through aqueous and alcohol mediated combustion routes
R. RAMAKRISHNAN, P. WILSON, T. SIVAKUMAR & I. JEMINA (India)
- 3533 Facile one-step solid-state reaction route to synthesize ordered mesoporous $\beta\text{-Zn}_2\text{SiO}_4\text{-SiO}_2$ nanocomposites
Q. LU & G. YUN (China)
- 3539 Enhanced NO_2 sensing properties of Zn_2SnO_4 -core/ ZnO -shell nanorod sensors
S. PARK, S. AN, H. KO, C. JIN & C. LEE (Republic of Korea)
- 3547 Influence of pressure on filtration of aqueous alumina suspensions
Y. HIRATA, T. FUKUNAGA, N. MATSUNAGA & S. SAMESHIMA (Japan)
- 3555 Phase structure and piezoelectric properties of Ca- and Ba-doped $\text{K}_{1/2}\text{Na}_{1/2}\text{NbO}_3$ lead-free ceramics
J. TAUB, L. RAMAJO & M.S. CASTRO (Argentina)
- 3563 Structural and ferroelectric properties of chemical solution deposited (Nd, Cu) co-doped BiFeO_3 thin film
C.M. RAGHAVAN, J.W. KIM & S.S. KIM (Republic of Korea)

Continued on inside back cover



Available online at www.sciencedirect.com

SciVerse ScienceDirect

CONTENTS—Continued from outside back cover

- 3569 Graphene modified Nd/TiO₂ photocatalyst for methyl orange degradation under visible light irradiation
N.R. KHALID (PR China, Pakistan), E. AHMED (Pakistan), Z. HONG, Y. ZHANG (PR China), M. ULLAH (Pakistan) & M. AHMED (PR China, Pakistan)
- 3577 A new Pb(Lu_{1/2}Nb_{1/2})O₃–PbZrO₃–PbTiO₃ ternary solid solution with morphotropic region and high Curie temperature
T. LI, X. LI, Z. WANG, Y. LIU, C. HE, L. AI, T. CHU, D. PANG & X. LONG (China)
- 3585 Sol-gel synthesis and infrared radiation property of Li-substituted cordierite
D. ZOU, X. CHU & F. WU (China)
- 3591 Research of antibacterial activity on silver containing yttria-stabilized-zirconia bioceramic
S.-F. OU, M.-S. HUANG, S.-Y. CHIOU & K.-L. OU (Taiwan)
- 3597 Synthesis of Mg_{0.48}Cu_{0.12}Zn_{0.40}Fe₂O₄ ferrite and its aptness for multilayer chip component application
S.S. KAMBLE, V.S. JAGTAP & P.C. PINGALE (India)
- 3603 Effect of preparation route on the microstructure and electrical conductivity of co-doped ceria
D. BUCEVAC, A. RADOJKOVIC, M. MILJKOVIC, B. BABIC & B. MATOVIC (Serbia)
- 3613 The influence of microstructure and phase composition of glass ceramics in the VO₂–V₂O₅–P₂O₅–Cu₂O–SnO₂ system on the electrical properties related to the metal–semiconductor phase transition
V.R. KOLBUNOV, A.I. IVON, Y.A. KUNITSKIY & I.M. CHERNENKO (Ukraine)
- 3621 Humidity sensing properties of ZnO colloid crystals coated on quartz crystal microbalance by the self-assembly method
J. XIE, H. WANG, Y. LIN, Y. ZHOU & Y. WU (China)
- 3627 Structural, dielectric and ferroelectric properties of Ba_{1-x}(Bi_{0.5}Na_{0.5})_xTiO₃ ceramics
M. RAWAT & K.L. YADAV (India)
- 3635 New vanadium based Ba₃MV₄O₁₅ (M=Ti and Zr) high Q ceramics for LTCC applications
E.K. SURESH, A.N. UNNIMAYA, A. SURJITH & R. RATHEESH (India)
- 3641 Effect of nonstoichiometry on the microstructure and microwave dielectric properties of Ba(Mg_{1/2}W_{1/2})O₃ ceramics
J. YIN WU & J. JIANG BIAN (China)
- 3651 Preparation and microwave absorption properties of Fe-doped SiC powder obtained by combustion synthesis
X. SU, Y. JIA, J. WANG, J. XU, X. HE, C. FU & S. LIU (PR China)
- 3657 Effects of Sn on the microstructure and dielectric properties in BaTiO₃-based ceramics
J. WANG, S. JIANG, D. JIANG, T. WANG & H. YAO (China)
- 3663 Fabrication of Ti₃SiC₂-based ceramic matrix composites by a powder-free SHS technique
P. ISTOMIN, A. NADUTKIN & V. GRASS (Russian Federation)
- 3669 Structural, electrical and optical properties of molybdenum-doped TiO₂ thin films
B. HOUNG, C.C. LIU & M.T. HUNG (Republic of China)
- 3677 Effects of the structure of Ce–Cu catalysts on the catalytic combustion of toluene in air
G. ZHOU, H. LAN, X. YANG, Q. DU, H. XIE & M. FU (China)
- 3685 Visible-light sensitive La_{1-x}Ba_xCoO₃ photocatalyst for malachite green degradation
C. ZHANG, H. HE, N. WANG, H. CHEN & D. KONG (PR China)
- 3691 Luminescent and structural properties of manganese-doped zinc aluminate spinel nanocrystals
M.-T. TSAI, Y.-S. CHANG, I.-B. HUANG & B.-Y. PAN (Taiwan)
- 3699 Fabrication and mechanical properties of short ZrO₂ fiber reinforced NiFe₂O₄ matrix composites
Z. HUA, G. YAO, J. MA & M. ZHANG (China)

(contents continued from Inside back cover)

- 3709 Effects of Bi_2O_3 – Li_2CO_3 additions on dielectric and pyroelectric properties of Mn doped $\text{Pb}(\text{Zr}_{0.9}\text{Ti}_{0.1})\text{O}_3$ thick films
Y. ZENG, F. YAO, G. ZHANG, S. LIU, S. JIANG, Y. YU, J. HE, L. ZHANG & J. YI (PR China)
- 3715 Electrochemical synthesis and surface characterization of hexagonal Cu–ZnO nano-funnel tube films
F. JAMALI-SHEINI & R. YOUSEFI (Iran)
- 3721 Structure, dielectric and ferroelectric properties of $0.92\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ – 0.06BaTiO_3 – $0.02\text{K}_{0.5}\text{Na}_{0.5}\text{NbO}_3$ lead-free ceramics: Effect of Co_2O_3 additive
H.Y. MA, X.M. CHEN, J. WANG, K.T. HUO, H.L. LIAN & P. LIU (PR China)
- 3731 Carbon doped TiO_2 nanotubes photoanodes prepared by *in-situ* anodic oxidation of Ti-foil in acidic and organic medium with photocurrent enhancement
A.M. HUSIN MILAD, L.J. MINGGU, M.B. KASSIM & W.R.W. DAUD (Malaysia)
- 3741 Facile synthesis and luminescent properties of $\text{Y}_2\text{O}_3:\text{Eu}^{3+}$ nanophosphors via thermal decomposition of cocrystallized yttrium europium propionates
W. CHEN, Y. TONG, Y. LIU, M. LIU, Y. LIN, B. GONG, Z. CAI & X. ZHONG (PR China)
- 3747 Effects of $\text{Bi}(\text{Zn}_{0.5}\text{Zr}_{0.5})\text{O}_3$ addition on the structure and electric properties of BaTiO_3 lead-free piezoelectric ceramics
X. CHEN, Y. WANG, F. HE, H. ZHOU, L. FANG & L. LIU (China)
- 3753 Characterization of a soldering system consisting of a glass from the system $\text{CaO}-\text{Al}_2\text{O}_3-\text{B}_2\text{O}_3-\text{SiO}_2$ and wollastonite
A. SCHUSSER (Germany), M.J. PASCUAL (Spain), A. PRANGE (Germany), A. DURÁN (Spain) & R. CONRADT (Germany)
- 3759 Effects of different chelating agents on the composition, morphology and electrochemical properties of LiV_3O_8 crystallites synthesized via sol–gel method
D. WANG, L. CAO, J. HUANG & J. WU (China)
- 3765 Growth of nano-porous Pt-doped cerium oxide thin films on glassy carbon substrate
I. KHALAKHAN, M. DUBAU, S. HAVIAR, J. LAVKOVÁ, I. MATOLÍNOVÁ (Czech Republic), V. POTIN (France), M. VOROKHTA & V. MATOLÍN (Czech Republic)
- 3771 Modified self-propagating high-temperature synthesis of nanosized $\text{La}_{0.7}\text{Ca}_{0.3}\text{MnO}_3$
A. MRAKOVIĆ, J. BLANUŠA (Serbia), D. PRIMC (Slovenia), M. PEROVIĆ (Serbia), Z. JAGLIČIĆ (Slovenia), V. KUSIGERSKI & V. SPASOJEVIĆ (Serbia)
- 3779 Synthesis and photocatalysis of TiO_2 hollow spheres by a facile template-implantation route
W.J. TSENG & P.-S. CHAO (Taiwan)
- 3789 Microwave dielectric properties of $(1-x)\text{ZnTa}_2\text{O}_6$ – $x\text{MgNb}_2\text{O}_6$ ceramics
B. FU, Y. ZHANG & H. YUE (PR China)
- 3795 Thermal conversion of carbon fibres/polysiloxane composites to carbon fibres/ceramic composites
T. GUMULA & S. BLAZEWICZ (Poland)
- 3803 Effect of annealing on the structure and magnetic properties of mechanically milled TiO_2 – Fe_2O_3 mixture
A.M. AL-SAIE, A. AL-SHATER, S. AREKAT, A. JAFFAR & M. BOUQUDINA (Kingdom of Bahrain)
- 3809 Phase transformation on hydroxyapatite decomposition
S.-F. OU, S.-Y. CHIOU & K.-L. OU (Taiwan)
- 3817 The role of MgSiN_2 during the sintering process of silicon nitride ceramic
Z.-H. LIANG, J. LI, L.-C. GUI, G.-H. PENG, Z. ZHANG & G.-J. JIANG (China)
- 3823 Synthesis of TiO_2 nanoparticles on mesoporous aluminosilicate Al-SBA-15 in supercritical CO_2 for photocatalytic decolorization of methylene blue
F. CHANG, G. WANG, Y. XIE, M. ZHANG, J. ZHANG, H.-J. YANG & X. HU (PR China)

- 3831 Reactive infiltration processing of SiC/Fe–Si composites using preforms made of coked rice husks and SiC powder
D. ZHU, M. GAO, H. PAN, Y. LIU, X. WANG, Y. PAN (PR China), F.J. OLIVEIRA & J.M. VIEIRA (Portugal)
- 3843 Thermolysis of acidic aluminum chloride solution and its products
V.V. IVANOV, S.D. KIRIK, A.A. SHUBIN, I.A. BLOKHINA, V.M. DENISOV & L.A. IRTUGO (Russia)
- 3849 Effects of addition of seed grains on morphology and yield of boron carbide powder synthesized by carbothermal reduction
T. KOBAYASHI, K. YOSHIDA & T. YANO (Japan)
- 3857 Adsorption and adhesion of poly(vinyl alcohol) and poly(ammonium acrylate) as organic additives for wet mold processing of Al_2O_3
T. ISOBE, M. NAKANOME, K. NAKAZONO, S. MATSUSHITA & A. NAKAJIMA (Japan)
- 3865 Effect of PbTiO_3 seed layer on the orientation behavior and electrical properties of $\text{Bi}(\text{Mg}_{1/2}\text{Ti}_{1/2})\text{O}_3\text{-PbTiO}_3$ ferroelectric thin films
L. LIU, R. ZUO & Q. LIANG (PR China)
- 3873 Synthesis and electrical properties of co-doping with La^{3+} , Nd^{3+} , Y^{3+} , and Eu^{3+} citric acid-nitrate prepared samarium-doped ceria ceramics
M. KAHLAOUI, S. CHEFI, A. INOUBLI, A. MADANI & C. CHEFI (Tunisia)
- 3881 The effects of pore structures on the air permeation properties of sintered diatomite
J.-H. HA, E. OH, R. AHMAD & I.-H. SONG (Republic of Korea)
- 3885 The effect of functionalisation method on the stability and the thermal conductivity of nanofluid hybrids of carbon nanotubes/gamma alumina
S.M. ABBASI, A. RASHIDI, A. NEMATI & K. ARZANI (Iran)
- 3893 A thermodynamically stable $\text{La}_2\text{NiO}_{4+\delta}/\text{Gd}_{0.1}\text{Ce}_{0.9}\text{O}_{1.95}$ bilayer oxygen transport membrane in membrane-assisted water splitting for hydrogen production
S.-Y. JEON, H.-N. IM, B. SINGH, J.-H. HWANG & S.-J. SONG (Korea)
- 3901 Physical properties of spray deposited Ni-doped zinc oxide thin films
S.K. PATIL, S.S. SHINDE & K.Y. RAJPURE (India)
- 3909 Green gelatine-assisted sol–gel synthesis of ultrasmall nickel oxide nanoparticles
S. PILBAN JAHROMI, N.M. HUANG, M.R. MUHAMAD & H.N. LIM (Malaysia)
- 3915 Microstructure, electrical and mechanical properties of MgO nanoparticles-reinforced porous PZT 95/5 ferroelectric ceramics
J. WANG, H. NIE, C. LAN, G. WANG, X. DONG, X. CHEN, F. CAO & H. HE (China)
- 3921 Synthesis of hybrid compounds apatite–alendronate by reactive milling and effects on the structure and morphology of the apatite phase
N. VARGAS-BECERRIL (Mexico), C. PATIÑO-CARACHURE (México), L.M. RODRIGUEZ-LORENZO (Spain) & L. TÉLLEZ-JURADO (Mexico)
- 3931 In-situ fabrication of $\text{Al}_2\text{O}_3\text{-SiC}$ nanocomposites using B_2O_3 as sintering aid
S. RASOULI, E. TAHERI-NASSAJ & S.A. HASSANZADEH-TABRIZI (Iran)
- 3939 Preparation of nano- Al_2O_3 dispersion strengthened coating via coating-substrate co-sintering and underwater shock wave compaction
W. SUN, X. LI (China) & K. HOKAMOTO (Japan)
- 3947 Carbon sphere influence on textural properties and bioactivity of mesoporous bioactive glass/hydroxyapatite nanocomposite
T. LIU, D. LAI, X. FENG, H. ZHU & J. CHEN (PR China)

- 3957 Phase transitions and microwave dielectric properties of Bi_3NbO_7 ceramics with $\text{Bi}_4\text{B}_2\text{O}_9$ addition
W. ZHANG, X. CHEN & S. BAI (China)
- 3965 Tunable full color emission from single-phase $\text{LiSr}_{3.99-x}\text{Dy}_{0.01}(\text{BO}_3)_3:x\text{Eu}^{3+}$ phosphors
Z.-W. ZHANG, X.-Y. SUN, D.-D. JIA, S.-T. SONG, J.-P. ZHANG & S.-F. WANG (PR China)
- 3971 Thermodynamic calculations on the chemical vapor deposition of Si–C–N from the $\text{SiCl}_4-\text{NH}_3-\text{C}_3\text{H}_6-\text{H}_2-\text{Ar}$ system
X. LIU, L. ZHANG, Y. LIU, F. YE & X. YIN (China)
- 3979 The PZT system ($\text{PbTi}_x\text{Zr}_{1-x}\text{O}_3$, $0 \leq x \leq 1.0$): Dielectric response of solid solutions in broad temperature ($10 \leq T \leq 1000$ K) and frequency ($10^{-2} \leq f \leq 10^7$ Hz) ranges (Part 4)
I.N. ANDRYUSHINA, L.A. REZNICHENKO, I.M. SHMYTKO, L.A. SHILKINA, K.P. ANDRYUSHIN, YU.I. YURASOV & S.I. DUDKINA (Russia)
- 3987 Preparation of YAG nano-powders via an ultrasonic spray co-precipitation method
Y. YOU, L. QI, X. LI & W. PAN (China)
- 3993 Control of H_2O generated during the CO_2 hardening process in a casting mold
E.-H. KIM, J.-H. LEE, Y.-G. JUNG, J.-C. JANG & U. PAIK (Republic of Korea)
- 3999 Preparation and dielectric properties of polymer-derived SiCTi ceramics
Z. YU, H. MIN, J. ZHAN & L. YANG (China)
- 4009 Iron-doped TiO_2 nanotubes with high photocatalytic activity under visible light synthesized by an ultrasonic-assisted sol-hydrothermal method
X. WEI, H. WANG, G. ZHU, J. CHEN & L. ZHU (China)
- 4017 Water migration in clay slabs during drying: A three-dimensional numerical approach
W.P. DA SILVA, L.D. DA SILVA, V.S. DE OLIVEIRA FARIAS & C.M.D.P. DA SILVA E SILVA (Brazil)
- 4031 Fast ferroelectric domain wall motion in BiAlO_3
J.Y. SON & S.M. YOON (Republic of Korea)
- 4035 New mesoporous carbon materials synthesized by a templating procedure
B. BABIĆ, M. KOKUNEŠOSKI, M. MILJKOVIĆ, B. MATOVIĆ, J. GULICOVSKI, M. STOJMENOVIC & D. BUČEVAC (Serbia)
- 4045 Synthesis and electrochemical behavior of ceramic cation-exchange membranes based on zirconium phosphate
M.C. MARTÍ-CALATAYUD, M. GARCÍA-GABALDÓN, V. PÉREZ-HERRANZ, S. SALES & S. MESTRE (Spain)
- 4055 Viscosity, fragility and structure of $\text{Na}_2\text{O}-\text{CaO}-\text{Al}_2\text{O}_3-\text{SiO}_2$ glasses of increasing Al/Si ratio
J. CHENG, Z. XIAO, K. YANG & H. WU (China)
- 4063 Eu^{3+} luminescence in novel garnet-type $\text{Li}_5\text{La}_3\text{Nb}_2\text{O}_{12}$ ceramics
X. ZHANG, F. MENG, H. WEI (China) & H.J. SEO (Republic of Korea)
- 4069 Effect of the film thickness on the fabrication of ordered TiO_2 thin film microstructures by transfer printing
J.-H. LEE, S.-Y. TSAI, C.-H. KUO, M.-H. HON & I.-C. LEU (Taiwan ROC)
- 4075 Preparation and microstructure of in-situ gel modified expanded vermiculite
F. ZHOU, H.-Z. GU & C.-F. WANG (China)
- 4081 Preparation and characterization of crednerite glass-ceramics in the $\text{MnO}-\text{CuO}-\text{SiO}_2$ system
S.A.M. ABDEL-HAMEED & F.H. MARGHA (Egypt)
- 4089 Hydrothermal synthesis and luminescence properties of $\text{YF}_3:\text{Ln}$ ($\text{Ln}=\text{Sm, Dy, Tb and Pr}$) nano-/microcrystals
F. TAO, C. HU, Z. WANG, G. ZHU, Y. SUN & D. SHU (PR China)

- 4099 Development of silver-containing diamond-like carbon for biomedical applications. Part I: Microstructure characteristics, mechanical properties and antibacterial mechanisms
W.-C. LAN, S.-F. OU, M.-H. LIN, K.-L. OU & M.-Y. TSAI (Taiwan)
- 4105 Sol-gel mediated surface modification of nanocrystalline NiFe_2O_4 spinel powders with amorphous SiO_2
S. VIVEKANANDHAN (India, Canada), M. VENKATESWARLU (India), D. CARNAHAN (USA), M. MISRA, A.K. MOHANTY (Canada) & N. SATYANARAYANA (India, Canada)
- 4113 Modeling of the performance of BSCF capillary membranes in four-end and three-end integration mode
C. BUYSSE, B. MICHELSEN, V. MIDDELKOOP, F. SNIJKERS, A. BUEKENHOUDT, J. KRETZSCHMAR & S. LENAERTS (Belgium)
- 4125 Ceramic pigments based on chromium doped alkaline earth titanates
A. GARCÍA, R. GALINDO, C. GARGORI, S. CERRO, M. LLUSAR & G. MONRÓS (Spain)
- 4133 Effects of pH on the microstructures and optical property of FeWO_4 nanocrystallites prepared via hydrothermal method
F. YU, L. CAO, J. HUANG & J. WU (China)
- 4139 Structure, microstructure and electrical properties of Cu^{2+} doped $(\text{K},\text{Na},\text{Li})(\text{Nb},\text{Ta},\text{Sb})\text{O}_3$ piezoelectric ceramics
F. RUBIO-MARCOS (France), J.J. REINOSA (Spain), X. VENDRELL (Spain), J.J. ROMERO (Spain), L. MESTRES (Spain), P. LERET, J.F. FERNÁNDEZ (Spain) & P. MARCHET (France)
- 4151 Characterization of silicon carbide joints fabricated using SiC particulate-reinforced Ag–Cu–Ti alloys
M.C. HALBIG, B.P. CODDINGTON, R. ASTHANA & M. SINGH (USA)
- 4163 Synthesis of spherical (30 nm) and rod-like (200 nm) zirconia co-reinforced mullite nanocomposites
J. ZHONG (PR China, Australia), J. ZHAO (Australia), S. LIANG, X. TAN (PR China), M. ZHOU (Australia) & G. ZHANG (PR China)
- 4171 Ablation behavior and mechanism of C/C–ZrC–SiC composites under an oxyacetylene torch at 3000 °C
J. XIE, K. LI, H. LI, Q. FU & L. GUO (PR China)
- 4179 Structural and magnetic properties of the copper ferrite obtained by reactive milling and heat treatment
T.F. MARINCA, I. CHICINAŞ (Romania) & O. ISNARD (France)
- 4187 Effect of fluorine content on the crystallization and flexural strength of fluoro-mica glass ceramics
S. WU, Q. ZHOU, Y.-J. WANG, M. ZHANG & Y.-J. CHEN (People's Republic of China)
- 4191 On the enhancement of the spark-plasma sintering kinetics of ZrB_2 –SiC powder mixtures subjected to high-energy co-ball-milling
V. ZAMORA, A.L. ORTIZ, F. GUIBERTEAU (Spain) & M. NYGREN (Sweden)
- 4205 Linking microstructure evolution and impedance behaviors in spark plasma sintered $\text{Si}_3\text{N}_4/\text{TiC}$ and $\text{Si}_3\text{N}_4/\text{TiN}$ ceramic nanocomposites
B.H. LIU, P.-J. SU, C.-H. LEE & J.-L. HUANG (Taiwan ROC)
- 4213 Influence of milling time on the synthesis, microstructure and mechanical properties of ZrB_2 –SiC– ZrO_{2f} ceramic composites
J. LIN, X. ZHANG, W. HAN & D. SUN (PR China)
- 4221 Structural, magnetic, electrical and dielectric properties of $\text{Mn}_x\text{Ni}_{1-x}\text{Fe}_2\text{O}_4$ spinel nanoferrites prepared by PEG assisted hydrothermal method
Y. KÖSEOĞLU (Turkey)
- 4231 Effect of BN content on microstructures, mechanical and dielectric properties of porous $\text{BN}/\text{Si}_3\text{N}_4$ composite ceramics prepared by gel casting
S. WANG, D. JIA, Z. YANG, X. DUAN, Z. TIAN & Y. ZHOU (China)
- 4239 High temperature monoclinic-to-tetragonal phase transition in magnesium doped lanthanum ortho-niobate
A. MIELEWCZYK-GRYN, K. GDULA-KASICA, B. KUSZ & M. GAZDA (Poland)

- 4245 Effect of addition of surface modified nanosilica into silica–zirconia hybrid sol–gel matrix
L. SOWNTHARYA, R.C. GUNDAKARAM, K.R.C. SOMA RAJU & R. SUBASRI (India)
- 4253 Preparation and characterization of $\text{Al}_2\text{O}_3/\text{TiC}$ micro–nano-composite ceramic tool materials
Z. YIN, C. HUANG, B. ZOU, H. LIU, H. ZHU & J. WANG (PR China)
- 4263 Dielectric relaxation behaviour of Li and La co-doped NiO ceramics
A.A. DAKHEL (Bahrain)
- 4269 Effect of high energy milling on the formation and properties of sialon ceramics prepared from silicon nitride-aluminium nitride precursors
M. SOPICKA-LIZER (Poland), C. DURAN, H. GOCMEZ (Turkey), T. PAWLIK, M. MIKUSKIEWICZ (Poland) & K. MACKENZIE (New Zealand)
- 4281 Effects of thermal oxidation on electromagnetic interference shielding properties of SiC_f/SiC composites
D. DING, F. LUO & W. ZHOU (China)
- 4287 A stable $\text{BaCe}_{0.7}\text{Ta}_{0.1}\text{In}_{0.2}\text{O}_{3-\delta}$ electrolyte membrane for proton-conducting solid oxide fuel cells
J. DANG, Z. ZHU, J. QIAN & W. LIU (PR China)
- 4293 Characterization of electrochromic tungsten oxide film from electrochemical anodized RF-sputtered tungsten films
C.-K. WANG, C.-K. LIN, C.-L. WU, S. BRAHMA, S.-C. WANG & J.-L. HUANG (Taiwan)
- 4299 Atomic structure and chemistry of dense nano-precipitates in MgB_2 ceramic
X. SONG (USA)
- 4307 Dielectric, ferroelectric and piezoelectric properties of La-substituted $\text{BiFeO}_3-\text{BaTiO}_3$ ceramics
C. ZHOU, H. YANG, Q. ZHOU, Z. GEN, W. LI, C. YUAN & H. WANG (PR China)
- 4313 Luminescence properties and efficient energy transfer in Ce^{3+} and Tb^{3+} co-doped $\text{Mg}_2\text{La}_3[\text{SiO}_4]_2[\text{PO}_4]\text{O}$ phosphor
W. ZHANG (PR China), Y. HUANG (China) & H.J. SEO (Republic of Korea)
- 4321 A versatile route for the preparation of Ni–CGO cermets from nanocomposite powders
D.A. MACEDO, G.L. SOUZA (Brazil), B. CELA (Germany), C.A. PASKOCIMAS, A.E. MARTINELLI (Brazil), F.M.L. FIGUEIREDO, F.M.B. MARQUES (Portugal) & R.M. NASCIMENTO (Brazil)
- 4329 Synthesis and characterization of fluorapatite–zirconia composite nanopowders
B. NASIRI-TABRIZI & A. FAHAM (Iran)
- 4339 Synthesis and *in-vitro* cytotoxicity analysis of microwave irradiated nano-apatites
R. NAZIR, A. SAMAD KHAN, A. AHMED, A. UR-REHMAN, A. ANWAR CHAUDHRY (Pakistan), I. UR REHMAN & F.S.L. WONG (United Kingdom)
- 4349 Fluctuation induced conductivity analyses of Cd doped $\text{Cu}_{0.5}\text{Tl}_{0.5}\text{Ba}_2\text{Ca}_2\text{Cu}_{3-y}\text{Cd}_y\text{O}_{10-\delta}$ ($y=0, 0.5, 1.0, 1.5$) superconductors
A. RAZA, M. RAHIM & N.A. KHAN (Pakistan)
- 4355 Fabrication of ceramic membranes with controllable surface roughness and their applications in oil/water separation
Z. ZHONG, W. XING & B. ZHANG (PR China)
- 4363 Characterization and electrochemical performance of $(\text{Ba}_{0.6}\text{Sr}_{0.4})_{1-x}\text{La}_x\text{Co}_{0.85}\text{Ti}_{0.15}\text{O}_3$ as cathode materials for intermediate temperature solid oxide fuel cell
Y. SHEN, H. ZHAO, D. TENG & Z. DU (China)
- 4369 The enhancement of platinum surface area by alumina template assistance in Sn/Pt core–shell nano/sub-micron sphere structure
C.C. CHEN, C.L. CHEN & Y.S. LAI (Taiwan)
- 4377 Effect of the dry nanodispersion procedure in the magnetic order of the Co_3O_4 surface
I. LORITE (Spain, Germany), L. PÉREZ, J.J. ROMERO & J.F. FERNANDEZ (Spain)

- 4383 Structural, morphological, and gas response properties of citrate gel synthesized nanocrystalline ZnO and $Zn_{0.9}Cd_{0.1}O$ materials
J.Y. PATIL, A.V. RAJGURE, L.K. BAGAL (India), R.C. PAWAR (South Korea), I.S. MULLA & S.S. SURYAVANSHI (India)
- 4391 Effect of niobium doping on opto-electronic properties of sol–gel based nanostructured indium tin oxide thin films
S. MOHAMMADI, H. ABDIZADEH & M.R. GOLOBOSTANFARD (Iran)
- 4399 Microstructure and hydrogen storage properties of MgH_2-TiB_2-SiC composites
I. MILANOVIĆ, S. MILOŠEVIĆ, Ž. RAŠKOVIĆ-LOVRE, N. NOVAKOVIĆ, R. VUJASIN, L. MATOVIĆ (Serbia), J. FRANCISCO FERNÁNDEZ, C. SÁNCHEZ (Spain) & J. GRBOVIĆ NOVAKOVIĆ (Serbia)
- 4407 Effect of sintering temperature on the electric properties and microstructure of $SnO_2-Co_3O_4-Sb_2O_5-Cr_2O_3$ varistor ceramic
J.A. AGUILAR-MARTÍNEZ, M.I. PECH CANUL (México), M.B. HERNÁNDEZ (N.L. México), A.B. GLOT (México), E. RODRÍGUEZ & L. GARCÍA ORTIZ (N.L. México)
- 4413 Dielectric properties and phase transition of samarium-doped $BaSn_{0.1}Ti_{0.9}O_3$ ceramics
Y. LI, X. MA, Z. LI, R. WANG, Q. ZHANG & Y. QU (China)
- 4421 Preparation of carbon–silicon carbide composite powder via a mechanochemical route
Y. LU, Y. WANG, Z. PAN, H. SHEN & L. WU (China)
- 4427 Electrochemical preparation of ZrO_2 nanopowder: Impact of the pulse current on the crystal structure, composition and morphology
M. AGHAZADEH & M. HOSSEINFARAD (Iran)
- 4437 Influence of original powders on the microstructure and properties of thermal barrier coatings deposited by supersonic atmospheric plasma spraying, part II: Properties
Y. BAI, L. ZHAO, J.J. TANG, S.Q. MA, C.H. DING, J.F. YANG, L. YU & Z.H. HAN (PR China)
- 4449 Failure mode analysis of carbide cutting tools used for machining titanium alloy
J. A. GHANI, C.H. CHE HARON, S.H. HAMDAN, A.Y. MD SAID & S.H. TOMADI (Malaysia)
- 4457 Effect of sintering temperature on the mechanical and physical properties of WC–10%Co through micro-powder injection molding (μ PIM)
S.Y. HENG, N. MUHAMAD, A.B. SULONG, A. FAYYAZ & SRIYULIS. M. AMIN (Malaysia)
- 4465 Multi-objective optimization of the parameters of TiO_2 -based ceramic humidity sensors
T. NENOV & Z. NENOVA (Bulgaria)
- 4475 Controlling of the polymorphic phase transition on lead-free piezoelectric $Li_{0.08}(Na_{0.52+x}K_{0.48})_{0.92}NbO_3$ ceramics
X.-K. ZHAO, B.-P. ZHANG, L. ZHAO, L.-F. ZHU, P.-F. ZHOU & Y. LI (China)
- 4481 Influence of ethanol supercritical drying treatment on morphology and electrochemical properties of $DyBaCo_2O_{5+\delta}$ cathode material
M.-W. XIONG, X. YUAN, J.-W. YIN, Y.-M. YIN & Z.-F. MA (PR China)
- 4489 Theoretical and experimental investigations on the mechanism of carbothermal reduction of zirconia
A. SONDHI, C. MORANDI, R.F. REIDY & T.W. SCHARF (USA)
- 4499 Template synthesis and characterization of mesoporous $\gamma-Al_2O_3$ hollow nanorods using *Stevia rebaudiana* leaf aqueous extract
M. RODRÍGUEZ, Á.B. SIFONTES, F.J. MÉNDEZ, Y. DÍAZ, E. CAÑIZALES & J.L. BRITO (Venezuela)
- 4507 Ageing effect on electrical properties of the oxyapatite/ Nd_2NiO_4 interface
S. CHEFI, M. KAHLAOUI, A. INOUBLI, A. MADANI (Tunisia) & A. HAMMOU (France)
- 4513 Highly luminescent yttria–silica core–shell nanoparticles by the sacrificial polymer shell method
M. GHAHARI (Iran), P. FABBRI, F. PILATI, L. PASQUALI, M. MONTECCHI (Italy) & R. AGHABABA ZADEH (Iran)

- 4523 Preparation and characterization of Samaria nanofibers by electrospinning
P.K. PANDA (India)
- 4529 Microstructure and mechanical properties of MgO–C refractories containing expanded graphite
T. ZHU, Y. LI, S. JIN, S. SANG, Q. WANG, L. ZHAO, Y. LI & S. LI (PR China)
- 4539 Synthesis of nanocrystalline hydroxyapatite by precipitation using hen's eggshell
D.L. GOLOSHCHAPOV, V.M. KASHKAROV, N.A. RUMYANTSEVA, P.V. SEREDIN, A.S. LENSHIN, B.L. AGAPOV & E.P. DOMASHEVSKAYA (Russian Federation)
- 4551 Improved oxidation resistance of thermoelectric skutterudites coated with composite glass
H. DONG, X. LI, X. HUANG, Y. ZHOU, W. JIANG & L. CHEN (China)
- 4559 A green sol–gel route for the synthesis of structurally controlled silica particles from rice husk for dental composite filler
N.S.C. ZULKIFLI, I. AB RAHMAN, D. MOHAMAD & A. HUSEIN (Malaysia)
- 4569 Application of Zn_2SnO_4 photocatalyst prepared by microwave-assisted hydrothermal route in the degradation of organic pollutant under sunlight
E.L. FOLETTTO, J.M. SIMÕES, M.A. MAZUTTI, S.L. JAHN, E.I. MULLER, L.S.F. PEREIRA & E.M.D.M. FLORES (Brazil)
- 4575 Histological analysis of bone repair in rat femur via nanostructured merwinite granules
M. HAFEZI, A. REZA TALEBI, S. MOHSEN MIRESMAEILI, F. SADEGHIAN & F. FESAHAT (Iran)
- 4581 Structure and optical properties of iron oxide films prepared by a modified wet-chemical method
G. CARBAJAL-FRANCO, M. EASTMAN & C.V. RAMANA (USA)
- 4589 Influence of vanadium dopant on relaxor behavior of $BaBi_2Nb_2O_9$ ceramics
M. ADAMCZYK, L. KOZIELSKI, M. PILCH, M. PAWEŁCZYK & A. SOSZYŃSKI (Poland)
- 4597 Microstructure and wear behavior of spark plasma sintered Ti_3SiC_2 and Ti_3SiC_2 –TiC composites
N.C. GHOSH & S.P. HARIMKAR (United States)
- 4609 Defect-induced room temperature ferromagnetism in B-doped ZnO
S. YILMAZ (Turkey, Ireland), J. NISAR (Sweden), Y. ATASOY (Turkey), E. MCGLYNN (Ireland), R. AHUJA (Sweden), M. PARLAK & E. BACAKSIZ (Turkey)

Short Communications

- 4619 Microemulsion-mediated synthesis and characterization of monodispersed nickel molybdate nanocrystals
M. MASTERI-FARAHANI, S. MAHDAMI & M. RAFIZADEH (Iran)
- 4627 Ablative property of laminated ZrB_2 –SiC ceramics under oxyacetylene torch
F. ZUO, L. CHENG, L. XIANG, L. ZHANG & L. LI (People's Republic of China)
- 4633 Effect of composition variation on phases and photoluminescence properties of β -SiAlON:Ce³⁺ phosphor
L. GAN, Z.-Y. MAO, Y.-Q. ZHANG, F.-F. XU, Y.-C. ZHU & X.-J. LIU (PR China)
- 4639 Transparent $Y_3Al_5O_{12}$ ceramics produced by an aqueous tape casting method
X. BA, J. LI, Y. ZENG, Y. PAN, B. JIANG, W. LIU, W. LIANG, J. LIU & J. GUO (PR China)
- 4645 Preparation of $Li_{1.5}Al_{0.5}Ti_{1.5}(PO_4)_3$ solid electrolyte via a sol–gel route using various Al sources
M. KOTOBUKI & M. KOISHI (Japan)
- 4651 Study on visible light response and magnetism of bismuth ferrites synthesized by a low temperature hydrothermal method
Y. SUN, X. XIONG, Z. XIA, H. LIU, Y. ZHOU, M. LUO & C. WANG (China)
- 4657 Microstructure characterization of in situ synthesized porous Si_2N_2O ceramics using spodumene additive
X. DONG, J. LIU, H. DU, A. GUO & M. LIU (China)

- 4663 Synthesis of AlN porous-shell hollow spheres by a combustion route
Z. SHI, W. YANG, Y. KANG, G. QIAO & Z. JIN (China)
- 4669 One-step synthesis of zinc ferrite nanoparticles by ultrasonic wave-assisted ball milling technology
D. CHEN, L. LI & J.-H. WANG (China)
- 4673 Lithium-ion insertion kinetics of Nb-doped LiMn_2O_4 positive-electrode material
T.-F. YI, L.-C. YIN, Y.-Q. MA, H.-Y. SHEN, Y.-R. ZHU & R.-S. ZHU (People's Republic of China)
- 4679 $\text{La}_{0.1}\text{Bi}_{0.9}\text{FeO}_3$ – $\text{BiY}_2\text{Fe}_5\text{O}_{12}$ composites with simultaneously improved magnetization and polarization
Y. LIN, H. YANG, Z. ZHU & F. WANG (China)
- 4683 Thermal conductivity of low-temperature sintered calcium aluminosilicate glass–silicon nitride whisker composites
M. MA, Z. LIU, Y. LI, Y. ZENG & D. YAO (PR China)
- 4689 A comparative study of different curing techniques for SiO_2 – TiO_2 hybrid coatings on polycarbonate
L. SOWNTHARYA & R. SUBASRI (India)
- 4695 Synthesis of highly sinterable $\text{Yb}:\text{Sc}_2\text{O}_3$ nanopowders for transparent ceramic
X. LU, B. JIANG, J. LI, W. LIU, L. WANG, X. BA, C. HU, B. LIU & Y. PAN (PR China)
- 4701 Excellent DC aging behavior of $\text{ZnO}-\text{Pr}_6\text{O}_{11}-\text{CoO}-\text{Cr}_2\text{O}_3-\text{Y}_2\text{O}_3$ ceramics modified with Tb_4O_7
C.-W.. NAHM (Republic of Korea)
- 4707 In vitro cytocompatibility of plasma-sprayed dicalcium silicate/zirconia composite coatings
Y.T. XIE, X.B. ZHENG, L.P. HUANG & C.X. DING (China)
- 4713 Microstructure–polarization relations in nickel/gadolinia-doped ceria anode for intermediate-temperature solid oxide fuel cells
Y.-G. CHOI, J.-Y. PARK, H. SONG, H.-R. KIM, J.-W. SON, J.-H. LEE, H.-J. JE, B.-K. KIM, H.-W. LEE & K.J. YOON (Republic of Korea)
- 4719 Microwave dielectric properties of scheelite structured low temperature fired $\text{Bi}(\text{In}_{1/3}\text{Mo}_{2/3})\text{O}_4$ ceramic
L.-X. PANG, D. ZHOU, J. GUO, Z.-M. QI & T. SHAO (China)
- 4723 Fabrication and properties of 3-D C/ZrC – SiC composites by the vapor silicon infiltration process
Q. LI, S. DONG, Z. WANG & G. SHI (China)
- 4729 Properties of C/SiC composites modified by a boron- containing phase
B. WU, S. DONG, Z. WANG, Y. KAN, L. ZHANG & F. ZHOU (PR China)
- 4735 Photocatalytic activities of Ce or Co doped nanocrystalline TiO_2 – SiO_2 composite films
Y. YAO, N. ZHAO, J.-J. FENG, M.-M. YAO & F. LI (China)