


CERAMICS INTERNATIONAL



PIETRO VINCENZINI

GENERAL EDITOR

EDITORS-IN-CHIEF

L. GAUCKLER
SWITZERLAND

J. F. BAUMARD
FRANCE

J.-K. GUO
CHINA

K. KOUMOTO
JAPAN

R. K. BORDIA
USA

R. PAMPUCH
POLAND

<http://www.elsevier.com/locate/ceramint>





0272-8842(201307)39:5;1-3

(Abstracted/indexed in: *Applied Mechanics Reviews*; *Br. Ceram Abstr.*; *Ceramic Abstracts*; *Chemical Abstracts*; *Current Contents/Engineering, Computing & Technology*; *Current Contents/Physical, Chemical and Earth Sciences*; *Materials Science Citation Index*; *Met. Abstr.*; *Sci. Abstr.*; *Science Citation Inded*; *SciSearch*; *World Alum. Abstr.* Also covered in the abstract and citation database *SciVerse SCOPUS®*. Full text available on *SciVerse ScienceDirect®*.)

CONTENTS

Volume 39 Issue 5 2013

Original Articles

- 4739 Investigation of MAX phase/c-BN composites
T. RAMPAI, C.I. LANG & I. SIGALAS (South Africa)
- 4749 Influence of annealing on the structural, optical and photoluminescence properties of ZnO thin films for enhanced H₂ sensing application
K. VIJAYALAKSHMI, K. KARTHICK & D. GOPALAKRISHNA (India)
- 4757 Microwave- and conventional-hydrothermal synthesis of CuS, SnS and ZnS: Optical properties
X. YAN (PR China, USA), E. MICHAEL, S. KOMARNENI, J.R. BROWNSON (USA) & Z.-F. YAN (PR China)
- 4765 Effects of Cr content and morphology on the luminescence properties of the Cr-doped alpha-Al₂O₃ powders
D. LIU (China)
- 4771 Optical properties of Nb-doped TiO₂ thin films prepared by sol-gel method
A.V. MANOLE, M. DOBROMIR (Romania), M. GÎRTAN, R. MALLET (France), G. RUSU & D. LUCA (Romania)
- 4777 Shielding properties of CuNiZn ferrite in the radio frequency range
MARÍA. S. RUIZ, PAULA. G. BERCOFF & SILVIA. E. JACOBO (Argentina)
- 4783 Solid-state combustion synthesis of spinel LiMn₂O₄ using glucose as a fuel
X. ZHOU, M. CHEN, M. XIANG, H. BAI & J. GUO (PR China)
- 4791 Sintering mechanisms of Yttria with different additives
X. CHENG, C. YUAN, N.R. GREEN & P.A. WITHEY (UK)
- 4801 Influence of Bi³⁺ as a sensitizer and SiO₂ shell coating as a protecting layer towards the enhancement of red emission in LnVO₄: Bi³⁺, Eu³⁺ @ SiO₂ (Ln=Gd, Y and Gd/Y) powder phosphors for optical display devices
U. RAMBABU, N.R. MUNIRATHNAM, S. CHATTERJEE, B. SUDHAKAR REDDY (India) & S.-D. HAN (Republic of Korea)
- 4813 Electric and dielectric study of cobalt substituted Mg–Mn nanoferrites synthesized by solution combustion technique
G. KUMAR, R. RANI, S. SHARMA (India), K.M. BATOO (Saudi Arabia) & M. SINGH (India)
- 4819 Ablation mechanisms of interpenetrating Al₂Si/graphite composites
B.-Q. LI, P.-C. KANG, H.-S. GOU, Q. ZHANG & G.-H. WU (PR China)
- 4825 Room temperature ferromagnetism in hydrothermally grown Ni and Cu co-doped ZnO nanorods
G. TANG, X. SHI, C. HUO & Z. WANG (China)

Continued on inside back cover



ELSEVIER

Available online at www.sciencedirect.com

SciVerse ScienceDirect

CONTENTS—Continued from outside back cover

- 4831 Microstructure and mechanical properties of multi-walled carbon nanotubes containing Al_2O_3 —C refractories with addition of polycarbosilane
M. LUO, Y. LI, S. JIN, S. SANG, L. ZHAO, Q. WANG & Y. LI (PR China)
- 4839 Influence of the calcination temperature on morphological and mechanical properties of highly porous hydroxyapatite scaffolds
F. SCALERA, F. GERVASO, K.P. SANOSH, A. SANNINO & A. LICCIULLI (Italy)
- 4847 Influence of doping with various cations on electrical conductivity of apatite-type neodymium silicates
J. XIANG, Z.-G. LIU, J.-H. OUYANG, Y. ZHOU & F.-Y. YAN (China)
- 4853 Phase formation, dielectric and ferroelectric properties of $\text{Ca}_x\text{Ba}_{1-x}\text{Nb}_2\text{O}_6$ ceramics
X. HAN, L. WEI, Z. YANG & T. ZHANG (PR China)
- 4861 Microstructure of seal formed between a Nb wire and an Al_2O_3 capillary melted by YAG laser radiation
T. HONMA, H. KAMATA & J. TATAMI (Japan)
- 4877 Morphotropic phase boundary and electrical properties of $1-x[\text{Bi}_{0.5}\text{Na}_{0.5}]\text{TiO}_3-x\text{Ba}[\text{Zr}_{0.25}\text{Ti}_{0.75}]\text{O}_3$ lead-free piezoelectric ceramics
B. PARIJA, T. BADAPANDA, S.K. ROUT (India), L.S. CAVALCANTE (Brazil), S. PANIGRAHI (India), E. LONGO, N.C. BATISTA (Brazil) & T.P. SINHA (India)
- 4887 Microstructure and microwave dielectric properties of $\text{Li}_2\text{Ti}_{1-x}(\text{Zn}_{1/3}\text{Nb}_{2/3})_x\text{O}_3$ ceramics
G.-H. CHEN, H.-R. XU & C.-L. YUAN (China)
- 4893 Interfacial microstructure of SiCp/Al composite produced by the pressureless infiltration technique
Q. ZHANG, X. MA & G. WU (China)
- 4899 Study on stability and electrical performance of yttrium and bismuth co-doped BaCeO_3
X. CHI, J. ZHANG, M. WU, Y. LIU & Z. WEN (PR. China)
- 4907 Effect of La doping on microwave dielectric properties of translucent polycrystalline alumina ceramic
H. WANG, H. LIN, W. LI & J. SHI (China)
- 4913 Comparative study on the sonophotocatalytic degradation of hazardous waste
N. TALEBIAN, M.R. NILFOROUSHAN & F.J. MOGADDAS (Iran)
- 4923 Microstructural study of aged ferrite powders for sensing layers
J.-M. TULLIANI, M. BORGNA, I. GRIGIONI & I.N. SORA (Italy)
- 4929 Influence of Fe^{3+} -doping on optical properties of CeO_{2-y} nanopowders
M. RADOVIĆ, Z. DOHČEVIĆ-MITROVIĆ, A. GOLUBOVIĆ (Serbia), V. FRUTH, S. PREDA (Romania), M. ŠĆEPANOVIĆ & Z.V. POPOVIĆ (Serbia)
- 4937 Antibacterial ciprofloxacin HCl incorporated polyurethane composite nanofibers via electrospinning for biomedical applications
Y. CHOI, R. NIRMALA, J.Y. LEE, M. RAHMAN, S.-T. HONG & H.Y. KIM (South Korea)
- 4945 Electrical and thermal properties of low permittivity $\text{Sr}_2\text{Al}_2\text{SiO}_7$ ceramic filled HDPE composites
K.M. MANU, S. ANANTHAKUMAR & M.T. SEBASTIAN (India)
- 4953 Dolomite, wollastonite and calcite as different CaO sources in anorthite-based porcelain
S. KE, X. CHENG, Y. WANG, Q. WANG & H. WANG (China)
- 4961 Influences of infiltrated resin on properties of printed electrodes on non-sintered ceramic films
Y. KIM, K. WOO, J. KIM & J. MOON (Republic of Korea)
- 4969 Template-assisted hydrothermal synthesis and photocatalytic activity of novel TiO_2 hollow nanostructures
G. TANG, S. LIU, H. TANG, D. ZHANG, C. LI & X. YANG (PR China)

(contents continued from Inside back cover)

- 4975 Cytocompatibility, bioactivity and mechanical strength of calcium phosphate cement reinforced with multi-walled carbon nanotubes and bovine serum albumin
F. GHOLAMI, S.H.S. ZEIN (Malaysia), L.-C. GERHARDT (UK), K.L. LOW, S.H. TAN (Malaysia), D.S. MCPHAIL, L.M. GROVER (UK) & A.R. BOCCACCINI (UK, Germany)
- 4985 Studies on sintering kinetics and correlation with the sinterability of 8Y zirconia ceramics based on the dilatometric shrinkage curves
K. RAJESWARA, S. PADHI, A.R.S. REDDY, R. JOHNSON & D. DAS (India)
- 4991 Development and *in vitro* assays of porous calcium polyphosphate granules
M.-H. HONG, S.-M. KIM, K.-M. KIM & Y.-K. LEE (South Korea)
- 4999 Kinetics of magnetite nanoparticles formation in a one step low temperature hydrothermal process
R. AHMADI, A. MASOUDI, H.R. MADAAH HOSSEINI (Iran) & N. GU (China)
- 5007 Synthesis, calcination and characterization of Nanosized ceria powders by self-propagating room temperature method
B. MATOVIĆ, J. DUKIĆ, B. BABIĆ, D. BUČEVAC, Z. DOHČEVIĆ-MITROVIĆ, M. RADOVIĆ & S. BOŠKOVIĆ (Serbia)
- 5013 Divalent silver oxide-diatomite hybrids: Synthesis, characterization and antibacterial activity
W. SHEN, L. FENG, H. FENG & A. LEI (China)
- 5025 Schottky barrier effect of ZnO modified methyl glycol thin films for detection of hydrogen sulfide gas
S.A. AL-GHAMDI, S.H. AL-HENITI & W.E. MAHMOUD (Saudi Arabia)
- 5031 Dual fiber behavior of polyvinyl alcohol/zirconium n-propoxide composite fibrous mats prepared via electrospinning
S. SINGH, V. SINGH, M. VIJAYAKUMAR & V.V. BHANU PRASAD (India)
- 5039 Phase stabilization in plasma sprayed BaTiO₃
P. CTIBOR, H. SEINER, J. SEDLACEK, Z. PALA & P. VANEK (Czech Republic)
- 5049 Nanostructured ZnO thin films by SDS-assisted electrodeposition for dye-sensitized solar cell applications
Y. LIN, J. YANG & Y. MENG (People's Republic of China)
- 5053 A double layer nanostructure SiC coating for anti-oxidation protection of carbon/carbon composites prepared by chemical vapor reaction and chemical vapor deposition
X. YANG, Q. HUANG, Z. SU, L. CHAI, X. WANG & L. ZHOU (PR China)
- 5063 Thermal and chemical treatments of montmorillonite clay
T.C.D.C. COSTA, J.D.D. MELO & C.A. PASKOCIMAS (Brazil)
- 5069 A comparative study of Sr_{0.7}Ba_{0.3}Nb₂O₆ relaxor ferroelectric ceramics prepared by conventional and microwave sintering techniques
J. LI, Y. PU, Z. WANG & J. DAI (China)
- 5077 Spark plasma sintering of TiC-based composites toughened by submicron SiC particles
L. CHENG, Z. XIE & G. LIU (PR China)
- 5083 A green and facile one-pot synthesis of Ag-ZnO/RGO nanocomposite with effective photocatalytic activity for removal of organic pollutants
H. RAJ PANT (Nepal, Republic of Korea), B. PANT, H. JOO KIM (Republic of Korea), A. AMARJARGAL (Republic of Korea, Mongolia), C. HEE PARK, L.D. TIJING, E. KYO KIM & C. SANG KIM (Republic of Korea)
- 5093 Sintering of electron beam physical vapor deposited thermal barrier coatings under flame shock
C. CHEN (China, UK), H. GUO, S. GONG (China), X. ZHAO & P. XIAO (UK)
- 5103 Evaluation of stress distribution and failure mechanism in lanthanum–titanium–aluminum oxides thermal barrier coatings
M. ABBAS, L. GUO & H. GUO (China)

- 5113 Influence of original powders on the microstructure and properties of thermal barrier coatings deposited by supersonic atmospheric plasma spraying, Part I: Microstructure
Y. BAI, J.J. TANG, Y.M. QU, S.Q. MA, C.H. DING, J.F. YANG, L. YU & Z.H. HAN (PR China)
- 5125 Reaction mechanisms of synthesis and decomposition of fluorapatite–zirconia composite nanopowders
B. NASIRI-TABRIZI & A. FAHAM (Iran)
- 5137 Polyaniline (PANI)– $\text{Co}_{0.5}\text{Mn}_{0.5}\text{Fe}_2\text{O}_4$ nanocomposite: Synthesis, characterization and magnetic properties evaluation
H. SOZERI, U. KURTAN, R. TOPKAYA, A. BAYKAL (Turkey) & M.S. TOPRAK (Sweden, Turkey)
- 5145 Synthesis and electrochemical properties of La-doped $\text{Li}_4\text{Ti}_5\text{O}_{12}$ as anode material for Li-ion battery
D. WANG, C. ZHANG, Y. ZHANG, J. WANG & D. HE (China)
- 5151 Low-fire processing of microwave BaTi_4O_9 dielectric with crystalline CuB_2O_4 and BaCuB_2O_5 additives
Y.-J. CHU & J.-H. JEAN (Taiwan)
- 5159 Effect of variation Mn/W molar ratios on phase composition, morphology and optical properties of MnWO_4
S. ZHOU, J. HUANG, T. ZHANG, H. OUYANG, A. LI & Z. ZHANG (PR China)
- 5165 Phase transformation and nanocrystallite growth behavior of 2 mol% yttria-partially stabilized zirconia (2Y-PSZ) powders
C.-H. WANG, M.-C. WANG, J.-K. DU, Y.-Y. SIE, C.-S. HSI & H.-E. LEE (Taiwan)
- 5175 Magnetron sputter deposition of hafnium nitride coating on high density graphite and niobium substrates
A.R. SHANKAR, U.K. MUDALI, V. CHAWLA & R. CHANDRA (India)
- 5185 Microwave dielectric characteristics of $\text{Li}_2(\text{Mg}_{0.94}\text{M}_{0.06})\text{Ti}_3\text{O}_8$ (M=Zn, Co, and Mn) ceramics
L. WANG, Q. SUN, W. MA & Z. HUAN (China)
- 5191 Growth and optical properties of $\text{ZnO}-\text{In}_2\text{O}_3$ heterostructure nanowires
R. YOUSEFI, F. JAMALI-SHEINI, A. KHORSAND ZAK (Iran) & M. AZARANG (Malaysia)
- 5197 Synthesis of N-doped ZnO nanoparticles with improved photocatalytical activity
S. SUN (People's Republic of China, China), X. CHANG (People's Republic of China), X. LI & Z. LI (China)
- 5205 Enhancement of antimicrobial and long-term biostability of the zinc-incorporated hydroxyapatite coated 316L stainless steel implant for biomedical application
S. SUTHA, G. KARUNAKARAN & V. RAJENDRAN (India)
- 5213 EDTA-assisted template-free synthesis and improved photocatalytic activity of homogeneous ZnSe hollow microspheres
X. WANG, L. LI, Y. LIN & J. ZHU (China)
- 5219 Ultrasound assisted synthesis of Gd and Nd doped ceria electrolyte for solid oxide fuel cells
H. OKKAY, M. BAYRAMOĞLU & M.F. ÖKSÜZÖMER (Turkey)
- 5227 Preparation and characterization of Co^{2+} substituted Li–Dy ferrite ceramics
U.B. SHINDE (India), S.E. SHIRSATH (Japan), S.M. PATANGE, S.P. JADHAV, K.M. JADHAV & V.L. PATIL (India)
- 5235 Structural and magnetic properties of ZnMg -ferrite nanoparticles prepared using the co-precipitation method
S. RAHMAN, K. NADEEM, M. ANIS-UR-REHMAN, M. MUMTAZ, S. NAEEM (Pakistan) & I. LETOFSKY-PAPST (Austria)
- 5241 Electrical, structural and thermal properties of nanoceramic $(\text{Bi}_2\text{O}_3)_{1-x-y}(\text{Ho}_2\text{O}_3)_x(\text{Tm}_2\text{O}_3)_y$ ternary system
S. DURMUŞ, V. ÇORUMLU, T. ÇIFCI, I. ERMIS & M. ARI (Turkey)
- 5247 Porous silica matrices infiltrated with PCM for thermal protection purposes
X. ZHOU, Q. YU, S. ZHANG, C. ZHANG & J. FENG (China)

- 5255 Synthesis and ethanol sensing properties of CuO nanorods coated with In_2O_3
S. PARK, H. KO, S. AN, W.I. LEE, S. LEE & C. LEE (Republic of Korea)
- 5263 Electrochemical behavior of $\text{La}_{0.8}\text{Sr}_{0.2}\text{FeO}_3$ electrode with different porosities under cathodic and anodic polarization
J. WANG, Y. ZHANG, W. GUO, X. HOU, T. LIANG, C. DENG & J. XU (PR China)
- 5271 Fabrication of AMCs by spray forming: Setting of cognition and social parameters to accelerate the convergence in optimization of spray forming process
M. OSTAD SHABANI & A. MAZAHERY (Iran)
- 5281 Synthesis and optical limiting effects in ZrO_2 and $\text{ZrO}_2@\text{SiO}_2$ core–shell nanostructures
K. MANI RAHULAN, G. VINITHA, L. DEVARAJ STEPHEN & C.C. KANAKAM (India)
- 5287 Phase transformation characterization of olivine subjected to high temperature in air
R. MICHEL, M.R. AMMAR, J. POIRIER & P. SIMON (France)
- 5295 Fabrication and characterization of reaction-bonded silicon carbide with poly(methyl methacrylate) as pore-forming agent
Q. WU, C. YANG, H. ZHANG, C. YIN (China), B.W. DARVELL (Kuwait) & X. FAN (China)
- 5303 Fabrication of uniform $\text{SnO}_2\text{--SiO}_2\text{--Pt}$ composite nanofibres via co-electrospinning
Y.-J. LEE & H.-J. AHN (Republic of Korea)
- 5309 Viscosity measurement of gelcasting slurry during in-situ gelation by a micro X-ray CT scan system
S. IWATA, T. KATO (Japan), R.L. MENCHAVEZ (Japan, Philippines), M. FUJI, H. MORI, Y. YOSHITAKE, Y. YAMADA & Y. SAIKI (Japan)
- 5317 Short-range charge-ordering correlated elastic anomalies in $\text{La}_{2/3}\text{Sr}_{1/3}\text{FeO}_3$
K. HUI & Z. CHANGFEI (PR China)
- 5321 Formation and characterization of flame synthesized hexagonal zinc oxide nanorods for gas sensor applications
P. KATHIRVEL, J. CHANDRASEKARAN, D. MANOHARAN & S. KUMAR (India)
- 5327 Characterization of textured ceramics containing mullite from phyllosilicates
K. BOUSSOIS, S. DENIEL, N. TESSIER-DOYEN, D. CHATEIGNER, C. DUBLANCHE-TIXIER & P. BLANCHART (France)
- 5335 The influence of reactive milling on the structure and magnetic properties of nanocrystalline MnFe_2O_4
S. OZCAN, S. AKANSEL & A. CEYLAN (TURKEY)
- 5343 Effect of niobium valence on the mechanochemical activation of niobium oxides–hematite magnetic ceramic nanoparticles
A. GRABIAS (USA, Poland), T. XU & M. SORESCU (USA)
- 5359 Synthesis, structural and electrical properties of $\text{Bi}_{1-x}\text{Dy}_x\text{FeO}_3$ multiferroic ceramics
S.K. BARBAR (Taiwan), S. JANGID, M. ROY (India) & F.C. CHOU (Taiwan)
- 5365 Influence of mechanical alloying on Ti_3SiC_2 formation via spark plasma sintering technique from Ti/SiC/C powders
H. ABDERRAZAK, F. TURKI (Tunisie), F. SCHÖENSTEIN (France), M. ABDELLAOUI (Tunisie) & N. JOUINI (France)
- 5373 Structural and electric properties of polycrystalline $\text{Bi}_{1-x}\text{Er}_x\text{FeO}_3$ ceramics
H. DAI, Z. CHEN, R. XUE, T. LI, J. CHEN & H. XIANG (China)
- 5379 Synthesis of $\text{Na}_2\text{FePO}_4\text{F}/\text{C}$ and its electrochemical performance
J. ZHOU, J. ZHOU, Y. TANG, Y. BI, C. WANG, D. WANG & S. SHI (China)
- 5387 Effect of Pt loading and calcination temperature on the photocatalytic hydrogen production activity of TiO_2 microspheres
P. WEI, J. LIU & Z. LI (PR China)

- 5393 Effect of pH and carbon nanotube content on the corrosion behavior of electrophoretically deposited chitosan–hydroxyapatite–carbon nanotube composite coatings
F. BATMANGHELICH & M. GHORBANI (Iran)
- 5403 Effect of compositional variations on phase transition and electric field-induced strain of (Pb, Ba) (Nb, Zr, Sn, Ti) O_3 ceramics
Q. ZHANG, Y. ZHANG, T. YANG, S. JIANG, J. WANG, S. CHEN, G. LI & X. YAO (China)
- 5407 Enhanced light scattering and photovoltaic performance for dye-sensitized solar cells by embedding submicron SiO_2/TiO_2 core/shell particles in photoanode
Y. WANG, E. CHEN, H. LAI, B. LU, Z. HU, X. QIN, W. SHI & G. DU (P R. China)
- 5415 Two step hot pressing sintering of dense fine grained WC– Al_2O_3 composites
H. QU & S. ZHU (PR China)
- 5427 Technological properties of glass-ceramic tiles obtained using rice husk ash as silica precursor
F. ANDREOLA (Italy), M.I. MARTÍN (Spain), A.M. FERRARI, I. LANCELLOTTI, F. BONDIOLI (Italy), J.MA. RINCÓN, M. ROMERO (Spain) & L. BARBIERI (Italy)
- 5437 Novel Li_4SiO_4 -based sorbents from diatomite for high temperature CO_2 capture
S. SHAN, Q. JIA, L. JIANG, Q. LI, Y. WANG & J. PENG (China)
- 5443 Adsorptive removal of Congo red dye from wastewater by mixed iron oxide–alumina nanocomposites
A. MAHAPATRA, B.G. MISHRA & G. HOTA (India)
- 5453 Hydrothermal synthesis of zeolite Rho using methylcellulose as the space-confinement additive
X. LIU, X. ZHANG, Z. CHEN & X. TAN (China)
- 5459 Assessment of redox behavior of nickel ferrite as oxygen carriers for chemical looping process
Y.-L. KUO, W.-M. HSU, P.-C. CHIU, Y.-H. TSENG & Y. KU (Taiwan)
- 5467 Spark plasma sintering of ZrC–SiC ceramics with $LiYO_2$ additive
L. KLJAJEVIĆ, S. NENADOVIĆ, M. NENADOVIĆ (Serbia), D. GAUTAM (Germany), T. VOLKOV-HUSOVIĆ, A. DEVEČERSKI & B. MATOVIĆ (Serbia)
- 5477 HfC-based coating prepared by reactive melt infiltration on C/C composite substrate
Y. YE, H. ZHANG, Y. TONG & S. BAI (PR China)
- 5485 The preparation of core–shell Al_2O_3/Ni composite powders by electroless plating
M. UYSAL, R. KARSLIOĞLU, A. ALP & H. AKBULUT (Turkey)
- 5495 Preparation of calcium sulfate dihydrate and calcium sulfate hemihydrate with controllable crystal morphology by using ethanol additive
Z. PAN, Y. LOU, G. YANG, X. NI, M. CHEN, H. XU, X. MIAO, J. LIU, C. HU & Q. HUANG (China)
- 5503 Effect of the milling process on the properties of $CoFe_2O_4$ pigment
H. YÜNGEVİS & E. OZEL (Turkey)
- 5513 Toughened carbon nanotube–iron–mullite composites prepared by spark plasma sintering
A. WEIBEL, A. PEIGNEY, G. CHEVALLIER, C. ESTOURNÈS & C. LAURENT (France)
- 5521 Luminescence properties of Br-doped ZnS nanoparticles synthesized by a low temperature solid-state reaction method
Y. LI, S. ZHOU, Z. CHEN, Y. YANG, N. CHEN & G. DU (China)
- 5527 Electrochemical characteristics of $LiNi_{0.5}Co_{0.5}O_2$ synthesized at 800 °C from the different combinations of carbonates, oxides, and hydroxides
M. YOUP SONG, H. RIM (Republic of Korea), J. SONG & D.R. MUMM (USA)
- 5535 Synthesis and characterization of undoped, Al and/or Ho doped ZnO thin Films
R.A. MEREU, A. MESAROS, M. VASILESCU, M. POPA, M.S. GABOR, L. CIONTEA & T. PETRISOR (Romania)

- 5545 Electrochemical behavior and photocatalytic performance of nitrogen-doped TiO₂ nanotubes arrays powders prepared by combining anodization with solvothermal process
Z. HE, W. QUE, Y. HE, J. HU, J. CHEN, H.M.A. JAVED, Y. JI, X. LI & D. FEI (People's Republic of China)
- 5553 Crystallization kinetics and dielectric characterization of CeO₂-added BaO–SrO–Nb₂O₅–B₂O₃–SiO₂ glass-ceramics
T.-Y. LIU, G.-H. CHEN, J. SONG & C.-L. YUAN (China)
- 5561 Optimization of Sm_{0.5}Sr_{0.5}CoO_{3-δ}–Sm_{0.2}Ce_{0.8}O_{2-δ} composite cathodes fabricated by electrostatic slurry spray deposition
I. PARK, J. CHOI, H. LEE & D. SHIN (Republic of Korea)
- 5571 Effect of Zr:Sn ratio in the lead lanthanum zirconate stannate titanate anti-ferroelectric ceramics on energy storage properties
S. JIANG, L. ZHANG, G. ZHANG, S. LIU, J. YI, X. XIONG, Y. YU, J. HE & Y. ZENG (PR China)
- 5577 Phase evolution in the mechanochemical synthesis of stabilized nanocrystalline (ZrO₂)_{0.97}(Y₂O₃)_{0.03} solid solution by PAC technique
N.M. RENDTORFF, G. SUÁREZ, E.F. AGLIETTI, P.C. RIVAS & J.A. MARTINEZ (Argentina)
- 5585 Microstructure of silicon-incorporated carbon films with various silicon concentrations deposited by hybrid magnetron sputtering/chemical vapor deposition
H.-C. CHENG, D.-J. WANG, W.-C. LAN, P.-Y. WANG, S.-F. OU, Y.-J. HSU & K.-L. OU (Taiwan)
- 5591 Thermal shock resistance of a ZrB₂–SiC–graphite composite in low oxygen partial pressure environment
H. JIN, S. MENG, Q. YANG & Y. ZHU (China)
- 5597 Optical, photocatalytic and bactericidal properties of Zn_{1-x}La_xO and Zn_{1-x}Mg_xO nanostructures prepared by a sol–gel method
S. SUWANBOON, P. AMORNPIKOSUK, P. BANGRAK & N. MUENSIT (Thailand)
- 5609 Synthesis and mechanical properties of (Ti, Mo)₂AIC/Al₂O₃ composite by a reaction hot pressing method
J. ZHU & R. PAN (China)
- 5615 Luminescence improvement of Y₂O₂S:Tb³⁺, Sr²⁺, Zr⁴⁺ white-light long-lasting phosphor via Eu³⁺ addition
P. HUANG, F. YANG, C. CUI, L. WANG & X. LEI (China)
- 5623 Highly efficient densification of carbon fiber-reinforced SiC-matrix composites by melting infiltration and pyrolysis using polycarbosilane
J.-C. BAE, K.-Y. CHO, D.-H. YOON, S.-S. BAEK, J.-K. PARK, J.-I. KIM, D.-W. IM & D.-H. RIU (Korea)
- 5631 Mechanical behavior and cell response of PCL coated α-TCP foam for cancellous-type bone replacement
L.T. BANG (Malaysia, Japan), K. TSURU, M. MUNAR, K. ISHIKAWA (Japan) & R. OTHMAN (Malaysia)
- 5639 Electrochemical aspects and in vitro biocompatibility of polypyrrole/TiO₂ ceramic nanocomposite coatings on 316L SS for orthopedic implants
A. MADHAN KUMAR & N. RAJENDRAN (India)
- 5651 Polyvinylpyrrolidone (PVP)/MnFe₂O₄ nanocomposite: Sol–Gel autocombustion synthesis and its magnetic characterization
R. TOPKAYA, U. KURTAN, A. BAYKAL (Turkey) & M.S. TOPRAK (Sweden, Turkey)
- 5659 Synthesis of hematite and iron oxyhydroxide nanocrystals by precipitation of Fe³⁺ ions inside oleic acid micelles
N. JOVIĆ, N. CVJETIĆANIN, B. BABIĆ-STOJIĆ (Serbia), D. MAKOVEC (Slovenia) & V. JOKANOVIĆ (Serbia)
- 5667 Low-temperature synthesis of lanthanum monoaluminate powders using the co-precipitation–calcination technique
T. BRYLEWSKI & M.M. BUĆKO (Poland)
- 5675 Microwave dielectric properties and low temperature sintering of the ZnO–V₂O₅ doped Ba₃Ti₂(Mg_{1/3}Nb_{2/3})₂Nb₄O₂₁ ceramics
C. ZHANG, R. ZUO, Q. SUN, Z. HU & J. ZHANG (China)

- 5681 Low power deposition of high quality hexagonal ZnO film grown on Al_2O_3 (0001) sapphire by dc sputtering
K. VIJAYALAKSHMI, K. KARTHICK, P. DHIVYA & M. SRIDHARAN (India)
- 5689 Structure and electrical properties of $[(\text{K}_{0.49}\text{Na}_{0.51})_{1-x}\text{Li}_x](\text{Nb}_{0.90}\text{Ta}_{0.04}\text{Sb}_{0.06})\text{O}_3$ lead-free piezoceramics
H. DU, Y. HUANG, H. TANG, W. FENG, H. QIN & X. LU (PR China)
- 5695 Dielectric and impedance spectroscopy of zirconium modified $(\text{Na}_{0.5}\text{Bi}_{0.5})\text{TiO}_3$ ceramics
B.K. BARICK, R.N.P. CHOUDHARY & D.K. PRADHAN (India)
- 5705 Development of electrically conductive zirconia Part1: The optimal process parameters and mechanical properties
S.-Y. CHIOU (Taiwan), C.-F. WANG (China), S.-F. OU, K.-L. OU & Z.-T. TSAI (Taiwan)
- 5713 Dielectric and magnetic properties of Mg–Ti substituted barium hexaferrite
V.V. SOMAN, V.M. NANOTI & D.K. KULKARNI (India)
- 5725 The effect of titanium bead diameter of porous titanium on the formation of micro-arc oxidized TiO_2 -based coatings containing Si and Ca
R. ZHOU, D. WEI, S. CHENG, Y. ZHOU, D. JIA, Y. WANG & B. LI (PR China)
- 5733 Thermal and electrical properties of hot-pressed short pitch-based carbon fiber-reinforced $\text{ZrB}_2\text{--SiC}$ matrix composites
S. GUO (Japan)
- 5741 Removal of iron from BaTa_2O_6 ceramic powder produced by high energy milling
M. İLHAN, A. MERGEN & C. YAMAN (Turkey)
- 5751 Effect of milling parameters on the formation of nanocrystalline hydroxyapatite using different raw materials
B. NASIRI-TABRIZI, A. FAHAMİ & R. EBRAHIMI-KAHRIZSANGI (Iran)
- 5765 Synthesis of nanocrystalline $\text{LaMn}_{0.5}\text{Fe}_{0.5}\text{O}_3$ powders via a PVA sol-gel route
C. ZENG, Y. HE, C. LI & Y. XU (China)
- 5771 Synthesis of hydrophobic ZnO branches by a phase transfer-based solution method
L. TANG (PR China), S. YANG (Canada), Z. WANG & B. ZHOU (PR China)
- 5777 Structure of a macroporous silica film as an interlayer of a laminated glass
Z. FENG, J. LU & X. LI (China)
- 5785 Hydrothermal preparation, characterization and photocatalytic activity of $\text{TiO}_2/\text{Fe-TiO}_2$ composite catalysts
H. MENG, B. WANG, S. LIU, R. JIANG & H. LONG (PR China)
- 5795 Influence of TiO_2 buffer layer and post-annealing on the quality of Ti-doped ZnO thin films
Y.C. LIN, C.Y. HSU, S.K. HUNG & D.C. WEN (ROC)
- 5805 Synthesis and characterization of $\beta\text{-Yb}_2\text{Si}_2\text{O}_7$ powders
C. ZHAO, F. WANG, Y. SUN & Y. ZHOU (China)
- 5813 Influence of sintering temperature on the power density of samarium-doped-ceria carbonate electrolyte composites for low-temperature solid oxide fuel cells
S.A. MUHAMMED ALI, A. MUCHTAR, A. BAKAR SULONG, N. MUHAMAD & E. HERIANTO MAJLAN (Malaysia)
- 5821 Wear resistance of $\text{Al}_2\text{O}_3\text{--CNT}$ ceramic nanocomposites at room and high temperatures
V. PUCHY, P. HVIZDOS, J. DUSZA, F. KOVAC (Slovakia), F. INAM & M.J. REECE (UK)
- 5827 The effect of surface area on the photo-catalytic behavior of ZrO_2 /carbon clusters composite materials
H. MATSUI, N. OHKURA (Japan), S. KARUPPUCHEMAMY (India) & M. YOSHIHARA (Japan)
- 5833 Preparation and photocatalytic properties of visible light-driven samarium-doped ZnO nanorods
J.-C. SIN, S.-M. LAM, K.-T. LEE & A.R. MOHAMED (Malaysia)

- 5845 Conventional and spark-plasma sintering of cordierite powders synthesized by sol-gel methods
N. MOFTAH EL-BUAISHI, D. VELJOVIĆ, B. JOKIĆ, ŽELJKO RADOVANOVIC (Serbia), I. STEINS (Latvia),
D. JANAČKOVIĆ & R. PETROVIĆ (Serbia)
- 5855 Characterization of alumino-silicate glass/kaolinite composite
M.F. AL-HILLI & K.T. AL-RASOUL (Iraq)
- 5863 Effects of 5d Ir-substitution on structures, transport and magnetic properties of $\text{Sr}_2\text{FeMoO}_6$
J.-F. WANG, Z. LI, S.-T. ZHANG, J. ZHOU, Z.-B. GU, S.-H. YAO, Y.B. CHEN & Y.-F. CHEN (China)
- 5869 Foam glass processing using a polishing glass powder residue
Y. ATTILA, M. GÜDEN & A. TAŞDEMIRCI (Turkey)
- 5879 Production of highly porous triphasic calcium phosphate scaffolds with excellent *in vitro* bioactivity using vacuum-assisted foaming of ceramic suspension (VFC) technique
M.-K. AHN, Y.-W. MOON, Y.-H. KOH & H.-E. KIM (Republic of Korea)
- 5887 Electrical conductivity and microstructure relationship in ternary systems based on cerium oxide
A.L. HOROVISTIZ, R.A. ROCHA & E.N.S. MUCCILLO (Brazil)
- 5893 Boron and zirconium co-doped TiO_2 powders prepared through mechanical ball milling
T. TOKMAKCI, A. OZTURK & J. PARK (Turkey)
- 5901 Liquefied petroleum gas sensing performance of cerium doped copper ferrite
M.S. KHANDEKAR (India), N.L. TARWAL (Republic of Korea), J.Y. PATIL, F.I. SHAIKH, I.S. MULLA & S.S. SURYAVANSHI (India)
- 5909 Microwave combustion synthesis, structural, optical and magnetic properties of $\text{Zn}_{1-x}\text{Sr}_x\text{Fe}_2\text{O}_4$ nanoparticles
A. MANIKANDAN, J. JUDITH VIJAYA, L. JOHN KENNEDY (India) & M. BOUOUDINA (Kingdom of Bahrain)
- 5919 Hierarchical ZnO porous microspheres and their gas-sensing properties
W. GUO, T. LIU, J. WANG, W. YU (PR China), R. SUN (Japan), Y. CHEN, S. HUSSAIN, X. PENG (PR China) & Z. WANG (Japan)
- 5925 Structural and electrical properties of NBT-BT_{0.08} ceramic prepared by the pyrosol method
C. GHITULICA, M. CERNEA, B. STEFAN VASILE, E. ANDRONESCU, O. RUXANDRA VASILE, C. DRAGOI & R. TRUSCA (Romania)

Short Communications

- 5931 Synthesis and characterization of single-crystalline $(\text{K},\text{Na})\text{NbO}_3$ nanorods
D.-Q. ZHANG, D.-W. WANG, H.-B. ZHU, X.-Y. YANG, R. LU, B. WEN (China), W.-Q. CAO (Ireland), J. YUAN & M.-S. CAO (China)
- 5937 Fabrication and properties of 3-D $\text{C}_\text{f}/\text{ZrB}_2-\text{ZrC}-\text{SiC}$ composites via polymer infiltration and pyrolysis
Q. LI, S. DONG, Z. WANG & G. SHI (China)
- 5943 Microwave dielectric properties and low sintering temperature of $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{TiO}_3-\text{Mg}_2\text{TiO}_4$ composites synthesized *in situ* by the hydrothermal method
J. ZHANG, B. SHEN, J. ZHAI & X. YAO (China)
- 5949 Thermally grown TiO_2 nanowires to improve cell growth and proliferation on titanium based materials
B. DINAN, D. GALLEGOS-PEREZ, H. LEE, D. HANSFORD & S.A. AKBAR (USA)
- 5955 Reactive hot pressing of Ti-B-C and Ti-C at 1200 °C
L. RANGARAJ, K. BARMAN, C. DIVAKAR & V. JAYARAM (India)
- 5963 Synthesis peculiarities of BiVO_3 perovskite
M. DRAGOMIR & M. VALANT (Slovenia)

- 5967 Crystal structure and dielectric behavior of pseudo-cubic perovskite oxides
Y.-I. KIM, Y.-H. KIM & J.-S. LEE (Republic of Korea)
- 5973 Microwave-assisted preparation of nearly monodisperse flower-like CaF₂ microspheres
L. MA, L.-L. YANG, Y.-G. WANG, X.-P. ZHOU & X.-Y. XU (PR China)
- 5979 Electrical conductivity and microwave absorption of shortened multi-walled carbon nanotube/alumina ceramic composites
S. BI, X. SU, G. HOU, C. LIU, W.-L. SONG & M.-S. CAO (People's Republic of China)
- 5985 Fabrication and scintillation properties of highly transparent Pr:LuAG ceramics using Sc,La-based isovalent sintering aids
Y. SHEN, X. FENG (China), V. BABIN, M. NIKL (Czech Republic), A. VEDDA, F. MORETTI, E. DELL'ORTO (Italy), Y. PAN, J. LI & Y. ZENG (China)
- 5991 Electrical characterization of sol-gel-derived (1-x)NBT-xNTa (0.05<x<0.3) thin films
Š. KUNEJ, A. VEBER & D. SUVOROV (Slovenia)
- 5997 Phase and morphology control of LTA/FAU zeolites by adding trace amounts of inorganic ions
Y. ZHAN, X. LI, Y. ZHANG, L. HAN & Y. CHEN (PR China)
- 6005 Why foams containing colloidal hydrophilic particles are unstable?
D.O. VIVALDINI, A.P. LUZ, V.R. SALVINI & V.C. PANDOLFELLI (Brazil)
- 6009 All-ceramic solar collectors
Y. YANG, S. CAO, J. XU & B. CAI (China)
- 6013 High quantum efficiency red-emission tungstate based phosphor Sr(La_{1-x}Eu_x)₂Mg₂W₂O₁₂ for WLEDs application
S. LONG, J. HOU, G. ZHANG, F. HUANG & Y. ZENG (PR China)