


CERAMICS INTERNATIONAL



PIETRO VINCENZINI

GENERAL EDITOR

EDITORS-IN-CHIEF

L. GAUCKLER
SWITZERLAND

J. F. BAUMARD
FRANCE

J.-K. GUO
CHINA

K. KOUMOTO
JAPAN

R. K. BORDIA
USA

R. PAMPUCH
POLAND

<http://www.elsevier.com/locate/ceramint>



ELSEVIER

- 8657 Mechanochemical synthesis and structural characterization of nano-sized amorphous tricalcium phosphate
B. NASIRI-TABRIZI & A. FAHAMI (Iran)
- 8667 Vitrification of a waste water flocculate from a petroleum catalyst manufacturer
N. LI, Y. TUO, H. SHEN & S. LIU (PR China)
- 8673 Nanostructured SnO₂ thin films for NO₂ gas sensing applications
G.D. KHUSPE, R.D. SAKHARE, S.T. NAVALE, M.A. CHOUGULE, Y.D. KOLEKAR, R.N. MULIK (India), R.C. PAWAR, C.S. LEE (South Korea) & V.B. PATIL (India)
- 8681 Preparation and microwave dielectric properties of low-loss MgZrNb₂O₈ ceramics
Y. CHENG, R. ZUO & Y. LV (PR China)
- 8687 Effect of yttrium solubility on the structural and optical properties of Bi_{1.5-x}Y_xZn_{0.92}Nb_{1.5}O_{6.92} pyrochlore ceramics
A.F. QASRAWI (Palestine, Turkey) & A. MERGEN (Turkey)
- 8693 Structural, optical and photocatalytic properties of hafnium doped zinc oxide nanophotocatalyst
M. AHMAD (Pakistan, China), E. AHMED (Pakistan), Z.L. HONG (China), Z. IQBAL (Pakistan), N.R. KHALID (Pakistan, China), T. ABBAS, I. AHMAD (Pakistan), A.M. ELHISSI & W. AHMED (United Kingdom)
- 8701 Phase transition, microstructure and electrical properties of Fe doped Ba_{0.70}Ca_{0.30}TiO₃ lead-free piezoelectric ceramics
C.-X. LI, B. YANG, S.-T. ZHANG, R. ZHANG, Y. SUN, J.-J. WANG, R.-X. WANG (PR China) & W.-W. CAO (PR China, USA)
- 8709 Sol-gel derived PMN-PT thick films for high frequency ultrasound linear array applications
B.P. ZHU (China), D.W. WU (New Zealand), Y. ZHANG, J. OU-YANG, S. CHEN & X.F. YANG (China)
- 8715 Green sonochemical synthesis of cupric and cuprous oxides nanoparticles and their optical properties
A. SHUI, W. ZHU, L. XU, D. QIN & Y. WANG (China)
- 8723 Microwave dielectric properties of Al-doped ZnO powders synthesized by coprecipitation method
Y. WANG, F. LUO, L. ZHANG, D. ZHU & W. ZHOU (PR China)
- 8729 Effects of annealing temperature on the microstructure, optical, ferroelectric and photovoltaic properties of BiFeO₃ thin films prepared by sol-gel method
Z. LIN, W. CAI, W. JIANG, C. FU, C. LI & Y. SONG (China)
- 8737 Adhesion behavior between yttrium-stabilized zirconia added La_{0.8}Ca_{0.2}Cr_{0.9}Co_{0.1}O_{3-δ} interconnector and yttrium-stabilized zirconia-based substrate
H.-C. LEE, B.-K. KANG, J.-H. LEE, Y.-W. HEO, J.-Y. KIM & J.-J. KIM (Republic of Korea)
- 8743 Co-fired AlN-TiN assembly as a new substrate technology for high-temperature power electronics packaging
Z. VALDEZ-NAVA, S. GUILLEMET-FRITSCH, M. FERRATO (France), M. KOZAKO (France, Japan) & T. LEBEY (France)
- 8751 Effect of porosity on the microhardness testing of brittle ceramics: A case study on the system of NiO-ZrO₂
Q. TANG & J. GONG (PR China)
- 8761 The synthesis of single phase WC nanoparticles/C composite by solid state reaction involving nitrogen-rich carbonized polyaniline
N.M. GAVRILOV, I.A. PAŠTI, J. KRSTIĆ, M. MITRIĆ, G. ĆIRIĆ-MARJANOVIĆ & S. MENTUS (Serbia)
- 8767 Low temperature synthesis of nano-crystalline gadolinium titanate by molten salt route
N. DHARUMAN & L. JOHN BERCHMANS (India)
- 8773 Synthesis and characterization of spray pyrolyzed mesoporous bioactive glass
S.-J. SHIH, Y.-J. CHOU & L.V.P. PANJAITAN (Taiwan)

(contents continued from Inside back cover)

- 8781 Effects of foam composition on the microstructure and piezoelectric properties of macroporous PZT ceramics from ultrastable particle-stabilized foams
W. LIU, L. DU, Y. WANG, J. YANG & H. XU (China)
- 8789 Silver-modified TiO₂ nanorods with enhanced photocatalytic activity in visible light region
H. LIU, X. DONG, C. DUAN, X. SU & Z. ZHU (PR China)
- 8797 Formation of MUA (mercaptoundeconic acid)-capped CdSe nanoparticle films by electrophoretic deposition
K.A. YAACOB & D.J. RILEY (London)
- 8805 Comparison of microstructure and mechanical properties of plasma-sprayed nanostructured and conventional yttria stabilized zirconia thermal barrier coatings
R. GHASEMI, R. SHOJA-RAZAVI, R. MOZAFARINIA & H. JAMALI (Iran)
- 8815 Preparation of glass–ceramic glazes for fast firing applications by CaF₂ substitution with B₂O₃ in the CaO–CaF₂–Al₂O₃–SiO₂ system
S. BANIJAMALI (Iran)
- 8823 Influence of reactant type on the Sr incorporation grade and structural characteristics of Ba_{1-x}Sr_xTiO₃ (x=0–1) grown by sol–gel-hydrothermal synthesis
S. FUENTES (Chile), E. CHÁVEZ (Spain), L. PADILLA-CAMPOS & D.E. DIAZ-DROGUETT (Chile)
- 8833 Effect of starch addition on microstructure and properties of highly porous alumina ceramics
S. LI, C.-A. WANG & J. ZHOU (PR China)
- 8841 Preparation and characterization of LnMgAl₁₁O₁₉ (Ln=La, Nd, Gd) ceramic powders
R.-X. ZHU, Z.-G. LIU, J.-H. OUYANG & Y. ZHOU (China)
- 8847 In-situ grown hydroxyapatite whiskers reinforced porous HA bioceramic
Z. FANG, Q. FENG & R. TAN (China)
- 8853 Synthesis of La₂Mo₂O₉ powders with nanodomains using polyol procedure
H. SELLEMI (France, Tunisia), S. COSTE (France), A. BEN ALI (Tunisia), R. RETOUX (France), L.S. SMIRI (Tunisia) & P. LACORRE (France)
- 8861 Diffusion coefficient of carbon in Fe–Ni alloy during synthesis of diamond under high temperature and high pressure
I.-C. LIN, C.-J. LIN & W.-H. TUAN (Taiwan)
- 8865 Preparation of Er³⁺/Yb³⁺ co-doped zeolite-derived silica glass and its upconversion luminescence property
Y. GONG, H. CHEN, Q. HE, J. SHI, L. WANG & W. JIANG (China)
- 8869 Influence of the preparation process on the electrical properties of high-field co-doped zinc oxide varistors
G. GADACZ, S. BEAUDET-SAVIGNAT, L. LONGUET & J.-L. LONGUET (France)
- 8877 High temperature mechanical properties of Al₂O₃/TiC micro–nano-composite ceramic tool materials
Z. YIN, C. HUANG, B. ZOU, H. LIU, H. ZHU & J. WANG (PR China)
- 8885 The preparation and properties of zirconia-doped Y–Si–Al–O–N oxynitride glasses and glass-ceramics
G. QU, Z. LUO, W. LIU & A. LU (PR China)
- 8893 Cordierite ceramics from silicone resins containing nano-sized oxide particle fillers
G. PARCIANELLO, E. BERNARDO (Italy) & P. COLOMBO (Italy, USA)
- 8901 Origin of anomalous octahedral distortions and collapse of magnetic ordering in Nd_{1-x}Sr_xFeO₃ (0≤x≤0.5)
I. AHMAD, M.J. AKHTAR, M. SIDDIQUE, M. IQBAL & M.M. HASAN (Pakistan)

- 8911 Efficient near-infrared to visible and ultraviolet upconversion in polycrystalline BiOCl:Er³⁺/Yb³⁺ synthesized at low temperature
Y. LI, Z. SONG, C. LI, R. WAN, J. QIU, Z. YANG, Z. YIN, Y. YANG, X. WANG & Q. WANG (China)
- 8917 Thermal and tensile properties of polysialate composites
J. MILLS-BROWN, K. POTTER, S. FOSTER & T. BATHO (United Kingdom)
- 8925 Silver and fluoride doped hydroxyapatites: Investigation by microstructure, mechanical and antibacterial properties
M. TURKOZ, A.O. ATILLA & Z. EVIS (Turkey)
- 8933 MgAl₂O₄ nanopowder synthesis by microwave assisted high energy ball-milling
H.B. BAFROOEI & T. EBADZADEH (Iran)
- 8941 Poling induced dielectric anomalies in a PZT ceramic
L. CHEN, R. LIANG, G. WANG, H. NIE, Z. ZHOU, F. CAO & X. DONG (China)
- 8945 Application of strontium doped calcium polyphosphate bioceramic as scaffolds for bone tissue engineering
H. XIE, J. WANG, C. LI, Z. GU, Q. CHEN & L. LI (PR China)
- 8955 The effect of kaolin addition on the characteristics of a sintered diatomite composite support layer for potential microfiltration applications
J.-H. HA, E. OH, B. BAE & I.-H. SONG (Republic of Korea)
- 8963 Effect of ball size and powder loading on the milling efficiency of a laboratory-scale wet ball mill
H. SHIN (Republic of Korea), S. LEE (USA), H. SUK JUNG & J.-B. KIM (Republic of Korea)
- 8969 Hydrothermal synthesis of dumbbell-shaped ZnO microstructures
F. WANG, X. QIN, Z. GUO, Y. MENG, L. YANG & Y. MING (China)
- 8975 Investigation of Eu²⁺ luminescence in barium tetrakisphosphate Ba₃P₄O₁₃ polycrystalline ceramics
X. ZHANG, F. MENG, W. LI (China) & H.J. SEO (Republic of Korea)
- 8979 Sintering and mechanical properties of MgO-doped nanocrystalline hydroxyapatite
C.Y. TAN, A. YAGHOUBI, S. RAMESH, S. ADZILA, J. PURBOLAKSONO, M.A. HASSAN & M.G. KUTTY (Malaysia)
- 8985 Net shape forming of green alumina via CNC machining using diamond embedded tool
S. MOHANTY, A.P. RAMESHBABU & S. DHARA (India)
- 8995 Rod-like micelle templated synthesis of porous hydroxyapatite
G. VERMA, K.C. BARICK, N. MANOJ, A.K. SAHU & P.A. HASSAN (India)
- 9003 Chemical synthesis of TiO₂ nanoparticles and their inclusion in Ni-P electroless coatings
P. MAKKAR, R.C. AGARWALA & V. AGARWALA (India)
- 9009 Improvement on the phase stability, mechanical properties and thermal insulation of Y₂O₃-stabilized ZrO₂ by Gd₂O₃ and Yb₂O₃ co-doping
L. GUO, H. GUO, S. GONG & H. XU (China)
- 9017 Effect of substrate temperature on microstructure and optical properties of nanocrystalline alumina thin films
G. BALAKRISHNAN (South Korea), S. TRIPURA SUNDARI, R. RAMASESHAN, R. THIRUMURUGESAN, E. MOHANDAS, D. SASTIKUMAR, P. KUPPUSAMI (India), T.G. KIM & J.I. SONG (South Korea)
- 9025 Hysteresis and vertical anisotropy of magnetoresistance in La_{0.67}A_{0.33}MnO₂ (A=Ca, Sr) polycrystalline films deposited on amorphous quartz substrates
X. ZHU, Z. ZHU, C. CHEN, H. SHEN (PR China), K. TSUKAMOTO, T. YANAGISAWA, M. OKUTOMI & N. HIGUCHI (Japan)
- 9033 Synthesis, characterization and ceramization of a novel vinyl-rich liquid precursor for Si(O)C ceramic
X. WANG, J. WANG & H. WANG (China)

(contents continued from Inside back cover)

- 8781 Effects of foam composition on the microstructure and piezoelectric properties of macroporous PZT ceramics from ultrastable particle-stabilized foams
W. LIU, L. DU, Y. WANG, J. YANG & H. XU (China)
- 8789 Silver-modified TiO₂ nanorods with enhanced photocatalytic activity in visible light region
H. LIU, X. DONG, C. DUAN, X. SU & Z. ZHU (PR China)
- 8797 Formation of MUA (mercaptoundeonic acid)-capped CdSe nanoparticle films by electrophoretic deposition
K.A. YAACOB & D.J. RILEY (London)
- 8805 Comparison of microstructure and mechanical properties of plasma-sprayed nanostructured and conventional yttria stabilized zirconia thermal barrier coatings
R. GHASEMI, R. SHOJA-RAZAVI, R. MOZAFARINIA & H. JAMALI (Iran)
- 8815 Preparation of glass-ceramic glazes for fast firing applications by CaF₂ substitution with B₂O₃ in the CaO-CaF₂-Al₂O₃-SiO₂ system
S. BANIJAMALI (Iran)
- 8823 Influence of reactant type on the Sr incorporation grade and structural characteristics of Ba_{1-x}Sr_xTiO₃ (x=0-1) grown by sol-gel-hydrothermal synthesis
S. FUENTES (Chile), E. CHÁVEZ (Spain), L. PADILLA-CAMPOS & D.E. DIAZ-DROGUETT (Chile)
- 8833 Effect of starch addition on microstructure and properties of highly porous alumina ceramics
S. LI, C.-A. WANG & J. ZHOU (PR China)
- 8841 Preparation and characterization of LnMgAl₁₁O₁₉ (Ln=La, Nd, Gd) ceramic powders
R.-X. ZHU, Z.-G. LIU, J.-H. OUYANG & Y. ZHOU (China)
- 8847 In-situ grown hydroxyapatite whiskers reinforced porous HA bioceramic
Z. FANG, Q. FENG & R. TAN (China)
- 8853 Synthesis of La₂Mo₂O₉ powders with nanodomains using polyol procedure
H. SELLEMI (France, Tunisia), S. COSTE (France), A. BEN ALI (Tunisia), R. RETOUX (France), L.S. SMIRI (Tunisia) & P. LACORRE (France)
- 8861 Diffusion coefficient of carbon in Fe-Ni alloy during synthesis of diamond under high temperature and high pressure
I.-C. LIN, C.-J. LIN & W.-H. TUAN (Taiwan)
- 8865 Preparation of Er³⁺/Yb³⁺ co-doped zeolite-derived silica glass and its upconversion luminescence property
Y. GONG, H. CHEN, Q. HE, J. SHI, L. WANG & W. JIANG (China)
- 8869 Influence of the preparation process on the electrical properties of high-field co-doped zinc oxide varistors
G. GADACZ, S. BEAUDET-SAVIGNAT, L. LONGUET & J.-L. LONGUET (France)
- 8877 High temperature mechanical properties of Al₂O₃/TiC micro-nano-composite ceramic tool materials
Z. YIN, C. HUANG, B. ZOU, H. LIU, H. ZHU & J. WANG (PR China)
- 8885 The preparation and properties of zirconia-doped Y-Si-Al-O-N oxynitride glasses and glass-ceramics
G. QU, Z. LUO, W. LIU & A. LU (PR China)
- 8893 Cordierite ceramics from silicone resins containing nano-sized oxide particle fillers
G. PARCIANELLO, E. BERNARDO (Italy) & P. COLOMBO (Italy, USA)
- 8901 Origin of anomalous octahedral distortions and collapse of magnetic ordering in Nd_{1-x}Sr_xFeO₃ (0≤x≤0.5)
I. AHMAD, M.J. AKHTAR, M. SIDDIQUE, M. IQBAL & M.M. HASAN (Pakistan)

- 8911 Efficient near-infrared to visible and ultraviolet upconversion in polycrystalline BiOCl:Er³⁺/Yb³⁺ synthesized at low temperature
Y. LI, Z. SONG, C. LI, R. WAN, J. QIU, Z. YANG, Z. YIN, Y. YANG, X. WANG & Q. WANG (China)
- 8917 Thermal and tensile properties of polysialate composites
J. MILLS-BROWN, K. POTTER, S. FOSTER & T. BATHO (United Kingdom)
- 8925 Silver and fluoride doped hydroxyapatites: Investigation by microstructure, mechanical and antibacterial properties
M. TURKOZ, A.O. ATILLA & Z. EVIS (Turkey)
- 8933 MgAl₂O₄ nanopowder synthesis by microwave assisted high energy ball-milling
H.B. BAFROOEI & T. EBADZADEH (Iran)
- 8941 Poling induced dielectric anomalies in a PZT ceramic
L. CHEN, R. LIANG, G. WANG, H. NIE, Z. ZHOU, F. CAO & X. DONG (China)
- 8945 Application of strontium doped calcium polyphosphate bioceramic as scaffolds for bone tissue engineering
H. XIE, J. WANG, C. LI, Z. GU, Q. CHEN & L. LI (PR China)
- 8955 The effect of kaolin addition on the characteristics of a sintered diatomite composite support layer for potential microfiltration applications
J.-H. HA, E. OH, B. BAE & I.-H. SONG (Republic of Korea)
- 8963 Effect of ball size and powder loading on the milling efficiency of a laboratory-scale wet ball mill
H. SHIN (Republic of Korea), S. LEE (USA), H. SUK JUNG & J.-B. KIM (Republic of Korea)
- 8969 Hydrothermal synthesis of dumbbell-shaped ZnO microstructures
F. WANG, X. QIN, Z. GUO, Y. MENG, L. YANG & Y. MING (China)
- 8975 Investigation of Eu²⁺ luminescence in barium tetrphosphate Ba₃P₄O₁₃ polycrystalline ceramics
X. ZHANG, F. MENG, W. LI (China) & H.J. SEO (Republic of Korea)
- 8979 Sintering and mechanical properties of MgO-doped nanocrystalline hydroxyapatite
C.Y. TAN, A. YAGHOUBI, S. RAMESH, S. ADZILA, J. PURBOLAKSONO, M.A. HASSAN & M.G. KUTTY (Malaysia)
- 8985 Net shape forming of green alumina via CNC machining using diamond embedded tool
S. MOHANTY, A.P. RAMESHBABU & S. DHARA (India)
- 8995 Rod-like micelle templated synthesis of porous hydroxyapatite
G. VERMA, K.C. BARICK, N. MANOJ, A.K. SAHU & P.A. HASSAN (India)
- 9003 Chemical synthesis of TiO₂ nanoparticles and their inclusion in Ni–P electroless coatings
P. MAKAR, R.C. AGARWALA & V. AGARWALA (India)
- 9009 Improvement on the phase stability, mechanical properties and thermal insulation of Y₂O₃-stabilized ZrO₂ by Gd₂O₃ and Yb₂O₃ co-doping
L. GUO, H. GUO, S. GONG & H. XU (China)
- 9017 Effect of substrate temperature on microstructure and optical properties of nanocrystalline alumina thin films
G. BALAKRISHNAN (South Korea), S. TRIPURA SUNDARI, R. RAMASESHAN, R. THIRUMURUGESAN, E. MOHANDAS, D. SASTIKUMAR, P. KUPPUSAMI (India), T.G. KIM & J.I. SONG (South Korea)
- 9025 Hysteresis and vertical anisotropy of magnetoresistance in La_{0.67}A_{0.33}MnO_z (A=Ca, Sr) polycrystalline films deposited on amorphous quartz substrates
X. ZHU, Z. ZHU, C. CHEN, H. SHEN (PR China), K. TSUKAMOTO, T. YANAGISAWA, M. OKUTOMI & N. HIGUCHI (Japan)
- 9033 Synthesis, characterization and ceramization of a novel vinyl-rich liquid precursor for Si(O)C ceramic
X. WANG, J. WANG & H. WANG (China)

- 9041 Development of a new process in high functioning ceramic core without shape deformation
E.-H. KIM, G.-H. CHO, Y. YOO, S. SEO & Y.-G. JUNG (Republic of Korea)
- 9047 Texturation of model clay materials using tape casting and freezing
G. LECOMTE-NANA, A. MOKRANI, N. TESSIER-DOYEN, K. BOUSSOIS & H. GOURE-DOUBI (France)
- 9055 Preparation of dehydroxylated and delaminated talc: Meta-talc
P. PTÁČEK, T. OPRAVIL, F. ŠOUKAL, J. HAVLICA, J. MÁŠILKO & J. WASSERBAUER (Czech Republic)
- 9063 Mullite-based refractory castable engineering for the petrochemical industry
A.P. LUZ, A.B. SILVA NETO, T. SANTOS JR., J. MEDEIROS & V.C. PANDOLFELLI (Brazil)
- 9071 The use of egg shells to produce Cathode Ray Tube (CRT) glass foams
H.R. FERNANDES (Portugal), F. ANDREOLA, L. BARBIERI, I. LANCELLOTTI (Italy), M.J. PASCUAL (Spain) & J.M.F. FERREIRA (Portugal)
- 9079 Synthesis of mullite nanofibres by electrospinning of solutions containing different proportions of polyvinyl butyral
M. MOHAMMAD ALI ZADEH, M. KEYANPOUR-RAD & T. EBADZADEH (Iran)
- 9085 Microstructure and mechanical properties of C_f/ZrC composites fabricated by reactive melt infiltration at relatively low temperature
Y. ZHU, S. WANG, H. CHEN, W. LI, J. JIANG & Z. CHEN (China)
- 9091 Dispersion of mixtures of submicrometer and nanometre sized titanias to obtain porous bodies
M. VICENT, E. SÁNCHEZ, T. MOLINA, M.I. NIETO & R. MORENO (Spain)
- 9099 Experimental fatigue lifetime of coated and uncoated aluminum alloy under isothermal and thermo-mechanical loadings
M. AZADI, G.H. FARRAHI (Iran), G. WINTER & W. EICHLSEDER (Austria)
- 9109 $Bi_4Ti_3O_{12}/TiO_2$ heterostructure: Synthesis, characterization and enhanced photocatalytic activity
K. CHEN, R. HU, X. FENG, K. XIE, Y. LI & H. GU (People's Republic of China)
- 9115 Influence of lead concentration on morphology and optical properties of Pb-doped ZnO nanowires
R. YOUSEFI, F. JAMALI-SHEINI, A. SA'AEDI, A.K. ZAK, M. CHERAGHIZADE (Iran), S. PILBAN-JAHROMI & N. MING HUANG (Malaysia)
- 9121 Morphotropic phase boundary and electrical properties of lead-free $(K_{0.5}Bi_{0.5})TiO_3-Bi(Ni_{0.5}Ti_{0.5})O_3$ relaxor ferroelectric ceramics
W. ZHAO & R. ZUO (PR China)
- 9125 Diethylene glycol mediated synthesis of $Gd_2O_3:Eu^{3+}$ nanophosphor and its Judd–Ofelt analysis
R.G.A. KUMAR (India), S. HATA (Japan) & K.G. GOPCHANDRAN (India)
- 9137 Sintering and crystallization of plates prepared from coarse glass ceramic frits
J.H. PIVA, A. WANDERLIND, J. JUST, O.R.K. MONTEDO & A. DE NONI JUNIOR (Brazil)
- 9145 Influence of sintering temperature on dielectric properties and crystal structure of corundum-structured $Mg_4Ta_2O_9$ ceramics at microwave frequencies
Q.J. MEI, C.Y. LI, J.D. GUO, S.X. HUANG, X.H. ZHANG & H.T. WU (China)
- 9151 $PbWO_4$ formation during controlled crystallization of lead borate glasses
J. PISARSKA, I. CZOPEK, R. LISIECKI, W. RYBA-ROMANOWSKI, T. GORYCZKA & W.A. PISARSKI (Poland)
- 9157 Contour mapping 2D and 3D-photoluminescence of Au-doped one-dimensional Eu(III) and Tb(III) hydroxide and oxide nanostructures
Y. SOHN (South Korea)
- 9163 Hydrothermal synthesis and visible-light photocatalytic activity of porous peanut-like $BiVO_4$ and $BiVO_4/Fe_3O_4$ submicron structures
G. ZHU (PR China), M. HOJAMBERDIEV (Japan), W. QUE & P. LIU (PR China)

- 9173 Tensile behaviors of ECR-glass and high strength glass fibers after NaOH treatment
J. LIU, M. JIANG, Y. WANG, G. WU & Z. WU (China)
- 9179 Direct-utilization of sewage sludge to prepare split tiles
J. ZHOU, T. LI, Q. ZHANG, Y. WANG & Z. SHU (PR China)
- 9187 Room temperature fatigue of ZrB₂-SiC ceramic composites
M. LUGOVY (Ukraine, USA), N. ORLOVSKAYA (USA), M. NEUBERT (Germany, Switzerland), C.G. ANEZIRIS (Germany), T. GRAULE & J. KUEBLER (Switzerland)
- 9195 Sol-gel synthesis, characterization, and neurotoxicity effect of zinc oxide nanoparticles using *gum tragacanth*
M. DARROUDI, Z. SABOURI, R. KAZEMI OSKUEE, A. KHORSAND ZAK, H. KARGAR (Iran)
& M.H.N.A. HAMID (Malaysia)
- 9201 Dielectric properties of giant permittivity NaCu₃Ti₃NbO₁₂ ceramics
Y. LIU (PR China, China), W. WANG (China), J. HUANG (PR China), F. TANG (PR China, China), C. ZHU (China)
& Y. CAO (PR China, China)
- 9207 Thiourea assisted one-pot easy synthesis of CdS/rGO composite by the wet chemical method: Structural, optical, and photocatalytic properties
S. KAVERI (India), L. THIRUGNANAM (Japan, India), M. DUTTA (Japan), J. RAMASAMY (India)
& N. FUKATA (Japan)
- 9215 Ionic conductivity of apatite-type solid electrolyte ceramics Ca_{2-x}Ba_xLa₄Bi₄(SiO₄)₆O₂ (0≤x≤2)
M. ABBASSI, R. TERNANE (Tunisia), I. SOBRADOS (Spain), A. MADANI, M. TRABELSI-AYADI (Tunisia)
& J. SANZ (Spain)
- 9223 Evaluation of CaO-Al₂O₃ adhesive bonding properties for β"-Al₂O₃ solid electrolyte sealing for alkali metal thermal electric converter
S. KIM, J.H. JOO, S.-D. KIM & S.-K. WOO (South Korea)
- 9229 Effects of sintering temperature on mechanical properties of 3D mullite fiber (ALF FB3) reinforced mullite composites
Y. WANG, H. CHENG, H. LIU & J. WANG (China)
- 9237 Alkali-activated blends of calcium aluminate cement and slag/diatomite
K. ARBI, A. PALOMO & A. FERNÁNDEZ-JIMÉNEZ (Spain)
- 9247 Structural parameters and oxygen ion conductivity of Y₂O₃-ZrO₂ and MgO-ZrO₂ at high temperature
S. YOON, T. NOH, W. KIM, J. CHOI & H. LEE (Republic of Korea)
- 9253 MCr₂O₄ (M=Co, Cu, and Zn) nanospinels for 2-propanol combustion: Correlation of structural properties with catalytic performance and stability
S.A. HOSSEINI (Iran), M.C. ALVAREZ-GALVAN, J.L.G. FIERRO (Spain), A. NIAEI & D. SALARI (Iran)
- 9263 Effect of zirconia on ablation mechanism of asbestos fiber/phenolic composites in oxyacetylene torch environment
M.A. MIRZAPOUR, H.R. HAGHIGHAT & Z. ESLAMI (Iran)
- 9273 Influence of seed layer on crystal orientation and electrical properties of (Na_{0.85}K_{0.15})_{0.5}Bi_{0.5}TiO₃ thin films prepared by a sol-gel process
Q.G. CHI, F.Y. YANG, C.H. ZHANG, C.T. CHEN, H.F. ZHU, X. WANG & Q.Q. LEI (PR China)
- 9277 Bi-colored zirconia as dental restoration ceramics
J. ZHAO, Z. SHEN (PR China, Sweden), W. SI & X. WANG (PR China)
- 9285 Effects of the sulfurization temperature on sol gel-processed Cu₂ZnSnS₄ thin films
S. KAHRAMAN, S. ÇETINKAYA (Turkey), M. PODLOGAR, S. BERNIK (Slovenia), H.A. ÇETINKARA
& H.S. GÜDER (Turkey)

- 9293 Core-shell BaMoO₄@SiO₂ nanospheres: Preparation, characterization, and optical properties
J. WANG, X. LI, L. LUO, S. ZHANG & R. LU (PR China)
- 9299 Evidence of macro-micro domain transition in poled PMN-PZT ceramics
G. DU, R. LIANG, J. WANG, L. WANG, W. ZHANG, G. WANG & X. DONG (China)
- 9305 The structures and positive magnetoresistance of metallic Sr₂CrWO₆ epitaxial thin film
W.-J. JI, J. XU, L. JIAO, J.-F. WANG, Z.-B. GU, Y.B. CHEN, J. ZHOU, S.-H. YAO & S.-T. ZHANG (China)
- 9309 Electrochemical behaviors of hexagonal LiMnBO₃ as lithium storage host material for lithium-ion batteries
R. MA, L. SHAO, K. WU, M. LAO, M. SHUI, C. CHEN, D. WANG, N. LONG, Y. REN & J. SHU
(People's Republic of China)
- 9319 The application of porous ZnO 3D framework to assemble enzyme for rapid and ultrahigh sensitive biosensors
M. ZHAO, Y. ZHOU, B. CAI, Y. MA, H. CAI, Z. YE & J. HUANG (China)
- 9325 One-step synthesis of CoO anode material for rechargeable lithium-ion batteries
A.K. RAI, L.T. ANH, J. GIM & J. KIM (Republic of Korea)
- 9331 Properties and microstructural analysis of La_{1-x}Sr_xGa_{1-y}Mg_yO_{3-δ} solid electrolyte ceramic
Y.-C. WU & M.-Z. LEE (ROC)
- 9343 Characterization and photoluminescent properties of sol-gel-derived Ca_{2(1-x)}La_{7.6+x}(SiO₄)₆O₂·Eu_{0.4}Li_x phosphors
N. LI, B. ZHOU, S. LI, J. ZHOU & Y. SUN (People's Republic of China)
- 9351 A comparative study of conventionally sintered, microwave sintered and hot isostatic press sintered NZP and CZP structures interacted with fluoride
A. DEY, A. DAS GUPTA, D. BASU, R.D. AMBASHTA, P.K. WATTAL, S. KUMAR, D. SEN & S. MAZUMDER (India)
- 9361 Phase stability of Ti₃SiC₂ at high pressure and high temperature
J. QIN (Thailand) & D. HE (PR China)
- 9369 Characteristics of aluminosilicates prepared from rice husk silica and aluminum metal
W. SIMANJUNTAK, S. SEMBIRING, P. MANURUNG, R. SITUMEANG (Indonesia) & I.M. LOW (Australia)
- 9377 Thermally assisted high efficiency ductile machining of nanocrystalline hydroxyapatite: A numerical study
J. MA, N. PELATE & S. LEI (USA)
- 9385 Microstructure, temperature stability and electrical properties of ZnO-modified Pb(Ni_{1/3}Nb_{2/3})O₃-Pb(Fe_{1/2}Nb_{1/2})O₃-Pb(Zr_{0.3}Ti_{0.7})O₃ piezoelectric ceramics
J. DU, J. QIU, K. ZHU & H. JI (PR China)
- 9391 Mechanical properties and microstructure of fast fired tiles made with blends of kaolin and olivine powders
E. FURLANI & S. MASCHIO (Italy)
- 9397 Effect of holmium substitution on electrical properties of strontium bismuth tantalate ferroelectric ceramics
SUGANDHA & A.K. JHA (India)
- 9405 A facile and "green-chemistry" method to synthesize pure and Nd-doped Y₃Al₅O₁₂ nanopowders at low-temperatures
E. MENDOZA-MENDOZA, S.M. MONTEMAYOR (Mexico), M. MACZKA, Ł. MARCINIAK (Poland) & A.F. FUENTES (Mexico)
- 9415 Transparent sub-micrometre alumina from lanthanum oxide doped common grade alumina powder
P. BISWAS, M. KIRAN KUMAR, K. RAJESWARI, R. JOHNSON & U.S. HAREESH (India)
- 9421 Effect of sintering atmosphere on densification, redox chemistry and conduction behavior of nanocrystalline Gd-doped CeO₂ electrolytes
S.B. ANANTHARAMAN & R. BAURI (India)

- 9429 Gelcasting of aluminum nitride ceramics using hydantion epoxy resin as gelling agent
C. JIANG, X. GAN, D. ZHANG, R. XIE & K. ZHOU (China)
- 9435 Synthesis and characterization of $\text{Ni}_{0.8}\text{Co}_{0.2}\text{Fe}_2\text{O}_4\text{-Ba}_{0.95}\text{Sr}_{0.05}\text{TiO}_3$ multiferroic composites
P. PAHUJA, R. SHARMA, C. PRAKASH & R.P. TANDON (India)
- 9447 Spray drying of nanometric SYSZ powders to obtain plasma sprayable nanostructured granules
M.R. LOGHMAN-ESTARKI, H. EDRIS, R.S. RAZAVI, H. JAMALI, R. GHASEMI, M. POURBAFRANY, M. ERFANMANESH & M. RAMEZANI (Islamic Republic of Iran)
- 9459 Sol-gel functionalization of sodium TiO_2 nanotubes and nanoribbons with aminosilane molecules
I. BRNARDIĆ (Croatia), M. HUSKIĆ, P. UMEK (Slovenia) & T.H. GRGURIĆ (Croatia)
- 9465 Preparation of TiO_2 hollow microspheres by a novel vesicle template method and their enhanced photocatalytic properties
R. WANG, X. CAI & F. SHEN (PR China)
- 9471 Unraveling the mechanical and tribological properties of a novel $\text{Ti}_5\text{Si}_3/\text{TiC}$ nanocomposite coating synthesized by a double glow discharge plasma technique
J. XU, L. LIU, L. JIANG (PR China), P. MUNROE & Z.-H. XIE (Australia)
- 9483 Laser glazing of plasma-sprayed nanostructured yttria stabilized zirconia thermal barrier coatings
R. GHASEMI, R. SHOJA-RAZAVI, R. MOZAFARINIA & H. JAMALI (Iran)
- 9491 Large-scale synthesis of uniform lanthanum oxide nanowires *via* template-free deposition followed by heat-treatment
F. KHOSROW-POUR, M. AGHAZADEH, B. SABOUR & S. DALVAND (Iran)
- 9499 Improved accuracy of the measurements of indentation fracture resistance for silicon nitride ceramics by the powerful optical microscopy
H. MIYAZAKI, Y.-I. YOSHIZAWA & K. YASUDA (Japan)
- 9505 Low-temperature sintering, low-dielectric cordierite ceramic tapes for high frequency application
S. WANG, D. ZHOU, Z. HOU, M. WANG, X. HU & X. LIU (China)
- 9511 Structural, electrical and optical properties of $\text{Ba}(\text{Ti}_{1-x}\text{Yb}_{4x/3})\text{O}_3$ ceramics
M. GANGULY, S.K. ROUT (India), C.W. AHN, I.W. KIM (Republic of Korea) & M. KAR (India)
- 9525 Calcium hydroxide-modified zinc polycarboxylate dental cements
A. ZAMANIAN, M. YASAEI, M. GHAFFARI (Iran) & M. MOZAFARI (Iran, USA)
- 9533 Ni-free, black ceramic pigments based on Co—Cr—Fe—Mn spinels: A reappraisal of crystal structure, colour and technological behaviour
M. DONDI, C. ZANELLI, M. ARDIT, G. CRUCIANI, L. MANTOVANI, M. TRIBAUDINO & G.B. ANDREOZZI (Italy)
- 9549 Effect of hafnium-incorporation on the microstructure and dielectric properties of cobalt ferrite ceramics
S. WELLS & C.V. RAMANA (USA)
- 9557 Doxorubicin-intercalated nano-hydroxyapatite drug-delivery system for liver cancer: An animal model
B. KUNDU, D. GHOSH, M.K. SINHA, P.S. SEN, V.K. BALLA, N. DAS & D. BASU (India)
- 9567 Effect of zirconium diboride addition on the properties of silicon carbide composites
M. SAI KRUPA, N. DILEEP KUMAR, R. SURESH KUMAR, P. CHAKRAVARTHY & K. VENKATESWARLU (India)
- 9575 Effect of alumina on the properties of ceria and scandia co-doped zirconia for electrolyte-supported SOFC
C.X. GUO, J.X. WANG, C.R. HE & W.G. WANG (China)
- 9583 Design of ceramic tiles with high solar reflectance through the development of a functional engobe
C. FERRARI, A. LIBBRA, A. MUSCIO & C. SILIGARDI (Italy)

- 9591 Dielectric properties of oxygen post-annealed $\text{Cu}_{0.5}\text{Ti}_{0.5}\text{Ba}_2\text{Ca}_3(\text{Cu}_{4-y}\text{Cd}_y)\text{O}_{12-\delta}$ bulk superconductor
M. MUMTAZ, M. RAHIM, N.A. KHAN, K. NADEEM (Pakistan) & K. SHEHZAD (China)
- 9599 Synthesis of composite $\text{La}_{1.67}\text{Sr}_{0.33}\text{NiO}_4$ -YSZ for a potentiometric NO_x sensor by microwave-assisted complex-gel auto-combustion
Y. CHEN & J.-Z. XIAO (PR China)
- 9605 Fabrication and characterization of $\text{Ba}(\text{Zr}_{0.84}\text{Y}_{0.15}\text{Cu}_{0.01})\text{O}_{3-\delta}$ electrolyte-based protonic ceramic fuel cells
S.M. CHOI, J.-H. LEE, H.I. JI, K.J. YOON, J.-W. SON, B.-K. KIM, H.J. JE, H.-W. LEE & J.-H. LEE (Korea)
- 9613 Combustion synthesis and spectroscopic characterisation of LaAlO_3 nanophosphors doped Er^{3+} ions
A. DHAHRI, K. HORCHANI-NAIFER (Tunisia), A. BENEDETTI, F. ENRICH I (Italy) & M. FERID (Tunisia)
- 9619 Structural characterisation and Li conductivity of $\text{Li}_{1/2-x}\text{Sr}_{2x}\text{La}_{1/2-x}\text{TiO}_3$ ($0 < x < 0.5$) perovskites
M.E. SOTOMAYOR, A. VÁREZ, W. BUCHELI, R. JIMENEZ & J. SANZ (Spain)
- 9627 Structural, optical and microwave dielectric properties of $\text{Sr}_{1-x}\text{Ca}_x\text{WO}_4$ ceramics prepared by the solid state reaction route
N. KHOBRAGADE, E. SINHA, S.K. ROUT & M. KAR (India)
- 9637 Effect of Al^{3+} on the growth of ZnO nanograss film and its application in dye-sensitized solar cells
S. ZHU, X. TIAN, L. SHAN, Z. DING, Z. KAN, X. XU, Z. ZHOU & L. WANG (PR China)
- 9645 Preparation and properties of porous, biomorphic, ceria ceramics for immobilization of Sr isotopes
B. MATOVIC, D. NIKOLIC, N. LABUS, S. ILIC, V. MAKSIMOVIC, J. LUKOVIC & D. BUCEVAC (Serbia)
- 9651 Preparation and characterization of copper oxide particles incorporated polyurethane composite nanofibers by electrospinning
R. NIRMALA, K.S. JEON, B.H. LIM, R. NAVAMATHAVAN & H.Y. KIM (South Korea)
- 9659 Fabrication of Li-polymer/silica aerogel nanocomposite electrolyte for an all-solid-state lithium battery
M.Y. YOON, S.K. HONG & H.J. HWANG (Korea)
- 9665 Fabrication of zirconium oxide coatings on stainless steel by a combined laser/sol-gel technique
Y. ADRAIDER, Y.X. PANG, F. NABHANI, S.N. HODGSON, M.C. SHARP & A. AL-WAIDH (UK)
- 9671 Synthesis and characterization of WC—VC—Co nanocomposite powders through thermal-processing of a core—shell precursor
H. LIN, B.-W. TAO, J. XIONG & Q. LI (PR China)
- 9677 Phase evolution and dynamics of cerium-doped mullite whiskers synthesized by sol-gel process
X. WANG, J.-H. LI, L.-X. TONG & W.-W. FENG (China)
- 9683 Numerical simulation of cold isostatic pressed alumina parts produced by selective laser sintering and part shape optimization
W. HE, Q. WEI, K. LIU, Y. SHI & J. LIU (China)

Short Communications

- 9691 Spark-plasma-sintering kinetics of ZrC—SiC powder mixtures subjected to high-energy co-ball-milling
B. NÚÑEZ-GONZÁLEZ, A.L. ORTIZ, F. GUIBERTEAU (Spain) & M. NYGREN (Sweden)
- 9699 Tight binding approximation in Nd^{3+} doped nano ceria prepared via gel combustion method
M. BISWAS & S. BANDYOPADHYAY (India)
- 9703 Two-step freeze casting fabrication of hydroxyapatite porous scaffolds with bionic bone graded structure
Y. TANG, K. ZHAO, L. HU & Z. WU (PR China)
- 9709 Enhanced photoluminescence of $\text{BaAl}_2\text{S}_4:\text{Eu}^{2+}$ phosphor by Mg^{2+} ions doping
R. YU (PR China, Republic of Korea), H. MI NOH, B.K. MOON, B.C. CHOI, J.H. JEONG, K. JANG, H.S. LEE & S.S. YI (Republic of Korea)

- 9815 A method to quantify the drilling machinability of machinable ceramics from the viewpoint of preventing chipping
H. SHIN & B.-M. SONG (Republic of Korea)
- 9819 Extrusion processing of dense MgAl_2O_4 spinel honeycombs with low relative density
P. BISWAS, K. RAJESWARI, V. MAHENDAR & R. JOHNSON (India)
- 9823 Photoluminescence properties in Sm doped $\text{Bi}_{1/2}\text{Na}_{1/2}\text{TiO}_3$ ferroelectric ceramics
T. WEI, F.C. SUN, C.Z. ZHAO, C.P. LI, M. YANG & Y.Q. WANG (China)
- 9829 Microwave dielectric properties of $\text{Li}_2\text{ZnTi}_3\text{O}_8$ ceramics doped with Bi_2O_3
X. LU, Y. ZHENG, B. ZHOU, Z. DONG & P. CHENG (China)
- 9835 Phase transformation, microstructural and mechanical properties of hydroxyapatite/alumina nanocomposite scaffolds produced by freeze casting
S.M.H. GHAZANFARI & A. ZAMANIAN (Iran)

Comment and Response

- 9845 Comment on "Blue light emission from barium doped zinc sulfide nanoparticles"
Y. BOUZNIT & Y. BEGGAH (Algeria)
- 9847 Response to the comment on "Blue light emission from barium doped zinc sulphide nanoparticles"
C.S. PATHAK, M.K. MANDAL, D.D. MISHRA & V. AGARWALA (India)