


CERAMICS INTERNATIONAL



The 8th Asian Meeting on Electroceramics (AMEC-8)
1–5 July 2012, Penang, Malaysia

Guest Editors:

Eung Soo Kim, Weiguang Zhu, Ce Wen Nan, Hong Wang, Lye Hock Ong

PIETRO VINCENZINI

GENERAL EDITOR

EDITORS-IN-CHIEF

L. GAUCKLER
SWITZERLAND

J. F. BAUMARD
FRANCE

J.-K. GUO
CHINA

K. KOUMOTO
JAPAN

R. K. BORDIA
USA

R. PAMPUCH
POLAND

<http://www.elsevier.com/locate/ceramint>





(Abstracted/Indexed in: *Applied Mechanics Reviews*; *Br. Ceram Abstr.*; *Ceramic Abstracts*; *Chemical Abstracts*; *Current Contents/Engineering, Computing & Technology*; *Current Contents/Physical, Chemical and Earth Sciences*; *Materials Science Citation Index*; *Met. Abstr.*; *Sci. Abstr.*; *Science Citation Inded*; *SciSearch*; *World Alum. Abstr.* Also covered in the abstract and citation database *SciVerse SCOPUS®*. Full text available on *SciVerse ScienceDirect®*.)

CONTENTS

The 8th Asian Meeting on Electroceramics (AMEC-8) 1–5 July 2012, Penang, Malaysia

Guest Editors:

Eung Soo Kim, Weiguang Zhu, Ce Wen Nan, Hong Wang, Lye Hock Ong

Volume 39 Supplement 1 2013

- S1 Preface
E.S. KIM (Republic of Korea), W. ZHU (Singapore), C.W. NAN (China), H. WANG (China), L.H. ONG (Malaysia)
- S3 Polyvinylidene fluoride-modified BaTiO₃ composites with high dielectric constant and temperature stability
Q. XIAO, L. LI, B. QING ZHANG & X. MING CHEN (China)
- S9 DC field effect on dielectric property of Ba(Zr_xTi_{1-x})O₃ ceramics
B. SHEN, Q. ZHANG, J. ZHAI & Z. XU (China)
- S15 Effect of MgO addition on the properties of PbO-TiO₂-B₂O₃ glass and glass-ceramics
S. JAKKULA & V. DESHPANDE (India)
- S19 Dielectric properties and relaxor behavior of high Curie temperature (Ba_{0.85}Ca_{0.15})(Zr_{0.1}Ti_{0.9})O₃-Bi(Mg_{0.5}Ti_{0.5})O₃ Lead-free ceramics
W. BAI, J. HAO, B. SHEN & J. ZHAI (China)
- S25 Influence of calcination temperature on the piezoelectric properties of Ag₂O doped 0.94(K_{0.5}Na_{0.5})NbO₃-0.06LiNbO₃ ceramics
M.-S. CHAE, K.-S. LEE & J.-H. KOH (South Korea)
- S31 The influence of domain structure on the optical and electrical properties of transparent (Pb,La)(Mg_{1/3}Nb_{2/3})O₃-PbTiO₃ ceramics
J. ZENG, G. LI, W. RUAN, L. ZHENG, H. ZENG, A. DING & Q. YIN (PR China)
- S35 Influence of Ca substitution on microstructure and electrical properties of Ba(Zr,Ti)O₃ ceramics
N. PISITPIPATHSIN, P. KANTHA, K. PENGPAT & G. RUJJIANAGUL (Thailand)
- S41 Preparation and dielectric properties of (Sr_{1-x}Ca_x)Fe_{0.5}Nb_{0.5}O₃; (x=0.0, 0.1, 0.2) ceramics
T. PHATUNGTHANE & G. RUJJIANAGUL (Thailand)
- S47 Influence of barium titanate content and particle size on electromechanical coupling coefficient of lead-free piezoelectric ceramic-Portland cement composites
R. RIANYOI, R. POTONG, A. NGAMJARUROJANA & A. CHAIPANICH (Thailand)

Continued on inside back cover



Available online at www.sciencedirect.com

SciVerse ScienceDirect

CONTENTS—Continued from outside back cover

- S53 Dielectric and piezoelectric properties of 1–3 non-lead barium zirconate titanate–Portland cement composites
R. POTONG, R. RIANYOI, A. NGAMJARUROJANA & A. CHAIPANICH (Thailand)
- S59 Enhanced electrical properties of lead-free BNLT–BZT ceramics by thermal treatment technique
P. KANTHA, N. PISITPIPATHSIN & K. PENGPAT (Thailand)
- S65 Densification behaviour and two stage master sintering curve in lithium sodium niobate ceramics
S. MITRA, A. R KULKARNI & O. PRAKASH (India)
- S69 Effects of CuO nanoparticles addition on properties of PMNT ceramics
M. PROMSAWAT, A. WATCHARAPASORN & S. JIANSIRISOMBOON (Thailand)
- S75 Temperature–field phase diagrams in $\text{Pb}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3$ –4.5% PbTiO_3 II
M. IWATA, N. IIJIMA, M. MAEDA & Y. ISHIBASHI (Japan)
- S81 High- and low-field dielectric responses and ferroelectric properties of $(\text{Bi}_{0.5}\text{Na}_{0.5})\text{Zr}_{1-x}\text{Ti}_x\text{O}_3$ ceramics
P. JAIBAN, S. JIANSIRISOMBOON, A. WATCHARAPASORN, R. YIMNIRUN (Thailand), R. GUO & A.S. BHALLA (USA)
- S87 Piezoelectric properties of langasite group based on the ionic size of cation
H. OHSATO (Republic of Korea, Japan), T. IWATAKI, H. MORIKOSHI & K.-I. KAKIMOTO (Japan)
- S91 Phase formation, electrical properties and morphotropic phase boundary of 0.95 $\text{Pb}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ –0.05 $\text{Pb}(\text{Mn}_{1/3}\text{Nb}_{2/3})\text{O}_3$ ceramics
A. PRASATKHETRAGARN & R. YIMNIRUN (Thailand)
- S97 Enhanced piezoelectric properties of barium titanate–potassium niobate nano-structured ceramics by MPB engineering
S. WADA, K. YAMASHITA, I. FUJII, K. NAKASHIMA, N. KUMADA, C. MORIYOSHI & Y. KUROIWA (Japan)
- S103 Phase, microstructure and ferroelectric properties of new complex-structured ferroelectric ceramics in the PZT–SBN system
O. NAMSAR, A. WATCHARAPASORN & S. JIANSIRISOMBOON (Thailand)
- S107 Aqueous Co-precipitated spherical shape PbZrO_3 nanopowders: Perovskite phase formation
P. CHAROONSUK, W. VITTAYAKORN, R. MUANGHLUA, B. BOONCHOM, S. NIEMCHAROEN & N. VITTAYAKORN (Thailand)
- S113 Effects of Nb-doping on the micro-structure and dielectric properties of $(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3$ ceramics
N. PETNOI, P. BOMLAI, S. JIANSIRISOMBOON & A. WATCHARAPASORN (Thailand)
- S119 Lead-free $\text{Bi}_{1/2}(\text{Na}_{0.82}\text{K}_{0.18})_{1/2}\text{TiO}_3$ relaxor ferroelectrics with temperature insensitive electrostrictive coefficient
V.D.N. TRAN, T.H. DINH, H.-S. HAN (Republic of Korea), W. JO (Germany) & J.-S. LEE (Republic of Korea)
- S125 Effects of CaTiO_3 addition on microstructures and electrical properties of $\text{Na}_{0.52}\text{K}_{0.48}\text{NbO}_3$ lead-free piezoelectric ceramics
C.-S. CHEN, C.-C. CHOU, Y.-S. LIN, P.-Y. CHEN & H. CHEN (ROC)
- S129 The effects of aliovalent cations doping on electric-field-induced strain and microstructures of $(\text{Bi}_{0.5}\text{Na}_{0.5})_{0.94}\text{Ba}_{0.06}\text{TiO}_3$ lead-free piezoceramics
P.-Y. CHEN, C.-C. CHOU, C. NAN CHEN, C.-S. CHEN & H. CHEN (Taiwan)
- S135 Structural and electrical properties of $\text{Na}_{0.47}\text{K}_{0.47}\text{Li}_{0.06}\text{NbO}_3$ lead-free piezoelectric ceramics modified by AgSbO_3
P. BOMLAI, N. MUENSIT (Thailand) & S.J. MILNE (United Kingdom)
- S139 The effect of morphotropic phase boundary on dielectric properties of $\text{Bi}_{0.5}\text{Na}_{0.5}\text{Ti}_{1-x}\text{Zr}_x\text{O}_3$ solid solutions
A. RACHAKOM, S. JIANSIRISOMBOON & A. WATCHARAPASORN (Thailand)
- S145 Dielectric dispersion and impedance spectroscopy of B^{3+} -doped $\text{Ba}(\text{Ti}_{0.9}\text{Sn}_{0.1})\text{O}_3$ ceramics
N. TAWICHAI, K. SUTJARITTANGTHAM, T. TUNKASIRI, K. PENGPAT, G. RUJJIANAGUL (Thailand) & J. WANG (Singapore)

(contents continued from Inside back cover)

- S149 Dielectric properties of Sm-doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics
J. LI, B. FU, H. LU, C. HUANG & J.W. SHENG (China)
- S153 Multi-physics analysis on a unimorphic piezoelectric diaphragm according to its shape and boundary conditions for the performance enhancement
S. CHOI, Y. CHA, J. PARK & H. JANG (South Korea)
- S159 Processing, structure, and electrical properties of MnO_2 -doped $\text{Pb}(\text{Yb}_{1/2}\text{Nb}_{1/2})_{0.10}(\text{Zr}_{0.47}\text{Ti}_{0.53})_{0.90}\text{O}_3$ ceramics
Y. ZHANG, H. CHEN & D. MAO (China)
- S165 Influence of A-site deficiency on oxygen-vacancy-related dielectric relaxation, electrical and temperature stability properties of CuO-doped NKN-based piezoelectric ceramics
C.-C. TSAI, S.-Y. CHU, C.-S. HONG & S.-L. YANG (ROC)
- S171 Fabrication and dielectric properties of transparent PZN-BT ceramic
L. HUANG, J. ZENG, W. RUAN, W. ZHAO, K. ZHAO & G. LI (China)
- S175 Temperature dependent phase transition of $(\text{Bi}_{0.5}\text{Na}_{0.5})_{1-x}\text{Ba}_x\text{TiO}_3$ lead-free piezoelectric
B.S. UTAMI, C.-N. CHEN, C.-C. CHOU, J.-Y. LIANG, P.-Y. CHEN & C.-S. CHEN (Taiwan)
- S181 Enhancement of extrinsic magnetoresistance behavior in BiFeO_3 doped $\text{La}_{0.8}\text{Ag}_{0.2}\text{MnO}_3$ ceramic
N. IBRAHIM & A.K. YAHYA (Malaysia)
- S185 Effects of Cr substitution and oxygen reduction on elastic anomaly and ultrasonic velocity in charge-ordered $\text{Nd}_{0.5}\text{Ca}_{0.5}\text{Mn}_{1-x}\text{Cr}_x\text{O}_{3-\delta}$ ceramics
S. SHAMSUDDIN, A.-B.M.A. IBRAHIM & A.K. YAHYA (Malaysia)
- S189 Electrical properties of chemical solution deposited $(\text{Bi}_{0.9}RE_{0.1})(\text{Fe}_{0.975}\text{Cu}_{0.025})\text{O}_{3-\delta}$ ($RE=\text{Ho}$ and Tb) thin films
J.W. KIM, C.M. RAGHAVAN, Y.-J. KIM, J.-J. OAK, H.J. KIM, W.-J. KIM, M.H. KIM, T.K. SONG & S.S. KIM (Republic of Korea)
- S195 Enhancement of electrical properties of (Gd, V) co-doped BiFeO_3 thin films prepared by chemical solution deposition
Y.-J. KIM, J.W. KIM, C.M. RAGHAVAN, J.-J. OAK, H.J. KIM, W.-J. KIM, M.H. KIM, T.K. SONG & S.S. KIM (Republic of Korea)
- S201 Fabrication and characterization of ferrimagnetic bioactive glass-ceramic containing $\text{BaFe}_{12}\text{O}_{19}$
W. LEENAKUL, J. RUANGSURIYA, P. JANTARATANA & K. PENGPAT (Thailand)
- S207 Synthesis, structure and dielectric properties of $(1-x)[0.9\text{BiFeO}_3-0.1\text{DyFeO}_3]-x\text{PbTiO}_3$ pseudo-binary ceramics
J. ZHUANG, L. CHEN, W. REN (China) & Z.-G. YE (China)
- S213 Dependence of magnetoelectric properties on the magnetostrictive content in 0-3 composites
M. RAFIQUE, S.Q.U. HASSAN, M.S. AWAN & S. MANZOOR (Pakistan)
- S217 Dielectric and ferroelectric properties of BiFeO_3 ceramics sintered in different atmospheres
H. LIU, Y. PU, X. SHI & Q. YUAN (China)
- S221 Synthesis of pure phase BiFeO_3 powders by direct thermal decomposition of metal nitrates
L. WANG, J.-B. XU, B. GAO, L. BIAN & X.-Y. CHEN (China)
- S227 Dielectric properties of strontium iron holmium niobate ceramics
K. SANJOOM, T. TUNKASIRI, K. PENGPAT, S. EITSSAYEAM & G. RUJIJANAGUL (Thailand)
- S233 Structural and magnetic studies of A site doped $\text{LaRh}_{1-x}\text{Cu}_x\text{O}_3$ ($A=\text{Ca}^{2+}$, Sr^{2+} , Pb^{2+} and Bi^{3+})
L. AWIN, B.J. KENNEDY & M. AVDEEV (Australia)
- S239 Structural and magnetic properties of nanocrystalline zinc-doped metal ferrites (metal=Ni; Mn; Cu) prepared by sol-gel combustion method
T. TANGCHAROEN, A. RUANGPHANIT & W. PECHARAPA (Thailand)

- S245 Ferroelectromagnetic characteristic of Na-doped 0.75BiFeO_3 – 0.25BaTiO_3 multiferroic ceramics
A. PRASATKHETRAGARN, A. ARTHAN, P. JANTARATANA, N. VITTAYAKORN, B. YOTBURUT & R. YIMNIRUN (Thailand)
- S249 Investigation on ferromagnetic and ferroelectric properties of (La, K)-doped BiFeO_3 – BaTiO_3 solid solution
A. PRASATKHETRAGARN, P. MUANGKONKAD, P. AOMMONGKOL, P. JANTARATANA, N. VITTAYAKORN & R. YIMNIRUN (Thailand)
- S253 Effects of Nd and Co co-doping on phase, microstructure and ferromagnetic properties of bismuth ferrite ceramics
P. LAWITA, P. SIRIPRAPA, A. WATCHARAPASORN & S. JIANSIRISOMBOON (Thailand)
- S257 Superconducting fluctuation and infrared absorption of Cd-substituted $\text{Tl}_{0.9}\text{Bi}_{0.1}\text{Sr}_{1.8}\text{Yb}_{0.2}\text{Ca}_{1-x}\text{Cd}_x\text{Cu}_{1.99}\text{Fe}_{0.01}\text{O}_{7-\delta}$ ceramics
S. ISMAIL, A.K. YAHYA (Malaysia) & N.A. KHAN (Pakistan)
- S263 Influence of post-annealing condition on the properties of ZnO films
Z.-N. NG, K.-Y. CHAN, Y.-K. SIN, J.-W. HOON & S.-S. NG (Malaysia)
- S269 Zinc oxide films deposited by radio frequency plasma magnetron sputtering technique
J.-W. HOON, K.-Y. CHAN & T.-Y. TOU (Malaysia)
- S273 First principles calculations of Hydrogen—Titanium vacancy complexes in SrTiO_3
I. FONGKAEW, J. T-THIENPRASERT (Thailand), D.J. SINGH, M.-H. DU (USA) & S. LIMPIJUMNONG (Thailand)
- S277 Sound velocities and elastic properties of PbTiO_3 and PbZrO_3 under pressure: First principles study
N. PANDECH, K. SARASAMAK & S. LIMPIJUMNONG (Thailand)
- S283 First principle study on structural, elastic and electronic properties of cubic BiFeO_3
M.K. YAAKOB, M.F.M. TAIB, M.S.M. DENI (Malaysia), A. CHANDRA (India), L. LU (Singapore) & M.Z.A. YAHYA (Malaysia)
- S287 First principles study on oxygen vacancy formation in rock salt-type oxides MO (M: Mg, Ca, Sr and Ba)
T. YAMAMOTO & T. MIZOGUCHI (Japan)
- S293 Density functional theory investigation of site predilection of Fe substitution in barium titanate
P. NIMMANPIUG, A. SAELOR, L. SRISOMBAT (Thailand), V.S. LEE (Thailand, Malaysia) & Y. LAOSIRITAWORN (Thailand)
- S297 First principles calculation on structural and lattice dynamic of SnTiO_3 and SnZrO_3
M.F.M. TAIB, M.K. YAAKOB, O.H. HASSAN (Malaysia), A. CHANDRA (India), A.K. AROF & M.Z.A. YAHYA (Malaysia)
- S301 Influence of interface intermixing and periodicity on internal electric field and polarization in ferroelectric superlattices
K.-H. CHEW, K.-G. LIM, L.-H. ONG (Malaysia) & M. IWATA (Japan)
- S307 Modulated internal electric field, dielectric susceptibility and polarization in ferroelectric superlattices
K.-G. LIM, K.-H. CHEW, L.-H. ONG (Malaysia) & M. IWATA (Japan)
- S311 Analytical Landau-type model of polarization switching in ferroelectrics
K.-K. LOH, L.-H. ONG & K.-H. CHEW (Malaysia)
- S315 Effect of sintering atmospheres on the densification behavior of CuO ceramics
J.-H. SONG, J.-A. LEE, J.-H. LEE, Y.-W. HEO & J.-J. KIM (South Korea)
- S321 Phase evolution and electrical properties of copper-electroded BaTi_4O_9 materials with BaO – ZnO – B_2O_3 – SiO_2 glass system in reducing atmosphere
K.-C. FENG, C.-C. CHOU, C.-S. CHEN, L.-W. CHU (Taiwan) & H. CHEN (China.)
- S325 Characterization of $0.93\text{Pb}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3$ – 0.07BaTiO_3 ceramics derived from a novel $\text{Zn}_3\text{Nb}_2\text{O}_8$ B-site precursor
P. PAKAWANIT, A. NGAMJARUROJANA, A. PRASATKHETRAGARN & S. ANANTA (Thailand)

- S331 Microstructure and dielectric properties of $Zn_3Nb_2O_8$ ceramics prepared by a two-stage sintering method
P. AMONPATTARATKIT, A. NGAMJARUROJANA & S. ANANTA (Thailand)
- S335 Dielectric properties of $Ba_{1-x}Sr_xTiO_3$ ceramics prepared by microwave sintering
Y. YU, X. WANG & X. YAO (China)
- S341 Parametric effects on femtosecond laser ablation of Al_2O_3 ceramics
B.-C. CHEN, Y.-H. TSAI, C.-Y. HO, C.-S. CHEN & C. MA (Taiwan)
- S345 Preparation of PLZST antiferroelectric ceramics by hydroxide coprecipitation method
G. LI, T.-Q. YANG, J.-F. WANG, S.-C. CHEN & X. YAO (China)
- S349 A new route for the synthesis of β -sialon: Eu^{2+} phosphors using pyrophyllite powders
K. JUN, K. LEE, G. KIM & Y.J. KIM (Republic of Korea)
- S355 Effects of Mn-dopant on phase, microstructure and electrical properties in $Bi_{3.25}La_{0.75}Ti_3O_{12}$ ceramics
P. SIRIPRAPA, A. WATCHARAPASORN & S. JIANSIRISOMBOON (Thailand)
- S359 Microstructures and dielectric relaxation behaviors of pure and tellurium doped $CaCu_3Ti_4O_{12}$ ceramics prepared via vibro-milling method
W. MAKCHAROEN & T. TUNKASIRI (Thailand)
- S365 Preparation and electrical properties of $NaNbO_3$ ceramics synthesized by topochemical microcrystal conversion
A. HUSSAIN, J.-S. KIM, G.-H. RYU, T.-K. SONG, M.-H. KIM & W.-J. KIM (Republic of Korea)
- S369 Visible green upconversion luminescence of $Er^{3+}/Yb^{3+}/Li^+$ co-doped $CaWO_4$ particles
J.H. CHUNG, J.-I. LEE, S.-L. RYU & J.H. RYU (South Korea)
- S373 Fabrication and properties of tricalcium phosphate/barium hexaferrite composites
N. LERTCUMFU, P. JARUPOOM & G. RUJJANAGUL (Thailand)
- S379 Properties of hydroxyapatite/zirconium oxide nanocomposites
W. KANTANA, P. JARUPOOM, K. PENGPAT, S. EITSSAYEAM, T. TUNKASIRI & G. RUJJANAGUL (Thailand)
- S383 Transformation of cubic $AgBiS_2$ from nanoparticles to nanostructured flowers by a microwave-refluxing method
N. TIPCOMPOR, S. THONGTEM & T. THONGTEM (Thailand)
- S389 Physical properties of V-doped TiO_2 nanoparticles synthesized by sonochemical-assisted process
C. KAHATTHA, N. WONGPISUTPAISAN, N. VITTAYAKORN & W. PECHARAPA (Thailand)
- S395 A rapid synthesis of cobalt cyclotetraphosphate $Co_2P_4O_{12}$ at low temperature
B. BOONCHOM & N. VITTAYAKORN (Thailand)
- S399 Low temperature fabrication of lead-free KNN-LS-BS ceramics via the combustion method
C. WATTANAWIKKAM, N. VITTAYAKORN & T. BONGKARN (Thailand)
- S405 Preparation of nanocrystalline $SrTiO_3$ powder by sol-gel combustion method
T. KLAYTAE, P. PANTHONG & S. THOUNTOM (Thailand)
- S409 Crystal structure, microstructure and electrical properties of $(1-x-y)Bi_{0.5}Na_{0.5}TiO_3-xBi_{0.5}K_{0.5}TiO_3-yBiFeO_3$ ceramics near MPB prepared via the combustion technique
R. SUMANG, N. VITTAYAKORN & T. BONGKARN (Thailand)
- S415 Phase formation and electrical properties of $Ba(Zr_xTi_{1-x})O_3$ ceramics synthesized through a novel combustion technique
P. JULPHUNTHONG, S. CHOOTIN & T. BONGKARN (Thailand)
- S421 The effects of sintering temperature and content of x on phase formation, microstructure and dielectric properties of $(1-x)(Bi_{0.4871}Na_{0.4871}La_{0.0172}TiO_3)-x(BaZr_{0.05}Ti_{0.95}O_3)$ ceramics prepared via the combustion technique
C. KORNPHOM, A. LAOWANIDWATANA & T. BONGKARN (Thailand)

- S427 Phase formation, microstructure and electrical properties of mica glass-ceramics containing Cr_2O_3 produced by heat treatment
A. NIYOMPAN, S. PHUMAS, R. TIPAKONTITIKUL & T. TUNKASIRI (Thailand)
- S433 Effect of adding Y_2O_3 on structural and mechanical properties of Al_2O_3 - ZrO_2 ceramics
A. RITTIDECH, R. SOMRIT, T. TUNKASIRI (Thailand)
- S437 Fabrication of well-crystallized mesoporous ZrO_2 thin films via Pluronic P123 templated sol-gel route
M.T. SOO (Malaysia, Japan), G. KAWAMURA, H. MUTO, A. MATSUDA (Japan), Z. LOCKMAN & K.Y. CHEONG (Malaysia)
- S441 The changes in structural and optical properties of (ZnO : AlN) thin films fabricated at different RF powers of ZnO target
A. ISMAIL & M.J. ABDULLAH (Malaysia)
- S447 ZnO thin film nanostructures for hydrogen gas sensing applications
H.S. AL-SALMAN (Malaysia, Iraq), M.J. ABDULLAH (Malaysia) & N. AL-HARDAN (Iraq)
- S451 Synthesis and properties of multiferroic 0.7BiFeO_3 - 0.3BaTiO_3 thin films by Mn doping
Y. ITO, W. SAKAMOTO, M. MORIYA & T. YOGO (Japan)
- S457 Effects of Li doping on dielectric properties of $\text{Ag}(\text{Ta}_{0.5}\text{Nb}_{0.5})\text{O}_3$ thick films
M.-S. CHAE & J.-H. KOH (Republic of Korea)
- S461 Structural and electrical properties of sol-gel-derived Al-doped bismuth ferrite thin films
D. ZHANG, P. SHI, X. WU & W. REN (China)
- S465 Effect of excess Bi_2O_3 on structures and dielectric properties of $\text{Bi}_{1.5}\text{Zn}_{1.0}\text{Nb}_{1.5}\text{O}_7$ thin films deposited at room temperature by RF magnetron sputtering
M. SAEED KHAN, W. REN, P. SHI, X. CHEN & X. WU (China)
- S471 Effect of annealing temperature on ferroelectric electron emission of sol-gel PZT films
M. YASEEN (China), X. CHEN (China, Singapore), W. REN, Y. FENG, P. SHI, X. WU (China) & W. ZHU (Singapore)
- S475 Comparison of oxidized/nitrided Zr thin films on Si and SiC substrates
Y.H. WONG & K.Y. CHEONG (Malaysia)
- S481 Structure and dielectric properties of barium titanate thin films for capacitor applications
F. HE, W. REN, G. LIANG, P. SHI, X. WU & X. CHEN (China)
- S487 Electrical properties and phase of BaTiO_3 - SrTiO_3 solid solution
S.W. KIM, H.I. CHOI, M.H. LEE, J.S. PARK, D.J. KIM, D. DO, M.H. KIM, T.K. SONG & W.J. KIM (Republic of Korea)
- S491 Microwave dielectric properties of bismuth zinc niobate thin films deposited on alumina by pulsed laser deposition
Z. WANG, W. REN, X. ZHANG, P. SHI, X. WU & X. CHEN (China)
- S497 Electrocaloric and pyroelectric properties of PZT and PMN-PNN-PZT thin films
H. MAIWA (Japan) & S.-H. KIM (Republic of Korea)
- S501 Growth of hexagonal prism ZnO nanorods on Zn substrates by hydrothermal method and their photoluminescence
N. EKTHAMMATHAT, T. THONGTEM, A. PHURUANGRAT & S. THONGTEM (Thailand)
- S507 Color-tunable photoluminescence in $\text{Bi}_{3.6}\text{Eu}_{0.4}\text{Ti}_3\text{O}_{12}$ / ZnO nanorods composite films
X. ZHOU, G. WU, H. ZHOU, N. QIN & D. BAO (China)
- S513 Preparation and energy-storage performance of PLZT antiferroelectric thick films via sol-gel method
Y. LIU, Y. WANG, X. HAO & J. XU (China)
- S517 The effects of solvents on the formation of $\text{Ba}_{0.65}\text{Sr}_{0.35}\text{TiO}_3$ thin films derived by sol-gel processing
X. CHEN, Y. TIAN, H. LIU, C. DU, J. LI & P. YU (China)

- S521 Effect of donor and acceptor dopants on fatigue properties in PZT thin films
T. SREESATTABUD (Thailand), B.J. GIBBONS (USA), A. WATCHARAPASORN & S. JIANSIRISOMBOON (Thailand)
- S525 Influence of sintering atmosphere on dielectric properties and microstructure of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics
B. WANG, Y.-P. PU, H.-D. WU, K. CHEN & N. XU (China)
- S529 Surface and optical phonon characteristics of ZnO/diamond heterostructure
S.S. NG, S.C. LEE, P.K. OOI, K.G. SAW, M.J. ABDULLAH, Z. HASSAN & H. ABU HASSAN (Malaysia)
- S533 Physical properties and bioactivity of nanocrystalline hydroxyapatite synthesized by a co-precipitation route
S. INTHONG, T. TUNKASIRI, S. EITSSAYEAM, K. PENGPAT & G. RUJJIANAGUL (Thailand)
- S537 Fabrication of P_2O_5 – CaO – Na_2O glasses doped with magnesium oxide for artificial bone applications
S. THONGLEM, G. RUJJIANAGUL, S. EITSSAYEAM, T. TUNKASIRI & K. PENGPAT (Thailand)
- S541 Soft/hard PZT monolithic bi-layer composite actuator
P. NGERNCHUKLIN (Thailand), J. RYU (Republic of Korea), C. EAMCHOTCHAWALIT (Thailand) & D.-S. PARK (Republic of Korea)
- S545 Sol-gel synthesis of zinc oxide nanoparticles using *Citrus aurantifolia* extracts
N. AIN SAMAT & R. MD NOR (Malaysia)
- S549 Characterization and catalytic activity of $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_{3-\delta}$ –yttria stabilized zirconia electrospun nano-fiber as a cathode catalyst
C.-C. CHOU, C.-F. HUANG & T.-H. YEH (Taiwan)
- S555 Effects of barium on luminescent properties of $\text{Sr}_{2-x}\text{Ba}_x\text{SiO}_4:\text{Eu}^{2+}$ nanoparticles
J. SEONG LEE & Y. JIN KIM (Republic of Korea)
- S559 Barium zirconate titanate nanoparticles synthesized by the sonochemical method
P. SEEHARAJ, B. BOONCHOM, P. CHAROONSUK, P. KIM-LOHSOONTORN & N. VITTAYAKORN (Thailand)
- S563 Sonochemical synthesis, photocatalysis and photonic properties of 3% Ce-doped ZnO nanoneedles
O. YAYAPO, S. THONGTEM, A. PHURUANGRAT & T. THONGTEM (Thailand)
- S569 Effect of BN filler on thermal properties of HDPE matrix composites
Y.K. SHIN, W.S. LEE, M.J. YOO & E.S. KIM (Republic of Korea)
- S575 Preparation of delafossite CuFeO_2 coral-like powder using a self-combustion glycine nitrate process
T.-W. CHIU & P.-S. HUANG (Taiwan)
- S579 Investigation of local structure in BaTiO_3 – BaZrO_3 system by synchrotron X-ray absorption spectroscopy
A. BOOTCHANONT, J. JUTIMOOSIK, S. CHANDARAK, M. UNRUAN, S. RUJIRAWAT, R. YIMNIRUN (Thailand), R. GUO & A. BHALLA (USA)
- S583 Influence of substrate deformation on piezoelectric displacement measurement of piezoelectric film
X. YAN, W. REN, H. XIN, P. SHI, X. CHEN & X. WU (China)
- S587 A simple thermal wave method for the evaluation of the polarization state of embedded piezoceramics
G. SUCHANECK, A. EYDAM, M. RÜBNER, M. SCHWANKL & G. GERLACH (Germany)
- S591 Chemical investigation of $\text{Fe}^{3+}/\text{Nb}^{5+}$ -doped barium titanate ceramics
L. SRISOMBAT, S. ANANTA (Thailand), B. SINGHANA, T.R. LEE (USA) & R. YIMNIRUN (Thailand)
- S595 Effect of crystallization in frits on the contact of AgSi under fast firing
D. KIM, S. CHOI & H. KIM (Korea)
- S601 Microstructure and performance of micro-tubular solid oxide fuel cells made by aqueous electrophoretic deposition
J.S. CHERNG, C.C. WU, W.H. CHEN & T.H. YEH (Taiwan)

- S605 Effects of buffer layers on properties of bulk hetero junction flexible organic solar cells
K.H. KIM & H.J. CHANG (South Korea)
- S611 Synthesis and dielectric properties of $\text{HCa}_2\text{Nb}_3\text{O}_{10}$ layered structure ceramics
H. YIM, S.-Y. YOO, S. NAHM, S.-J. HWANG, S.-J. YOON & J.-W. CHOI (South Korea)
- S615 The preparation of ceria colloids dispersed by polyvinyl alcohol
H.-W. HE, X.-Q. WU, W. REN, P. SHI & Z.-T. SONG (China)
- S619 The thermal properties of cordierite/diopside composites fabricated by glass-ceramics process for LED packages
Y. KIM & S. KANG (Republic of Korea)
- S623 Luminescent properties of CaAl_4O_7 powders doped with Mn^{4+} ions
J. PARK, G. KIM & Y.J. KIM (Republic of Korea)
- S627 Investigation of ionic conductivities of CeO_2 -based electrolytes with controlled oxygen vacancies
C.-C. CHOU, C.-F. HUANG & T.-H. YEH (Taiwan)
- S633 Photoelectrochemical properties of $\text{TiO}_2/\text{SrTiO}_3$ combined nanotube arrays
L. GUO, X. WANG, H. ZHANG & L. LI (China)
- S637 Electrochemical properties of $\text{Ba}(\text{MnPO}_4)_2 \cdot \text{H}_2\text{O}$ in alkaline aqueous electrolytes
Y. KINTSU, S. SUZUKI & M. MIYAYAMA (Japan)
- S641 Design and fabrication of a cross-shaped piezoelectric generator for energy harvesting
J.-H. LIM, S.-S. JEONG, N.-R. KIM, S.-K. CHEON, M.-H. KIM & T.-G. PARK (South Korea)
- S647 The role of impurities on electrochemical properties of LiFePO_4 cathode material
M.-S. YOON, M. ISLAM & S.-C. UR (Republic of Korea.)
- S653 Asymmetric PZT bimorph cantilever for multi-dimensional ambient vibration harvesting
J.C. PARK & J.Y. PARK (Republic of Korea)
- S659 Performance of anode-supported solid oxide fuel cell in planar-cell channel-type setup
H.-T. LIM, S. CHEOL HWANG & J.S. AHN (Republic of Korea)
- S663 Influence of nanopowder characteristics on dispersion property of slurries
J. CHOI, Y. JUNG, J. KIM & D. SHIN (Republic of Korea)
- S669 Frequency fine adjusting of LTCC microwave resonators based on BZN ceramics
Y. XIAOJING, L. XIAOBING, D. SHIHUA, Y. YU & Y. XI (China)
- S673 Effect of Ca substitution on phase compositions and dielectric properties of $\text{Bi}_2\text{O}_3-\text{ZnO}-\text{Nb}_2\text{O}_5$ pyrochlore ceramics
L.-X. PANG, D. ZHOU & H. WANG (China)
- S677 Microwave dielectric properties of diopside glass-ceramics
B.K. CHOI, G.N. SUN & E.S. KIM (Republic of Korea)
- S681 A linear piezoelectric actuator using the first-order bending modes
Y. LIU, W. CHEN, P. FENG & J. LIU (China)
- S685 Phase structures and electrical properties of $(1-x)(\text{K}_{0.48}\text{Na}_{0.52})\text{NbO}_3-x(\text{Ba}_{0.85}\text{Ca}_{0.15})(\text{Zr}_{0.1}\text{Ti}_{0.9})\text{O}_3$ lead-free ceramics
J. HAO, W. LI, W. BAI, B. SHEN & J. ZHAI (China)
- S691 Longitudinal and bending hybrid linear ultrasonic motor using bending PZT elements
X. YANG, Y. LIU, W. CHEN & J. LIU (China)
- S695 Enhancement in the piezoelectric properties of $\text{BaTiO}_3-\text{Bi}(\text{Mg}_{1/2}\text{Ti}_{1/2})\text{O}_3-\text{BiFeO}_3$ system ceramics by nanodomain
R. MITSUI, I. FUJII, K. NAKASHIMA, N. KUMADA, Y. KUROIWA & S. WADA (Japan)

- S521 Effect of donor and acceptor dopants on fatigue properties in PZT thin films
T. SREESATTABUD (Thailand), B.J. GIBBONS (USA), A. WATCHARAPASORN & S. JIANSIRISOMBOON (Thailand)
- S525 Influence of sintering atmosphere on dielectric properties and microstructure of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics
B. WANG, Y.-P. PU, H.-D. WU, K. CHEN & N. XU (China)
- S529 Surface and optical phonon characteristics of ZnO/diamond heterostructure
S.S. NG, S.C. LEE, P.K. OOI, K.G. SAW, M.J. ABDULLAH, Z. HASSAN & H. ABU HASSAN (Malaysia)
- S533 Physical properties and bioactivity of nanocrystalline hydroxyapatite synthesized by a co-precipitation route
S. INTHONG, T. TUNKASIRI, S. EITSSAYEAM, K. PENGPAT & G. RUJJIANAGUL (Thailand)
- S537 Fabrication of P_2O_5 – CaO – Na_2O glasses doped with magnesium oxide for artificial bone applications
S. THONGLEM, G. RUJJIANAGUL, S. EITSSAYEAM, T. TUNKASIRI & K. PENGPAT (Thailand)
- S541 Soft/hard PZT monolithic bi-layer composite actuator
P. NGERNCHUKLIN (Thailand), J. RYU (Republic of Korea), C. EAMCHOTCHAWALIT (Thailand) & D.-S. PARK (Republic of Korea)
- S545 Sol-gel synthesis of zinc oxide nanoparticles using *Citrus aurantifolia* extracts
N. AIN SAMAT & R. MD NOR (Malaysia)
- S549 Characterization and catalytic activity of $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_{3-\delta}$ –yttria stabilized zirconia electrospun nano-fiber as a cathode catalyst
C.-C. CHOU, C.-F. HUANG & T.-H. YEH (Taiwan)
- S555 Effects of barium on luminescent properties of $\text{Sr}_{2-x}\text{Ba}_x\text{SiO}_4:\text{Eu}^{2+}$ nanoparticles
J. SEONG LEE & Y. JIN KIM (Republic of Korea)
- S559 Barium zirconate titanate nanoparticles synthesized by the sonochemical method
P. SEEHARAJ, B. BOONCHOM, P. CHAROONSUK, P. KIM-LOHSOONTORN & N. VITTAYAKORN (Thailand)
- S563 Sonochemical synthesis, photocatalysis and photonic properties of 3% Ce-doped ZnO nanoneedles
O. YAYAPAO, S. THONGTEM, A. PHURUANGRAT & T. THONGTEM (Thailand)
- S569 Effect of BN filler on thermal properties of HDPE matrix composites
Y.K. SHIN, W.S. LEE, M.J. YOO & E.S. KIM (Republic of Korea)
- S575 Preparation of delafossite CuFeO_2 coral-like powder using a self-combustion glycine nitrate process
T.-W. CHIU & P.-S. HUANG (Taiwan)
- S579 Investigation of local structure in BaTiO_3 – BaZrO_3 system by synchrotron X-ray absorption spectroscopy
A. BOOTCHANONT, J. JUTIMOOSIK, S. CHANDARAK, M. UNRUAN, S. RUJIRAWAT, R. YIMNIRUN (Thailand), R. GUO & A. BHALLA (USA)
- S583 Influence of substrate deformation on piezoelectric displacement measurement of piezoelectric film
X. YAN, W. REN, H. XIN, P. SHI, X. CHEN & X. WU (China)
- S587 A simple thermal wave method for the evaluation of the polarization state of embedded piezoceramics
G. SUCHANECK, A. EYDAM, M. RÜBNER, M. SCHWANKL & G. GERLACH (Germany)
- S591 Chemical investigation of $\text{Fe}^{3+}/\text{Nb}^{5+}$ -doped barium titanate ceramics
L. SRISOMBAT, S. ANANTA (Thailand), B. SINGHANA, T.R. LEE (USA) & R. YIMNIRUN (Thailand)
- S595 Effect of crystallization in frits on the contact of AgSi under fast firing
D. KIM, S. CHOI & H. KIM (Korea)
- S601 Microstructure and performance of micro-tubular solid oxide fuel cells made by aqueous electrophoretic deposition
J.S. CHERNG, C.C. WU, W.H. CHEN & T.H. YEH (Taiwan)

- S701 Piezoelectric properties of lead free BaTiO₃ doped 0.9(Na_{0.52}K_{0.48})NbO₃–0.1AgLiTaO₃ ceramics
K.-S. LEE & J.-H. KOH (Korea)
- S705 Lead-free Bi_{1/2}(Na_{0.82}K_{0.18})_{1/2}TiO₃ ceramics exhibiting large strain with small hysteresis
H.-B. LEE, D.-J. HEO, R.A. MALIK, C.-H. YOON, H.-S. HAN & J.-S. LEE (Republic of Korea)
- S709 Effects of Al₂O₃ on the ferroelectric properties of sodium potassium lithium niobate lead-free piezoceramics
I.H. LEE, H.S. LEE, Y.H. KIM, S.K. GIL & D.H. KANG (South Korea)
- S715 Motional characteristics of ultrasonic motor using Λ (lambda)-shaped stator
S.-S. JEONG, S.-K. CHEON, M.-H. KIM, J.-S. SONG & T.-G. PARK (Korea)
- S721 High-power properties and miniature ultrasonic motor of (Sr,Ca)₂NaNb₅O₁₅ piezoelectric ceramics
Y. DOSHIDA, H. SHIMIZU, Y. MIZUNO & H. TAMURA (Japan)
- S729 Bipolar resistive switching properties in transparent vanadium oxide resistive random access memory
F.-W. YANG, K.-H. CHEN, C.-M. CHENG & F.-Y. SU (ROC)
- S733 Resistive switching properties of TiO₂ film for flexible non-volatile memory applications
C.-C. LIN, J.-W. LIAO & W.-Y. LI (Taiwan)
- S739 Vibration analysis for piezoceramic ring
L. WANG, Y. LU, Y. XIANG, L. QIN & D. CAI (China)
- S743 Influence of Pr³⁺ substitution at Ba-site of Eu(Ba_{1-x}Pr_x)₂Cu₃O_{7-δ} ceramic rods with hot-spot on oxygen sensing properties
M.I. ADZAM, M.I.M. YUSOF & A.K. YAHYA (Selangor)
- S747 Electrical properties of [Ag_{0.2}(K_{0.52}Na_{0.48})_{0.8}](Nb_{1-x}Ta_x)O₃ ceramics
Y.J. EOH, J.H. CHO, B.I. KIM & E.S. KIM (Korea)
- S753 Lithium storage properties of graphene sheets derived from graphite oxides with different oxidation degree
W. LEE, S. SUZUKI & M. MIYAYAMA (Japan)